

LIBRARY
NATIONAL BOTANICAL INSTITUTE
PRIVATE BAG X 101
PRETORIA 0001
REPUBLIC OF SOUTH AFRICA

MEMOIRS OF THE BOTANICAL SURVEY OF
SOUTH AFRICA
MEMOIRS VAN DIE BOTANIESE OPNAME VAN
SUID-AFRIKA

No. 51

1985

List of
SPECIES OF
SOUTHERN AFRICAN PLANTS
Edition 2 Part 1

G.E. GIBBS RUSSELL, C. REID, J. VAN ROOY and L. SMOOK

BOTANICAL RESEARCH INSTITUTE • DEPARTMENT OF AGRICULTURE AND WATER SUPPLY • REPUBLIC OF
SOUTH AFRICA

NAVORSINGSINSTITUUT VIR PLANTKUNDE • DEPARTEMENT VAN LANDBOU EN WATERVOORSIENING • REPUBLIEK VAN
SUID-AFRIKA

Republic of South Africa



Republiek van Suid-Afrika

MEMOIRS OF THE BOTANICAL SURVEY OF SOUTH AFRICA No. 51
MEMOIRS VAN DIE BOTANIESE OPNAME VAN SUID-AFRIKA No. 51

List of

SPECIES OF

SOUTHERN AFRICAN PLANTS

Edition 2

Recent Literature and Synonyms

Part 1

Cryptogams, Gymnosperms, Monocotyledons


by

G.E. GIBBS RUSSELL, C. REID, J. VAN ROOY and L. SMOOK

Botanical Research Institute, Pretoria


	Prys/Price
Plaaslik/Local	R5,30
Plus AVB/GST	
Buitelands/Other countries	R6,30
Posvry/Post Free	

ISBN 0 621 08861 7



BOTANICAL RESEARCH INSTITUTE • NAVORSINGSINSTITUUT VIR PLANTKUNDE
DEPARTMENT OF AGRICULTURE AND WATER SUPPLY • DEPARTEMENT VAN LANDBOU EN WATERVOORSIENING
SOUTH AFRICA • SUID-AFRIKA

1985



Digitized by the Internet Archive
in 2016 with funding from
South African National Biodiversity Institute Libraries

FOREWORD

The *List of Species of Southern African Plants*, which was first published in February 1984, was the first comprehensive and authoritative inventory of the names of southern African plants in current use in southern African herbaria. The enthusiastic reception this work has had from the majority of scientists and laymen who have consulted it is a vindication of the time and effort which has gone into its preparation. It is therefore with great pleasure that we announce the publication of Part 1 (Monocotyledons) of the amplified second edition of the List. The inclusion of literature references and important synonyms in the second edition of the List will greatly increase its value as a tool for standardizing plant names in southern African herbaria. Furthermore, the rate of change in plant names has become a source of frustration to many biologists and persons interested in plants which was undoubtedly aggravated by the problems experienced in keeping abreast of developments. Let us hope that the availability of this List of accepted names will overcome some of the problems caused.

This inventory of taxa is being generated with the use of the taxon name datasets of PRECIS, a flexible system which is able to accommodate name and status changes and is continuously being updated. In addition to the periodic publication of revised editions of the List, information on name changes, new taxa and new records will be published annually in *Bothalia*.

The *List of Species of Southern African Plants* is essentially a precursor to the *Flora of Southern Africa* and will have to be used until the Flora is completed. The concept of maintaining the computerized list and publishing the annual summary of name changes in *Bothalia*, is as far as is known to me a service rendered to biological researchers and other users of plant names which is unique to southern Africa.

All those who have assisted in its creation are to be congratulated on the establishment of a botanical aid of great value to taxonomists, ecologists, and biologists in general.

B. DE WINTER
Botanical Research Institute

Pretoria, 1984

CONTENTS

	<i>Page</i>
FOREWORD	iii
INTRODUCTION	vii
BRYOPHYTA <i>1000-1921</i>	1
PTERIDOPHYTA <i>10-700</i>	32
GYMNOSPERMAE <i>2000-28000 & 48000</i>	41
ANGIOSPERMAE <i>49000-75000 + 8-22,22</i>	43
MONOCOTYLEDONAE <i>452000-18.37000</i>	43
REFERENCES	145
INDEX TO FAMILIES AND GENERA	146

INTRODUCTION

This second edition of the *List of Species of Southern African Plants* includes references to recent literature and synonyms so that users of scientific names who lack access to a range of specialist publications can identify plants and take up the names accepted by PRE from the most recent literature. The first edition listed the currently accepted names for the $\pm 24\,000$ species and sub-specific taxa of plants in the *Flora of Southern Africa* area (South Africa, Ciskei, Transkei, Lesotho, Swaziland, Bophuthatswana, South West Africa/Namibia, Botswana and Venda). Annotations indicated naturalized taxa and genera under revision. That simple list was intended to be a new means of communication among users of plant names in southern Africa. The second edition is a further step towards a broad understanding of the diverse flora of the subcontinent.

Part 1 covers bryophytes, pteridophytes, gymnosperms and monocotyledons; part 2, covering dicotyledons, will be ready for publication in about a year's time.

STARTING AND 'ENDING' DATES

This list is intended to be of practical use for those referring to plant names in the period before the completion of the *Flora of Southern Africa*. It is not an exhaustive list of references or a complete synonymy: it lists only the references that are commonly used to identify plants or in which names used in the past ± 35 years have been placed in synonymy. The synonyms given are only those which have been in recent use as accepted names. Therefore the major taxonomic groups have different starting dates, depending on the amount of research done in the past.

The literature references and synonyms given here are taken from publications up to 30 June 1984. However, there is no true ending date because the list is maintained as part of PRECIS (Pretoria National Herbarium Computerized Information System). It will be continuously updated as new revisions are worked into the PRE Herbarium. Therefore, the most recent printouts for particular families and genera can in the future be obtained from the Botanical Research Institute. In addition, updates to this list, showing new and newly-recorded taxa and name changes, will be published annually in *Bothalia* beginning in 1985.

BASIC LITERATURE

The following commonly used treatments were considered to be basic references, and all names accepted in them are accounted for in this list: Bryophyta – Magill & Schelpe (1979), Magill (1982); Pteridophyta – Schelpe (1969); Poaceae – Acocks (1953), Chippindall (1955), Smith (1966), Acocks (1975), Gordon-Gray (1977); other Monocotyledonae – Adamson & Salter (1950), Acocks (1953), Letty (1962), Watt & Breyer-Brandwijk (1962), Smith (1966), Trausel (1969), Jacot Guillarmod (1971).

In addition to the above literature, names from two other sources have been accounted for: queries about names appearing in previous PRECIS species lists have yielded names currently in use at other herbaria; and the earliest PRECIS lists gave names used at the National Herbarium (PRE) in the past.

TAXONOMIC ORDER

Bryophytes are basically classified according to the systems of Fleischer (1900–1902) and Brotherus (1924–1925). The arrangement of the liverworts is after Magill & Schelpe (1979) and the family arrangement and generic placement of the mosses follows Crosby & Magill (1981). Pteridophyte families generally follow the order of Schelpe (1970), with the genera arranged alphabetically. Spermatophytes appear in the same order as Dyer (1975, 1976), which follows the numbering of the Englerian system by De Dalla Torre & Harms. Only the Poaceae departs from these numbers. This family appears in its position in the Englerian system, between the Hydrocharitaceae and the Cyperaceae, but the numbers for the genera are taken from an unpublished list maintained at Kew Herbarium (K). These numbers are given in Dyer (1976).

Beside each accepted name appears the number by which it is recognized in the PRECIS database. Numbers for Bryophyte genera range from 1000 to 1999. Numbers for Pteridophyte genera range from 1–700. The number for spermatophyte families is that of the first genus in the family. The numbers for the genera are combined with noughts to make a 7-digit number for sorting by the computer. Genera traditionally intercalated by letters

after the numbers (e.g., *Mariscus*, 459c) have the letter replaced by the equivalent number (e.g., *Mariscus*, 0459030). The genus numbers for Poaceae are preceded by the digits 99, to distinguish the Kew genus numbers from the De Dalla Torre & Harms numbers in other families. In all groups the species numbers serve to keep the species names in alphabetical order.

FORMAT OF THE LIST

For each genus the author of the genus name is given, and in cases where the genus is in active revision and a new treatment is expected shortly, the name and institution of the revisor is given. Within each genus the references are numbered separately, and in genera where unpublished work is accepted this citation is shown by a hatch sign rather than a number.

All the species names, both those accepted and those in synonymy, are listed alphabetically under each genus. The accepted name for each species is printed in upper case letters and is preceded by its PRECIS computer number. Occasionally a name has been retained in use at PRE even though a recent revision has placed it in synonymy. In these cases, the name accepted by PRE is followed by the numbers of the references concerned. The synonyms for an accepted name are indented below it, and appear in alphabetical order. Each synonym is shown in parentheses and is followed by the number of the reference which places it in synonymy.

Synonyms are printed in lower case letters and each appears twice in the list: indented below the name for which it is a synonym and also in its alphabetical place in the complete list of species names for each genus. A synonym listed alphabetically does not have a PRECIS number, and is followed by the name of the species to which it is now referred.

All name changes are attributed to a reference. The reference is chosen to be the most comprehensive one, and in a number of cases is not the earliest one. For example, if a specialist in a genus has published a series of journal articles showing name changes and later has written a Flora treatment of the genus where a complete synonymy is given, only the Flora treatment is normally cited. In a few genera there is no recent revision available, but certain names have been informally treated as synonyms by particular taxonomists. In these cases, the name changes are attributed to the individual whose work is followed at PRE.

ANNOTATIONS AND ABBREVIATIONS

Naturalized species are indicated by an asterisk (*). Abbreviations are used for author names, journal titles, book titles and names of herbaria. Author names are abbreviated following Recommendation 46A in the *International Code of Botanical Nomenclature* (Voss *et al.*,

1983), as listed in Technical Note TAX 2 (1980) of the Botanical Research Institute. Abbreviations of journal and book titles also follow the recommended abbreviations given in Technical Notes TAX 6AN1 (1981) and TAX 6 (1969) of the Botanical Research Institute. Floras are cited by the abbreviations used in the *Flora of Southern Africa*:

CFA	Conspectus Florae Angolensis
FC	Flora Capensis
FSA	Flora of Southern Africa
FSWA	Prodromus einer Flora von Südwestafrika
FTA	Flora of Tropical Africa
FTEA	Flora of Tropical East Africa
FWTA	Flora of West Tropical Africa
FZ	Flora Zambesiaca

Herbarium abbreviations follow *Index Herbariorum* (Stafleu, 1981).

ACKNOWLEDGEMENTS

The rapid completion of this part of the second edition of the *List of Species of Southern African Plants* has been made possible by the continued successful operation of PRECIS, under the guidance of Miss B. Young, and Mr. Nigel Barker, the present database manager. Dr B. de Winter, Dr D.J.B. Killick and Dr O.A. Leistner have given constant advice and encouragement. Mrs W. Roux has done the proofreading rapidly and accurately, and has prepared the camera-ready pages from computer printout.

Several botanists outside the National Herbarium (PRE) have improved this list by their discovery of inaccuracies in the first edition, particularly Dr P. Goldblatt (MO), Prof. O.M. Hilliard (NU), Dr P. Kok (PRU), Dr P.J. Vorster (STE-U) and Dr A.F.M.G. Jacot Guillarmod (GRA). Dr Goldblatt provided us with a pre-publication copy of *Plants of the Cape Flora*, which has been of great help for Capensis taxa.

AUTHORSHIP

As in the first edition, members of the Herbarium staff at the Botanical Research Institute have been responsible for the parts of the list which corresponds to their section of the Herbarium. Each person should therefore be cited as the author of his respective part.

- J. van Rooy
Bryophytes
- C. Reid
Pteridophytes
Gymnosperms
Monocotyledons (excl. Poaceae)
- L. Smook & G.E. Gibbs Russell
Poaceae

BRYOPHYTA

Cy mon

HEPATICAEE	1000

RIELLACEAE (H10)	1000

1000 -RIELLA MONT.	
100 1. MAGILL & SCHELPE. 1979. CHECKLIST.	
200 R. AFFINIS M. A. HOWE & UND.	
300 R. ALATOSPORA WIGG.	
400 R. CAPENSIS CAV.	
500 R. ECHINOSPORA WIGG.	
500 R. PURPUREOSPORA WIGG.	

SPHAEROCARPACEAE (H9)	1006

1006 -SPHAEROCARPOS BOEH.	
100 1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100 S. STIPITATUS BISCH. EX LINDENB.	

OXYMITRACEAE (H7)	1011

1000 -OXYMITRA BISCH.	
100 1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100 O. CRISTATA GARSIDE	

RICCIAEAE (H8)	1016

1016 -RICCIA L.	
1. MITTEN. 1957. MITT. BOT. STSAMML., MUNCH. 16: 270.	
2. ARNELL. 1963. HEPATICAEE S. AFR.	
3. JOVET-AST. 1964. REV. BRYOL. LICHENOL. 33: 481.	
4. JOVET-AST. 1966. REV. BRYOL. LICHENOL. 34: 88.	
5. MAGILL & SCHELPE. 1979. CHECKLIST.	
100 R. ALBOLIMBATA S. ARNELL	
200 R. ALBOMARGINATA BISCH.	
300 R. ALBOSQUAMATA S. ARNELL	
350 R. ALBOVESTITA VOLK IN MITT. BOT. STSAMML., MUNCH. 17: 245 (1981)	
400 R. ANGOLENSIS STEPH.	
(=R. pseudolimbata S. Arnell) 1	
500 R. ATROPURPUREA SIM.	
600 R. BULLOSA STEPH.	
700 R. CANESCENS STEPH.	
800 R. CAPENSIS STEPH.	
850 R. CAVERNOSA HOFFM.	
(=R. rautanenii Steph.) 3	
R. commutata Jack = R. WARNSTORFII LIMPR.	
900 R. COMPACTA GARSIDE	
1000 R. CONCAVA BISCH.	
1100 R. CORONATA SIM	
1200 R. CROZALSII LEV.	
1300 R. CRYSTALLINA L. EMEND RADDI	
(=R. plana Taylor) 4	
1400 R. CUPULIFERA A. V. DUTHIE	
1500 R. CURTISII (AUST.) JAMES	
1600 R. FLUITANS L.	
1700 R. GARSIDEI SIM	
1800 R. LIMBATA BISCH.	
1900 R. MONTAGUENSIS S. ARNELL	
2000 R. NATALENSIS SIM	
2100 R. OKAHANDJANA S. ARNELL	

- 2200 R. PERSONII KHAN
 R. plana Taylor = R. CRYSTALLINA L. EMEND RADDI
 2400 R. POTTISIANA SIM
 R. pseudolimbata S. Arenell = R. ANGOLENSIS
 2500 R. PURPURASCENS LEHM. & LINDENB.
 R. rautanenii Steph. = R. CAVERNOSA
 2700 R. RHODESIAE S. ARNELL
 2800 R. RUBRICOLLIS GARSIDE
 2900 R. RUNSSORENSIS STEPH.
 3000 R. SDRICARPA BISCH.
 3100 R. SPONGOSA S. ARNELL
 3200 R. STRICTA A.V. DUTHIE
 3250 R. TRICHOCARPA HOWE IN BULL. TORR. BOT. CLUB 25: 184 (1898)
 3300 R. VILLOSA STEPH.
 3400 R. VOLKII S. ARNELL
 3500 R. WARNSTORFII LIMPR.
 (=R. commutata Jack) 2
- 1017 -RICCIOCARPOS CORDA
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 R. NATANS (L.) CORDA

MONOCARPACEAE (H8A)

1019

- 1019 -Carrpos Prosk. = MONOCARPUS
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 C. sphaerocarpos (D.J. Carr) Prosk. = MONOCARPUS SPHAEROCARPUS
- 1020 -MONOCARPUS D. J. CARR
 1. HEWSON. 1981. BRYOLOGIST 84: 368
- 100 M. SPHAEROCARPUS CARR
 (=Carrpos sphaerocarpos (D. J. Carr) Prosk.) 1

TARGIONIACEAE (H1)

1021

- 1021 -CYATHODIUM KUNZE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 C. AFRICANUM MITT.
 200 C. AUREONITENS (GRIFF.) MITT.
 300 C. FOETIDISSIMUM SCHIFF.
- 1022 -TARGIONIA L.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 T. HYPOPHYLLA L.
 200 T. LORBEERIANA C. MUELL.

MARCHANTIAACEAE (H6)

1026

- 1026 -DUMORTIERA NEES
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 D. HIRSUTA (SW.) NEES
- 1027 -MARCHANTIA L.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 M. BERTEROANA LEHM. & LINDENB.
 300 M. PARVILLOBA STEPH.
 400 M. POLYMORPHA L.
 500 M. WILMSII STEPH.

CLEVEACEAE (H5)

1031

- 1031 -ATHALAMIA FALC.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 A. SPATHYSII (LINDENB.) HATTORI

AYTONIACEAE (H2)

1036

- 1036 -ASTERELLA BEAUV.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 A. ANGOLENSIS (STEPH.) S. ARNELL
 200 A. BACHMANNII (STEPH.) S. ARNELL
 300 A. MARGINATA (NEES) S. ARNELL
 400 A. MUSCICOLA (STEPH.) S. ARNELL
 500 A. WILMSII (STEPH.) S. ARNELL
- 1037 -MANNIA DPIZ
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 M. CAPENSIS (STEPH.) S. ARNELL
- 1038 -PLAGIOCHASMA LEHM. & LINDENB.
 1. MAGILL & SCHELPE. 1970. CHECKLIST.
- P. algericum Steph. = P. RUPESTRE
 P. APPENDICULATUM LEHM. & LINDENB.
 (=P. fisherianum Steph.) 1
- 250 P. BECCARIANUM STEPH.
 P. dinteri Steph. = P. MICROCEPHALUM
 P. dschallanum Steph. = P. RUPESTRE
- 400 P. EXIMIUM (SCHIFFN. IN STEPH.) STEPH.
 P. fisherianum Steph. = P. APPENDICULATUM
- 600 P. MICROCEPHALUM (STEPH.) STEPH.
 (=P. dinteri Steph.) 1

- 700 P. RUPESTRE (FORST.) STEPH.
 (=P. algericum Steph.) 1
 (=P. dschallanum Steph.) 1
 (=P. tenue Steph.) 1
 P. tenue Steph. = P. RUPESTRE
- 1039 -REBOULIA RADDI
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 R. HEMISPHERICA (L.) RADDI

LUNULARIACEAE (H3) 1041

- 1040 -LUNULARIA ADANS.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 L. CRUCIATA (L.) DUMORT.

EXORMOTHEACEAE (H4) 1046

- 1046 -EXORMOTHECA MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 E. HOLSTII STEPH.
 200 E. MEGASTOMATA MARGUAND
 300 E. PUSTULOSA MITT.

CODONIAACEAE (H11) 1051

- 1050 -FOSSOMBRONIA RADDI
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 F. CAPENSIS S. ARNELL
 200 F. CRISPA NEES
 300 F. DENSILAMELLATA S. ARNELL
 400 F. MONTAGUENSIS S. ARNELL
 500 F. PUSILLA (L.) DUM.
 600 F. SPINIFOLIA STEPH.
 700 F. TUMIDA MITT.
 800 F. ZEYHERII STEPH.

ANEURACEAE (H12) 1056

- 1056 -RICCARDIA S. GRAY
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 R. CAPENSIS S. ARNELL
 200 R. COMPACTA (STEPH.) S. ARNELL
 300 R. FASTIGIATA (LEHM.) TREV.
 400 R. LIMBATA (STEPH.) E. JONES
 500 R. OBTUSA S. ARNELL
 600 R. PSEUDOPINGUIS HERZ.
 700 R. RHODESIAE S. ARNELL
 800 R. SACCATIFLORA (STEPH.) S. ARNELL
 900 R. STEPHANII (BESCH.) E. JONES

METZGERIACEAE (H13) 1061

- 1061 -METZGERIA RADDI
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 2. KUNAHARA. 1983. NOVA HEDWIGIA 38: 605.
- 100 M. CAMERUNENSIS STEPH.
 M. capensis S. Arnell = M. DECIPIENS
 250 M. DECIPIENS (MASS.) SCHIFFN.
 (=M. capensis S. Arnell) 2
 300 M. ELLIOTII STEPH.
 M. hamata Lindb. = M. LEPTONEURA
 450 M. LEPTONEURA SPRUCE
 (=M. hamata Lindb.) 1
 500 M. LIMBATOSSETOSA STEPH.
 600 M. MADAGASSA STEPH.
 700 M. MUSCICOLA STEPH.
 800 M. NUDIFRONS STEPH.
 900 M. PERROTANA STEPH.
 1000 M. QUADRIFARIA STEPH.
 1100 M. SAXBYI FEARS.
 1200 M. TABULARIS STEPH.
 1300 M. VIOLACEA (ACH.) DUM.

PALLAVICINIACEAE (H14) 1066

- 1066 -PALLAVICINIA S. GRAY
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 150 P. LYELLII (HOOK.) S. GRAY
 (=P. piliifera Steph.) 1
 P. piliifera Steph. = P. LYELLII
 200 P. STEPHANII JACK.
- 1067 -SYMPHYOGYNA NEES & MONT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 200 S. HARVEYANA TAYL.
 300 S. LEHMANNIANA NEES & MONT.
 400 S. PODOPHYLLA (THUNB.) NEES & MONT.
 500 S. RHIZOBOLA (SCHWAEGR.) NEES

RADULACEAE (H15)		1071
1071	-RADULA DUM.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	R. BORYANA (WEB.) NEES	
200	R. HOLSTIANA STEPH.	
250	R. LINDBERGIANA GOTT.	
550	R. RECURVIFOLIA STEPH.	
575	R. STIPATIFLORA STEPH.	
600	R. TABULARIS STEPH.	
700	R. TUBIFLORA STEPH.	
800	R. VAGINATA STEPH.	
PORELLACEAE (H16)		1076
1076	-PORELLA L.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	P. CAPENSIS (GOTT.) STEPH.	
200	P. HOHNELLIANA STEPH.	
300	P. MATONGAE (HERZ.) E. JONES	
350	P. TRIQUETRA (STEPH.) E. JONES	
400	P. VALLIS-GRATIAE (GOTT.) S. ARNELL	
JUBULACEAE (H17)		1081
1081	-FRULLANIA RADDI	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	F. ANDERSONII ANGSTR.	
200	F. ARECAE (SPRENG.) GOTT.	
	(=F. ecklonii (Spreng.) Gott. & Lindenb.) 1	
	F. borgenii Pears. = F. OBSCURIFOLIA	
	F. bursicuia Steph. = F. SOCOTRANA	
300	F. BRUNNEA (SPRENG.) GOTT.	
400	F. CAFFRARIA STEPH.	
500	F. CAPENSIS GOTT.	
	(=F. rehmannii Steph.) 1	
600	F. DEPRESSA MITT.	
	(=F. natalensis Sim) 1	
700	F. DIPTERA (LEHM. & LINDENB.) GOTT., LINDENB. & NEES	
	F. ecklonii (Spreng.) Gott. & Lindenb. = F. ARECAE	
800	F. ERICOIDES (NEES) MONT.	
	(=F. squarrosa (Reinw., Bl. & Nees) Dum.) 1	
	F. garsidei S. Arnell = F. VARIEGATA	
900	F. LINDENBERGII LEHM.	
	F. natalensis Sim = F. DEPRESSA	
1000	F. OBSCURIFOLIA MITT.	
	(=F. borgenii Pears.) 1	
	F. rehmannii Steph. = F. CAPENSIS	
1100	F. SERRATA GOTT.	
1200	F. SOCOTRANA MITT.	
	(=F. bursicuia Steph.) 1	
1300	F. SPONGIOSA STEPH.	
	F. squarrosa (Reinw., Bl. & Nees) Dum. = F. ERICOIDES	
1400	F. TRINERVIS (LEHM. & LINDENB.) GOTT., LINDENB. & NEES.	
1500	F. VARIEGATA STEPH.	
	(=F. garsidei S. Arnell) 1	
LEJEUNEACEAE (H18)		1086
1086	-ANOMALOLEJEUNEA SCHIFFN.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	A. PLURIPPLICATA PEARSON.	
1087	-APHANOLEJEUNEA EVANS	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	A. CAPENSIS (S. ARNELL) S. ARNELL	
1088	-ARCHILEJEUNEA STEPH.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST	
100	A. ELOBULATA STEPH.	
200	A. ERRONEA STEPH.	
1089	-BRACHIOLEJEUNEA (SPRUCE) SCHIFFN.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	B. CONFERTIFOLIA STEPH.	
200	B. TRISTIS STEPH.	
1090	-CAUDALEJEUNEA STEPH.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	C. HANNINGTONII (MITT.) SCHIFF.	
1091	-CHEILOLEJEUNEA (SPRUCE) SCHIFFN.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
100	C. CONVEXA (S. ARNELL) S. ARNELL	
200	C. INFLATA STEPH.	
1092	-Ciliolejeunea S. Arnell = LEJEUNEA	
	C. capensis S. Arnell = LEJEUNEA ARNELLIANA	
1093	-COLOLEJEUNEA (SPRUCE) SCHIFFN.	
	1. MAGILL & SCHELPE. 1979. CHECKLIST.	
50	C. CARDIOPARPA (NEES & MONT.) SCHUST.	
100	C. DISSITA E. JONES	
200	C. MALANJAE STEPH.	

- 300 C. MINUTISSIMA (SM.) SCHIFFN.
400 C. MOCAMBIQUENSIS S. ARNELL
500 C. MYRIANTHA (HERZ.) S. ARNELL
600 C. OLEANA SIM
700 C. ROSETTIANA (MASS.) SCHIFFN.
- 1094 -COLURA DUM.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 C. CALYPTRIFOLIA (HOOK.) DUM.
200 C. TENUICORNIS (EVANS) STEPH.
- 1095 -DICRANOLEJEUNEA STEPH.
1. MAGILL & SCHELPE. 1970. CHECKLIST.
D. atra (Mitt.) Vand. Bergh. = D. CHRYSOPHYLLA
150 D. CHRYSOPHYLLA (LEHM.) GROLLE
(=D. atra (Mitt.) Vand. Bergh.)
250 D. MADAGASCARIENSIS (GOTT.) STEPH.
(=D. natalensis (Sim) S. ArneII) 1
D. natalensis (Sim) S. ArneII = D. MADAGASCARIENSIS
- 1096 -DIPLASIOLEJEUNEA (SPRUCE) SCHIFFN.
1. MAGILL & SCHELPE. 1979. CHECKLIST
100 D. CAVIFOLIA STEPH.
200 D. KRAUSSIANA (LINDENB.) SPRUCE
- 1097 -DREPANOLEJEUNEA (SPRUCE) SCHIFFN.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 D. HAMATIFOLIA (HOOK.) SCHIFFN.
200 D. PAPILLOSA S. ARNELL
300 D. PHYSAEFOLIA (GOTT.) STEPH.
- 1098 -INFLATOLEJEUNEA S. ARNELL
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 I. CAPENSIS (GOTT.) S. ARNELL
- 1099 -LEJEUNEA LIB.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
50 L. ARNELLIANA SCHUST.
(=Ciliolejeunea capensis S. ArneII) 1
100 L. CAESPITOSA LINDENB.
200 L. ECKLONII LINDENB.
300 L. ELOBULATA SIM
400 L. FLAVA SW.
500 L. HELENAE (PEARS.) STEPH.
600 L. HOLTII SPRUCE
700 L. ISOMORPHA GOTT.
800 L. LAMACERINA STEPH.
900 L. LETABAENSIS S. ARNELL
1000 L. WILMSII STEPH.
- 1100 -LEPTOCOLEA EVANS
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. CRENATIFOLIA STEPH.
200 L. CRISTATA (STEPH.) E. JONES
- 1101 -LEUCOLEJEUNEA EVANS
1. MAGILL & SCHELPE. 1979. CHECKLIST.
L. capensis S. ArneII = L. XANTHOCARPA
200 L. ROTUNDISTIPULA (LINDENB.) STEPH.
300 L. UNCILOBA (LINDENB.) EVANS
400 L. XANTHOCARPA (LEHM. & LINDENB.) EVANS
(=L. capensis S. ArneII) 1
- 1102 -LOPHOLEJEUNEA (SPRUCE) SCHIFFN.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. FRAGILIS STEPH.
200 L. SUBFUSCA (NEES) STEPH.
- 1103 -MARCHESINIA S. GRAY
1. MAGILL & SCHELPE. 1979. CHECKLIST.
300 M. MOELLERIANA PEARS.
- 1104 -MASTIGOLEJEUNEA (SPRUCE) SCHIFFN.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 M. CARINATA (MITT.) STEPH.
200 M. RHODESICA (VAND. BERGH.) E. JONES
- 1105 -MICROLEJEUNEA STEPH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 M. AFRICANA STEPH.
- 1106 -PHRAGMILEJEUNEA SCHUST.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. MOLLERI (STEPH.) SCHUST.
200 P. PAPEANUS (NEES) SCHUST.
- 1107 -PRIONOLEJEUNEA STEPH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. KINDBERGII STEPH.
- 1108 -PTYCHANTHUS NEES
1. MAGILL & SCHELPE. 1979. CHECKLIST.
P. dioicus (Sim) S. ArneII = P. STRIATUS
200 P. STRIATUS (LEHM. & LINDENB.) NEES
(=P. dioicus (Sim.) S. ArneII) 1

- 1109 -PTYCHOCOLEUS TREV.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. PULOPENANGENSIS (GOTT.) STEPH.
- 1110 -RECTOLEJEUNEA EVANS
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 R. RHODESIAE (SIM) S. ARNELL
- 1111 -STREPSILEJEUNEA STEPH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 S. BREVIFISSA (GOTT.) STEPH.
200 S. GEORGENSIS S. ARNELL
300 S. KRAKAKAMMAE (LINDENB.) STEPH.
- 1112 -STYLOLEJEUNEA SIM
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 S. DUNCANII SIM
200 S. SETACEA (STEPH.) S. ARNELL
- 1113 -TAXILEJEUNEA (SPRUCE) SCHIFFN.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 T. CONFORMIS (NEES & MONT.) STEPH.
200 T. VALLIS-GRATIAE STEPH.
- 1114 -THYSANANTHUS LINDENB.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 T. AFRICANUS (SIM) S. ARNELL

SCHISTOCHILACEAE (H22)

1121

-
- 1121 -SCHISTOCHILIA DUM.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 S. ALATA (LEHM.) STEPH.
S. limbata S. Arnell = S. SPHAGNOIDES
300 S. SPHAGNOIDES (SCHWAEGR.) STEPH.
(=S. limbata S. Arnell) 1

PLAGIOCHILACEAE (H23)

1126

-
- 1126 -LEPTOSCHYPHUS MITT.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. DIVERSIFOLIA (GOTT.) S. ARNELL
200 L. EXPANSUS (LEHM.) S. ARNELL
300 L. IVERSENII (PEARS.) SIM
- 1127 -PLAGIOCHILA (DUM.) DUM.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. CAPENSIS STEPH.
P. corymbulosa Pears. = P. HETEROSTIPA
300 P. CRISPULOCAUDATA GOTT.
350 P. DIVERGENS STEPH.
(=P. henriquesi Steph.) 1
400 P. FUSCOVIRENS STEPH.
P. henriquesi Steph. = P. DIVERGENS
600 P. HETEROSTIPA STEPH.
(=P. corymbulosa Pears.) 1
(=P. natalensis Pears.) 1
700 P. INJASUTIENSIS S. ARNELL
800 P. KNYSNANA S. ARNELL
900 P. LASTII MITT.
1000 P. LOPHOPHORA SCHUST.
P. lunata S. Arnell = P. SQUAMULOSA
P. natalensis Pears. = P. HETEROSTIPA
1250 P. SQUAMULOSA MITT.
(=P. lunata S. Arnell) 1
1400 P. SUBALPINA STEPH.
1500 P. WILMSIANA STEPH.
- 1128 -TYLIMANTHUS MITT.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 T. AFRICANUS PEARS.
200 T. WILMSII STEPH.

ARNELLIACEAE (H24)

1131

-
- 1131 -GONGYLANTHUS NEES
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 G. ERICETORUM (RADDI) NEES
200 G. RENIFORMIS (MITT.) STEPH.
300 G. SCARIOSUS (LEHM.) STEPH.

LOPHOCOLEACEAE (H25)

1136

-
- 1136 -CHILOSCYPHUS CORDA
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 C. DUBIUS GOTT.
- 1137 -CLASMATOCOLEA SPRUCE
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 C. FASCICULATA (NEES) GROLLE
200 C. VERMICULARIS (LEHM.) GROLLE

- 1138 -LOPHOCOLEA (DUM.) DUM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 L. BEWSII (SIM) GROLLE
 200 L. CONCRETA MONT.
 300 L. CONGOANA STEPH.
 400 L. CUSPIDATA (NEES) LIMPR.
 500 L. DIFFORMIS NEES
 600 L. FRAGRANS (MORIS & DE NOT.) GOTT., LINDENB. & NEES
 700 L. LUCIDA (SPRENG. EX LEHM.) MONT.
 800 L. MURICATA NEES
 900 L. SEMITERES (LEHM.) MITT.

ADELANTHACEAE (H27)

1140

- 1140 -ADELANTHUS MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. DECIPiens (HOOK.) MITT.
 150 A. LINDENBERGIANUS (LEHM.) MITT.
 (=A. sphalerus (Hook. & Tayl.) Mitt.) 1
 (=A. unciiformis (Tayl.) Mitt.) 1
 A. sphalerus (Hook. & Tayl.) Mitt. = A. LINDENBERGIANUS
 A. unciiformis (Tayl.) Mitt. = A. LINDENBERGIANUS
 1141 -ODONTOSCHISMA (DUM.) DUM.
 100 O. AFRICANUM (PEARS.) SIM

ACROBOLBACEAE (H20)

1146

- 1146 -ACROBOLBUS NEES
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. EXCISUS (MITT.) SCHIFFN.
 1147 -LETHOCOLEA MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 L. CONGESTA (LEHM.) S. ARNELL
 1148 -MARSUPIDIUM MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 M. BREVIFOLIUM STEPH.
 200 M. LIMBATUM (STEPH.) GROLLE

GYMNOMITRIACEAE (H21)

1151

- 1151 -GYMNOMITRION CORDA
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 G. LACERATUM (STEPH.) HORIKAWA
 1152 -MARSUPELLA DUM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 M. CAPENSIS S. ARNELL
 200 M. SPARSIFOLIA (LINDENB.) DUM.
 1153 -STEPHANIELLA JACK
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 S. PARAPHYLLINA JACK

HERBERTACEAE (H33)

1156

- 1156 -HERBERTUS S. GRAY
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 H. CAPENSIS (STEPH.) SIM

ANTHELIACEAE (H29)

1161

- 1166 -ANTHELIA DUM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. AFRICANA STEPH.

JUNGERMANNIACEAE (H19)

1167

- 1167 -ANASTROPHYLLUM (SPRUCE) STEPH.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. AURITUM (LEHM.) STEPH.
 200 A. GAMBARAGARAE GOLA
 300 A. MINUTUM (SCHREB.) SCHUST.
 (=Sphenolobus minutus (Schreb.) Berggr.) 1
 1168 -CHANDONANTHUS MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 C. HIRTELLUS (WEBER) MITT.
 1169 -ISOTACHIS MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 I. ASPERA STEPH.
 1171 -JAMESONIELLA (SPRUCE) CARRING.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 J. COLORATA (LEHM.) SPRUCE
 200 J. GRANDIFLORA (LEHM. & GOTT.) SPRUCE
 300 J. DENOPS (LEHM. & GOTT.) STEPH.

- 400 J. PALUDOSA STEPH.
 450 J. PURPURASCENS STEPH.
 500 J. REHMANNII STEPH.
- 1172 -JUNGERMANNIA L.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 J. AUSTROAFRICANA S. ARNELL
 150 J. BORGENTII GOTT. EX PARS.
 180 J. MILBRAEDII STEPH.
 200 J. STOLONIFERA STEPH.
- 1173 -LOPHOZIA (DUM.) DUM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 L. CAPENSIS S. ARNELL
 200 L. MONTAGUENSIS S. ARNELL
 300 L. RUWENZORENSIS S. ARNELL
- 1174 -NOTOSCYPHUS MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 50 N. BELANGERIANUS (LEHM.) MITT.
 100 N. JACKII STEPH.
 200 N. LUTESCENS (LEHM. & LINDENB.) MITT.
- 1175 -Sphenobolus Berggr. = ANASTROPHYLLUM
 S. minutus (Schreb.) Berggr. = ANASTROPHYLLUM MINUTUM

CEPHALOZIELLACEAE (H28)

1176

- 1176 -CEPHALOZIELLA (SPRUCE) SCHIFFN.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 C. ANTHELIODES S. ARNELL
 150 C. ATROVIRIDIS (SIM) S. ARNELL
 (=Simia atroviridis (Sim) S. Arnell) 1
 200 C. CAPENSIS (SIM) S. ARNELL
 300 C. GARSIDEI S. ARNELL
 400 C. KIAERI (AUST.) S. ARNELL
 500 C. LYCOPODIODES (SIM) S. ARNELL
 600 C. NATALENSIS (SIM) S. ARNELL
 700 C. SCHELPEI S. ARNELL
 800 C. TABULARIS S. ARNELL
 900 C. TENUISSIMA (LEHM. & LINDENB.) S. ARNELL
 1000 C. TRANSVAALENSIS S. ARNELL
 1100 C. TRIPLICATA S. ARNELL
 1200 C. UMTALIENSIS S. ARNELL
- 1177 -Simia S. Arnell = CEPHALOZIELLA
 S. atroviridis (Sim) S. Arnell = CEPHALOZIELLA ATROVIRIDIS

CEPHALOZIACEAE (H26)

1181

- 1181 -ALOBIELLA SPRUCE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. HETEROMORPHA (LEHM.) STEPH.
 200 A. PILLANSII (SIM) S. ARNELL
- 1182 -CEPHALOZIA (DUM.) DUM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 C. CRASSICAULIS STEPH.
 200 C. ROBUSTA STEPH.
 300 C. VALLIS-GRATIAE STEPH.

LEPICOLEACEAE (H32)

1196

- 1196 -LEPICOLEA DUM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 L. OCHROLEUCA (SPRENG.) SPRUCE

LEPIDOZIACEAE (H31)

1201

- 1201 -ACROMASTIGIUM EVANS
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. EXILE (LINDENB.) EVANS
- 1202 -ARACHNIOPSIS SPRUCE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. DIACANTHA (MONT.) HOWE
- 1203 -BAZZANIA S. GRAY
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 B. ADNEXA (MONT.) TREV.
 150 B. BORBONICA (STEPH.) STEPH.
 B. convexa (Thunb.) Mitt. = B. NITIDA
 250 B. DECRESCENS (LEHM. & LINDENB.) TREV.
 (=B. pulvinata (Steph.) S. Arnell) 1
 300 B. MOLLERI (STEPH.) S. ARNELL
 350 B. NITIDA (WEBER) GROLLE
 (=B. convexa (Thunb.) Mitt.) 1
 B. pulvinata (Steph.) S. Arnell = B. DECRESCENS
- 1204 -KURZIA VON MARTENS
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 K. STEPHANII (REN.) GROLLE
 200 K. SUCCULENTA (SIM) GROLLE
 300 K. TABULARIS (STEPH.) GROLLE

- 1205 -LEPIDOZIA DUM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 50 L. BICUSPIDATA MASS.
 100 L. CARNOSEA STEPH.
 200 L. LACERATA STEPH.
 300 L. NATALENSIS STEPH.
 400 L. TRUNCATELLA NEES
- 1206 -MICROLEPIDOZIA SPRUCE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 300 M. TABULARIS (STEPH.) S. ARNELL
- 1207 -PSILOCLADA MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 P. CLANDESTINA MITT.
- 1208 -TELARANEA SPRUCE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 200 T. NEMATODES (GOTT. EX AUST.) HOWE
 (=T. sejuncta (Aongstr.) S. Arnell) 1
 T. sejuncta (Aongstr.) S. Arnell = T. NEMATODES

CALYPOGEACEAE (H30)

1211

-
- 1211 -CALYPOGEJA RADDI
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 C. ARGUTA NEES & MONT.
 200 C. BIDENTULA (WEBER) NEES
 250 C. FISSA (L.) RADDI
 300 C. FUSCA (LEHM.) STEPH.
 400 C. LONGIFOLIA STEPH.

ANTHOCEROTACEAE (A1)

1216

-
- 1216 -ANTHOCEROS L.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. DIMORPHUS SIM
 200 A. NATALENSIS STEPH.
 300 A. SAMBESIANUS STEPH.
 400 A. USAMBARENSIS STEPH.
- 1217 -PHAEOCEROS PROSK.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 P. BOLUSII (SIM) S. ARNELL
 200 P. LAEVIS (L.) PROSK.
 300 P. MINUTUS (MITT.) S. ARNELL

MUSCI

1301

SPHAGNACEAE (1)

1301

-
- 1301 -SPHAGNUM L.
 1. MAGILL. 1981. FSA.
 50 S. AFRICANUM WELW. & DUB.
 (=S. oligodon C. Muell.) 1
 (=S. oligodon C. Muell. var. bachmannii Warnst.) 1
 (=S. oligodon C. Muell. var. beyrichii Warnst.) 1
 (=S. rehmannii Warnst.) 1
 (=S. transvaaliense Warnst.) 1
 S. austromolle C. Muell. = S. CAPENSE
 S. balfourianum Warnst. = S. PERICHAETIALE
 S. beyrichianum Warnst. = S. CAPENSE
- 200 S. CAPENSE HORNSCH.
 (=S. austromolle C. Muell.) 1
 (=S. beyrichianum Warnst.) 1
 (=S. capense Hornsch. var. multiporosum Warnst.) 1
 (=S. mollissimum C. Muell.) 1
 (=S. panduraefolium C. Muell.) 1
 S. capense Hornsch. var. multiporosum Warnst. = S. CAPENSE
 S. convolutum Warnst. = S. TRUNCATUM
 S. coronatum C. Muell. = S. TRUNCATUM
 S. coronatum C. Muell. var. cuspidatum Warnst. = S. TRUNCATUM
- 300 S. FIMBRIATUM WILS. IN HOOK.
 S. fluctuans C. Muell. = S. TRUNCATUM
 S. marginatum Warnst. = S. TRUNCATUM
 S. marginatum Warnst. var. diversifolium Warnst. = S. TRUNCATUM
 S. marlothii Warnst. = S. PERICHAETIALE
 S. mollissimum C. Muell. = S. CAPENSE
- 320 S. OBTUSIUSCULUM LINDENB. EX WARNST.
 S. oligodon C. Muell. = S. AFRICANUM
 S. oligodon C. Muell. var. bachmannii Warnst. = S. AFRICANUM
 S. oligodon C. Muell. var. beyrichii Warnst. = S. AFRICANUM
 S. oxycladum Warnst. = S. TRUNCATUM
 S. panduraefolium C. Muell. = S. CAPENSE
 S. pappeanum C. Muell. = S. STRICTUM SUBSP. PAPPEANUM

- 350 S. PERICHAETIALE HAMPE
 (=S. balfourianum Warnst.) 1
 (=S. marlothii Warnst.) 1
- 370 S. PYCNOCLADULUM C. MUELL.
 (=S. pycnocladulum C. Muell. var. fuscescens Warnst.) 1
 (=S. pycnocladulum C. Muell. var. viride Warnst.) 1
 S. pycnocladulum C. Muell. var. fuscescens Warnst. = S. PYCNOCLADULUM
 S. pycnocladulum C. Muell. var. viride Warnst. = S. PYCNOCLADULUM
 S. rehmannii Warnst. = S. AFRICANUM
- 400 S. STRICTUM SULL. SUBSP. PAPPEANUM (C. MUELL.) EDDY
 (=S. pappeanum C. Muell.) 1
- S. transvaaliense Warnst. = S. AFRICANUM
- 500 S. TRUNCATUM HORNSCH.
 (=S. convolutum Warnst.) 1
 (=S. coronatum C. Muell.) 1
 (=S. coronatum C. Muell. var. cuspidatum Warnst.) 1
 (=S. fluctuans C. Muell.) 1
 (=S. marginatum Warnst.) 1
 (=S. marginatum Warnst. var. diversifolium Warnst.) 1
 (=S. oxycladum Warnst.) 1

ANDREAEACEAE (2)

1306

- 1306 -ANDRAEA HEDW.
 1. MAGILL. 1981. FSA.
- 50 A. BISTRATOSA MAGILL
- 100 A. NITIDA HOOK. F. & WILS.
 A. petrophila (Ehrh.) Fuernr. = A. RUPESTRIS
- 200 A. RUPESTRIS HEDW.
 (=A. petrophila (Ehrh.) Fuernr.) 1
- 300 A. SUBULATA HARV. EX HOOK.

FISSIDENTACEAE (3)

1316

- 1315 -Conomitrium Mont., nom. illeg. = FISSIDENS
 C. julianus (Cand.) Mont. = F. FONTANUS
- 1316 -FISSIDENS HEDW.
 1. MAGILL. 1981. FSA.
- 100 F. ACIPHYLLUS DIX.
 F. amblyophyllus C. Muell. = F. ASPLENIODES
 F. androgynus Bruch. = F. BRYOIDES
 F. aristatus Sim = F. SIMII
 F. arnellii P. Vard. = F. SPLACHNIFOLIUS
- 600 F. ASPLENIODES HEDW.
 (=F. amblyophyllus C. Muell.) 1
 F. bifrons Schimp. ex C. Muell. = F. PYGMAEUS
- 700 F. Borgenii HAMPE
 (=F. haakonii Broth. & Bryhn) 1
 (=F. linearicaulis Broth. & Bryhn) 1
 F. borgenii Hampe var. obtusifolius Dix. = F. SUBOBTUSATUS
 F. breutelii Schimp. ex C. Muell. = F. MARGINATUS
 F. brevisetus Sim. = F. SCLEROMITRUS
- 750 F. BRYOIDES HEDW.
 (=F. androgynus Bruch.) 1
 (=F. gueinzii C. Muell.) 1
 (=F. malacobryoides C. Muell.) 1
 (=F. subremotifolius C. Muell.) 1
 F. calochlorus Dix. = F. MICROANDROGYNUS
 F. capensis (C. Muell.) Broth. = F. FONTANUS
- 850 F. CAPRIVIENSIS MAGILL
- 1100 F. CURVATUS HORNSCH.
 (=F. cuspidatus C. Muell.) 1
 (=F. gracile Hampe ex C. Muell.) 1
 (=F. laxifolius Hornsch.) 1
 (=F. pycnophyllus C. Muell.) 1
 F. cuspidatus C. Muell. = F. CURVATUS
 F. cymatophyllus C. Muell. = F. GLAUDESCENS
- 1500 F. ENERVIS SIM
- 1600 F. EROSULUS (C. MUELL.) PAR.
- F. eschowensis Broth. = F. SUBMARGINATUS
- 1700 F. FASCICULATUS HORNSCH.
- 1800 F. FONTANUS (PYL.) STEUD.
 (=Conomitrium julianus (Cand.) Mont.) 1
 (=F. capensis (C. Muell.) Broth.) 1
- 1900 F. GLAUDESCENS HORNSCH.
 (=F. cymatophyllus C. Muell.) 1
 (=F. lanceolatus Hampe) 1
 (=F. mucronatus Schimp. ex C. Muell.) 1
 (=F. procerior Broth. & Bryhn) 1
 (=F. rehmannii C. Muell.) 1
 (=F. zuluensis Broth. & Bryhn) 1
 F. gracile Hampe ex C. Muell. = F. CURVATUS
 F. gueinzii C. Muell. = F. BRYOIDES
 F. haakoni Broth. & Bryhn = F. Borgenii
- 2100 F. HOEGGII P. VARD.
 F. hyalobasis Dix. ex Sim = F. MICROANDROGYNUS
 F. ischyrobryoides C. Muell. = F. MARGINATUS
 F. lanceolatus Hampe = F. GLAUDESCENS
 F. laxifolius Hornsch. = F. CURVATUS
 F. linearicaulis Broth. & Bryhn = F. Borgenii
 F. macowanianus C. Muell. = F. RUFESCENS
 F. malacobryoides C. Muell. = F. BRYOIDES
- 2800 F. MARGINATUS SCHIMP. EX C. MUELL.
 (=F. breutelii Schimp. ex C. Muell.) 1
 (=F. ischyrobryoides C. Muell.) 1

- 3000 *F. megalotis* Schimp. ex C. Muell. = *F. RUFESCENS*
F. MICROANDROGYNUS DIX.
(=*F. calochlorus* Dix.) 1
(=*F. hyalobasis* Dix. ex Sim.) 1
F. minutiretis Dix. = *F. RUFESCENS*
3200 *F. mucronatus* Schimp. ex C. Muell. = *F. GLAUDESCENS*
F. NITENS REHM. EX SALM.
F. opacifolius Mitt. = *F. SUBMARGINATUS*
F. papillifolius Dix. = *F. SUBMARGINATUS*
3400 *F. PARVILIMBATUS* SIM
(=*F. pectinidens* Dix.) 1
F. pectinidens Dix. = *F. PARVILIMBATUS*
F. perpaucifolius Dix. ex Sim = *F. PYGMAEUS*
3700 *F. PLUMOSUS* HORNSCH.
F. procerior Broth. & Bryhn = *F. GLAUDESCENS*
3800 *F. PSEUDOSERRATUS* (C. MUELL.) JAEG.
F. pycnophyllus C. Muell. = *F. CURVATUS*
3850 *F. PYGMAEUS* HORNSCH.
(=*F. bifrons* Schimp. ex C. Muell.) 1
(=*F. perpaucifolius* Dix. ex Sim) 1
4100 *F. rehmannii* C. Muell. = *F. GLAUDESCENS*
F. RUFESCENS HORNSCH.
(=*F. macowanianus* C. Muell.) 1
(=*F. megalotis* Schimp. ex C. Muell.) 1
(=*F. minutiretis* Dix.) 1
4150 *F. SCLEROMITRIUS* (BESCH.) BROTH.
(=*F. brevisetus* Sim.) 1
4200 *F. SIMII* SCHELPE
(=*F. aristatus* Sim) 1
4300 *F. SPLACHNIFOLIUS* HORNSCH.
(=*F. arnellii* P. Vard.) 1
4400 *F. STELLENBOSCHIANUS* DIX. EX SIM
4500 *F. SUBMARGINATUS* BRUCH EX KRAUSS
(=*F. eschowensis* Broth.) 1
(=*F. opacifolius* Mitt.) 1
(=*F. papillifolius* Dix.) 1
(=*F. urceolatus* Wag. & Dix. ex Sim.) 1
4550 *F. SUBOBTUSATUS* C. MUELL.
(=*F. borgenii* Hampe var. *obtusifolius* Dix.) 1
F. subremotifolius C. Muell. = *F. BRYOIDES*
F. urceolatus Wag. & Dix. ex Sim = *F. SUBMARGINATUS*
4800 *F. USAMBARICUS* BROTH.
4900 *F. WAGERI* DIX. EX WAGER
F. zuluensis Broth. & Bryhn = *F. GLAUDESCENS*

NANOBRYACEAE (3A) 1321

- 1321 -NANOBRYUM DIX.
1. MAGILL. 1981. FSA.
100 N. DUMMERI DIX.

ARCHIDIACEAE (4) 1326

- 1326 -ARCHIDIUM BRID.
1. MAGILL. 1981. FSA.
100 A. ACANTHOPHYLLUM SNIDER
A. africanum Mitt. = A. OHIOENSE
200 A. AMPLEXICAULE C. MUELL.
(=A. chrysosporum Schimp. ex Jaeg.) 1
300 A. ANDERSONIANUM SNIDER
A. campylopodium C. Muell. = A. CAPENSE
400 A. CAPENSE HORNSCH.
(=A. campylopodium C. Muell.) 1
(=A. compactum forma *tenerior* C. Muell.) 1
A. chrysosporum Schimp. ex Jaeg. = A. AMPLEXICAULE
A. compactum forma *tenerior* C. Muell. = A. CAPENSE
500 A. DINTERI (IRMSCH.) SNIDER
(=Archidiella dinteri Irmsh.) 1
A. ecklonii Hampe ex C. Muell. = PLEURIDIUM ECKLONII
600 A. JULICAULE C. MUELL.
A. leptophyllum P. Varde = A. OHIOENSE
700 A. MICROTHECIUM DIX. & P. VARDE
800 A. MUELLERANUM SNIDER
900 A. OHIOENSE SCHIMP. EX C. MUELL.
(=A. africanum Mitt.) 1
(=A. leptophyllum P. Varde) 1
(=A. pellucidum Dix. ex Sim) 1
A. pellucidum Dix. ex Sim = A. OHIOENSE
1000 A. REHMANNII MITT.
1100 A. SUBULATUM C. MUELL.
1327 -Archidiella Irmsh. = ARCHIDIUM
Archidiella dinteri Irmsh. = ARCHIDIUM DINTERI

DITRICHACEAE (5) 1331

- 1331 -CERATODON BRID.
1. MAGILL. 1981. FSA.
100 C. PURPUREUS (HEDW.) BRID.
(=C. stenocarpus Bruch & Schimp. ex C. Muell.) 1
C. stenocarpus Bruch & Schimp. ex C. Muell. = C. PURPUREUS
1332 -DISTICHUM B. S. G.
1. MAGILL. 1981. FSA.
100 D. CAPILLACEUM (HEDW.) B. S. G.

- 1333 -DITRICHUM HAMPE
1. MAGILL. 1981. FSA.
- 200 D. BRACHYPODUM (C. MUELL.) BROTH.
(=D. brevifolium (C. Mue11.) Broth.) 1
(=D. hymenodontium Dix.) 1
D. brevifolium (C. Mue11.) Broth. = D. BRACHYPODUM
- 300 D. DIFFICILE (DUB.) FLEISCH.
(=D. flexifolium Hampe) 1
D. flexifolium Hampe = D. DIFFICILE
D. glaucescens (Hedw.) Hampe = SAELANIA GLAUCESCENS
D. hymenodontium Dix. = D. BRACHYPODUM
- 450 D. PUNCTULATUM MITT.
(=D. spirale Dix.) 1
D. spirale Dix. = D. PUNCTULATUM
- 600 D. STRICTUM (HOOK. F. & WILS.) HAMPE
- 1334 -ECCREMIDIUM HOOK. F. & WILS.
1. MAGILL. 1981. FSA.
- 100 E. EXIGUUM (HOOK. F. & WILS.) WILS. EX SALM.
- 1335 -PLEURIDIUM RABENH.
1. MAGILL. 1981. FSA.
- 100 P. breutelianum (Hampe) Jaeg. = P. PAPPEANUM
P. ECKLONII (C. MUELL.) SNIDER
(=Archidium ecklonii Hampe ex C. Mue11.) 1
- 200 P. NERVOSUM (HOOK.) MITT.
- 250 P. PAPILLOSUM MAGILL
- 300 P. PAPPEANUM (C. MUELL.) JAEGER.
(=P. breutelianum (Hampe) Jaeg.) 1
(=Bruchia rehmannii C. Mue11.) 1
- 1336 -SAELANIA LINDB.
100 S. GLAUCESCENS (HEDW.) BROTH.
(=Ditrichum glaucescens (Hedw.) Hampe) 1
- 1337 -TRISTICHIMUM C. MUELL.
1. MAGILL. 1981. FSA.
- 100 T. MIRABILE (C. MUELL.) HERZ.

SELIGERIAEAE (7)

1351

- 1351 -BLINDIA B.S.G.
1. MAGILL. 1981. FSA.
- 100 B. MAGELLANICA SCHIMP. EX C. MUELL.

DICRANACEAE (8)

1356

- 1356 -Anisothecium Mitt. = Southern African species moved to DICRANELLA
1. MAGILL. 1981. FSA.
A. natalense P. Vard. = DICRANELLA SUBSUBULATA
A. symonsii (Dix.) Broth. = DICRANELLA SYMONSII
- 1357 -AONGSTROEMIA B.S.G.
1. MAGILL. 1981. FSA.
- 50 A. FILIFORMIS (BEAUV.) WIJK & MARG.
(=A. transvaaliensis C. Mue11.) 1
(=A. vulcanica (Brid.) C. Mue11.) 1
A. gymnomitrioides Dix. = CLADOPHASCUM GYMNOTITRIOIDES
- 100 A. JULACEA (HOOK.) MITT.
A. transvaaliensis C. Mue11. = A. FILIFORMIS
A. vulcanica (Brid.) C. Mue11. = A. FILIFORMIS
- 1358 -BRUCHIA SCHWAEGR.
1. MAGILL. 1981. FSA.
- 100 B. BREVIPES HARV. EX HOOK.
(=B. elegans (Hornsch.) C. Mue11.) 1
- 200 B. ECKLONIANA C. MUELL.
- 250 B. elegans (Hornsch.) C. Mue11. = B. BREVIPES
B. FOVEOLATA MAGILL
B. rehmannii C. Mue11. = PLEURIDIUM PAPPEANUM
- 1359 -CAMPYLOPUS BRID.
1. MAGILL. 1981. FSA.
- 50 C. aiovirescens (C. Mue11.) Par. = C. INCHANGAE
C. AMPLIRETIS (C. MUELL.) PAR.
(=C. edwardsii Sim) 1
(=C. heteroneurum Ther.) 1
(=C. olivaceonigricans (C. Mue11.) Par.) 1
(=Thysanomitrium transvaaliense Herz. & Dix. ex Sim) 1
C. angustinervis Dix. = MICROCAMPYLOPUS PERPUSILLUS
- 100 C. ATROLUTEUS (C. MUELL.) PAR.
(=C. bartramiaceus (C. Mue11.) Ther. ex Broth.) 1
(=C. catarractilis (C. Mue11.) Par.) 1
(=C. leptotrichaceus (C. Mue11.) Par.) 1
(=Dicranum ampliaretis C. Mue11.) 1
C. bartramiaceus (C. Mue11.) Ther. ex Broth. = C. ATROLUTEUS
C. basalticolus (C. Mue11.) Par. = C. SUBCHLOROPHYLLOSUS
- 250 C. BEGUAERTII THER. & NAV.
- 300 C. bewsii Sim = C. PILIFER
C. BICOLOR (C. MUELL.) WILS.
C. bryhnii Broth. = C. INCHANGAE
C. capensis Broth. = C. STENOPELMA
C. catarractilis (C. Mue11.) Par. = C. ATROLUTEUS
C. chlorotrichus (C. Mue11.) Par. = C. STENOPELMA

- 750 C. DELAGDAE (C. MUELL.) PAR.
 (=Thysanomitrium inandae (C. Muell.) Broth.) 1
 C. echinatus Sim = C. INTROFLEXUS
 C. edwardsii Sim = C. AMPLIRETIS
 C. griseolus (C. Muell.) Par. = C. PILIFER
 C. heteroneurum Ther. = C. AMPLIRETIS
- 1100 C. INCHANGAE (C. MUELL.) PAR.
 (=C. altovirescens (C. Muell.) Par.) 1
 (=C. bryhnii Broth.) 1
 (=C. longescens (C. Muell.) Par.) 1
 (=C. nanotenax (C. Muell.) Par.) 1
 (=C. serridorsus (C. Muell.) Par.) 1
- 1200 C. INTROFLEXUS (HEDW.) BRID.
 (=C. echinatus Sim) 1
 (=C. lepidophyllus (C. Muell.) Jaeg.) 1
 (=C. leucobasis (C. Muell.) Par.) 1
 (=C. weisiopsis (C. Muell.) Par.) 1
 C. lepidophyllus (C. Muell.) Jaeg. = C. INTROFLEXUS
 C. leptotrichaceus (C. Muell.) Par. = C. ATROLUTEUS
 C. leucobasis (C. Muell.) Par. = C. INTROFLEXUS
 C. longescens (C. Muell.) Par. = C. INCHANGAE
 C. nanotenax (C. Muell.) Par. = C. INCHANGAE
 C. olivaceonigriscans (C. Muell.) Par. = C. AMPLIRETIS
- 1450 C. PALLIDUS HOOK. F. & WILS.
 (=C. pulvinatus (C. Muell.) Par.) 1
- 1550 C. PILIFER BRID.
 (=C. bewsii Sim) 1
 (=C. griseolus (C. Muell.) Par.) 1
 (=C. polytrichoides De Not.) 1
 (=C. purpurascens Lor.) 1
 (=C. purpureo-aureus (C. Muell.) Par.) 1
 (=C. ?symonsii Sim) 1
 (=C. trichodes Lor.) 1
 (=C. trichodes Lor. var. perlamellosus Dix.) 1
 C. polytrichoides De Not. = C. PILIFER
- 1600 C. PROCERUS (C. MUELL.) PAR.
 C. pulvinatus (C. Muell.) Par. = C. PALLIDUS
 C. purpurascens Lor. = C. PILIFER
 C. purpureo-aureus (C. Muell.) Par. = C. PILIFER
 C. serridorsus (C. Muell.) Par. = C. INCHANGAE
- 1800 C. SIMII SCHELPE
- 1900 C. STENOPELMA (C. MUELL.) PAR.
 (=C. capensis Broth.) 1
 (=C. chlorotrichus (C. Muell.) Par.) 1
 (=C. tenax (C. Muell.) Broth.) 1
- 1950 C. SUBCHLOROPHYLLOUS C. MUELL. EX RABENH.
 (=C. basalticolus (C. Muell.) Par.) 1
 C. symonsii Sim = C. PILIFER
 C. tenax (C. Muell.) Broth. = C. STENOPELMA
 C. trichodes Lor. = C. PILIFER
 C. trichodes Lor. var. perlamellosus Dix. = C. PILIFER
 C. weisiopsis (C. Muell.) Par. = C. INTROFLEXUS
- 1359 -CHORISODONTIUM (MITT.) BROTH.
 1. MAGILL. 1981. FSA.
- 100 C. FALCATUM MAGILL
- 1360 -CLADOPHASCUM DIX.
 1. MAGILL. 1981. FSA.
- 100 C. GYMNOMITRIOIDES (DIX.) DIX. EX SIM
 (=Aongstroemia gymnomitrioides Dix.) 1
- 1361 -DICRANELLA (C. MUELL.) SCHIMP.
 1. MAGILL. 1981. FSA.
 D. abruptifolia (C. Muell.) Par. = D. SUBSUBULATA
 D. borgeniana (Hampe) Jaeg. ex Par. = D. SUBSUBULATA
 D. minuta (Hampe) Jaeg. = MICRODUS MINUTUS
- 200 D. RIGIDA DIX. EX SIM
- 300 D. SUBSUBULATA (C. MUELL.) JAEG.
 (=Anisothecium natalense P. Varde) 1
 (=D. abruptifolia (C. Muell.) Par.) 1
 (=D. borgeniana (Hampe) Jaeg. ex Par.) 1
 (=Microcampylopus nanus (C. Muell.) Broth.) 1
 (=Microcampylopus pusillus C. Muell.) 1
- 350 D. SYMONSII DIX.
 (=Anisothecium symonsii (Dix.) Broth.) 1
- 1362 -DICRANOLOMA (REN.) REN.
 1. MAGILL. 1981. FSA.
- 100 D. BILLARDIERI (BRID.) PAR.
- 200 D. ENTABENIENSE MAGILL
- 1362 -Dicranum Hedw. = Southern African species moved to CAMPYLOPUS
 D. ampliretis C. Muell. = CAMPYLOPUS ATROLUTEUS
- 1363 -HOLOMITRIUM BRID.
 1. MAGILL. 1981. FSA.
 H. affine Card. & Ther. = H. CYLINDRACEUM VAR. CUCULLATUM
 100 H. CYLINDRACEUM BEAUV. VAR. CUCULLATUM (BESCH.) WIJK & MARG.
 (=H. affine Card. & Ther.) 1
- 1364 -LEUCOBRYUM HAMPE
 1. MAGILL. 1981. FSA.
- 100 L. ACUTIFOLIUM (MITT.) CARD.
 (=L. gueinzii C. Muell.) 1
 (=Schistomitrium acutifolium Mitt.) 1
 L. gracilifolium Dix. = L. REHMANNII

- 500 L. *gueinzii* C. MueII. = L. ACUTIFOLIUM
L. MADAGASSUM BESCH.
800 L. *perfalcatum* Sim = L. REHMANNII
L. REHMANNII C. MUELL.
(=L. *gracilifolium* Dix.) 1
(=L. *perfalcatum* Sim) 1
- 1365 -LEUCOLOMA BRID.
1. MAGILL. 1981. FSA.
100 L. CHRYSOBASILARE (C. MUELL.) JAEG.
(=L. *zuluense* Broth. & Bryhn) 1
L. *haakonii* Broth. & Bryhn = L. REHMANNII
200 L. REHMANNII (C. MUELL.) REHM. EX PAR.
(=L. *haakonii* Broth. & Bryhn) 1
300 L. SPRENGELIANUM (C. MUELL.) JAEG.
(=L. *zeyheri* (C. MueII.) Kindb.) 1
400 L. SYRRHOPODONTIOIDES BROTH.
L. *zeyheri* (C. MueII.) Kindb. = L. SPRENGELIANUM
L. *zuluense* Broth. & Bryhn = L. CHRYSOBASILARE
- 1366 -MICROCAMPYLOPUS (C. MUELL.) FLEISCH.
1. MAGILL. 1981. FSA.
M. *nanus* (C. MueII.) Broth. = DICRANELLA SUBSUBULATA
200 M. PERPUSILLUS (MITT.) BROTH.
(=Campylopus *angustineruis* Dix.) 1
M. *pusillus* C. MueII. = DICRANELLA SUBSUBULATA
- 1367 -MICRODUS SCHIMP. EX BESCH.
1. MAGILL. 1981. FSA.
100 M. MINUTUS (HAMPE) BESCH.
(=Dicranella *minuta* (Hampe) Jaeg.) 1
- 1367 -Schistomitrium Dozy & Molk. = Southern African species moved to LEUCOBRYUM
S. *acutifolium* Mitt. = LEUCOBRYUM ACUTIFOLIUM
- 1367 -Thysanomitrium Schwaegr. = CAMPYLOPUS
T. *inandae* (C. MueII.) Broth. = CAMPYLOPUS DELAGDAE
T. *transvaaliense* Herz. & Dix. ex Sim = CAMPYLOPUS AMPLIETRIS
- 1368 -TREMATODON MICHX.
1. MAGILL. 1981. FSA.
T. *aequicollis* Ren. & Card. = T. DIVARICATUS
T. *africanus* Wag. & Dix. = T. LONGICOLLIS
(=T. *aequicollis* Ren. & Card.) 1
300 T. DIVARICATUS BRUCH. EX KRAUSS
T. *flexifolius* C. MueII. = T. LONGICOLLIS
400 T. INTERMEDIUS WELW. & DUBY
450 T. LONGICOLLIS MICHX.
(=T. *africanus* Wag. & Dix.) 1
(=T. *flexifolius* C. MueII.) 1
(=T. *pallidus* C. MueII.) 1
T. *ligulatus* Rehm. ex Roth. = T. MAYOTTENSIS
600 T. MAYOTTENSIS BESCH.
(=T. *ligulatus* Rehm. ex Roth.) 1
T. *pallidus* C. MueII. = T. LONGICOLLIS
800 T. PARADOXUS HORNSCH.
900 T. PILLANSII DIX. ex SIM
- 1369 -OREOWEISIA (B. S. G.) DE NOT.
1. MAGILL. 1981. FSA.
100 O. EROSA (C. MUELL.) KINDB.

CALYMPERACEAE (12)

1386

-
- 1386 -CALYMPERES SW. IN WEB.
1. MAGILL. 1981. FSA.
200 C. LEVYANUM BESCH.
C. *nashii* Williams = C. TENERUM VAR. EDAMENSE
300 C. RABENHORSTII HAMPE & C. MUELL.
400 C. TENERUM C. MUELL. VAR. EDAMENSE FLEISCH.
(=C. *nashii* Williams) 1
- 1387 -HYPODONTIUM C. MUELL.
1. MAGILL. 1981. FSA.
100 H. DREGEI (HORNSCH.) C. MUELL.
(=Hyophila *cyathiforme* (Dix.) Sim) 1
(=Syrrhopodon *dregei* Hornsch.) 1
(=Syrrhopodon *perichaetialis* Bruch ex Krauss) 1
200 H. POMIFORME (HOOK.) C. MUELL.
(=H. *pomiforme* (Hook.) C. MueII. var. *macowanianum* C. MueII.) 1
(=Syrrhopodon *pomiformis* (Hook.) Hampe ex C. MueII.) 1
H. *pomiforme* (Hook.) C. MueII. var. *macowanianum* = H. POMIFORME
- 1388 -OCTOBLEPHARUM HEDW.
1. MAGILL. 1981. FSA.
100 O. ALBIDUM HEDW.
- 1389 -SYRRHOPODON SCHWAEGR.
1. MAGILL. 1981. FSA.
S. *dregei* Hornsch. = HYPODONTIUM DREGEI
S. *erectifolius* C. MueII. = S. UNCINIFOLIUS
100 S. GOMESII P. VARDE
200 S. OBLIGUIROSTRIS C. MUELL.
S. *perichaetialis* Bruch ex Krauss = HYPODONTIUM DREGEI
S. *pomiformis* (Hook.) Hampe ex C. MueII. = HYPODONTIUM POMIFORME
300 S. UNCINIFOLIUS C. MUELL.
(=S. *erectifolius* C. MueII.) 1

ENCALYPTACEAE (13)

1396

- 1396 -ENCALYPTA HEDW.
1. MAGILL. 1981. FSA.
100 E. CILIATA HEDW.
200 E. VULGARIS HEDW.

POTTIACEAE (14)

1401

- 1401 -ACAULON C. MUELL.
1. MAGILL. 1981. FSA.
50 A. LEUCOCHAETE STONE
200 A. RECURVATUM MAGILL
300 A. RUFOCHAETE MAGILL
- 1402 -ALDINA (C. MUELL.) KINDB.
1. MAGILL. 1981. FSA.
100 A. BIFRONS (DE NOT.) DELGADILLO
(=A. rigida sensu Sim) 1
(=Barbula dregeana C. Muell.) 1
A. rigida sensu Sim = A. BIFRONS
- 1403 -ANDECTANGIUM SCHWAEGR.
1. MAGILL. 1981. FSA.
A. assimilis Broth. & Wag. = A. WILMSIANUM
100 A. WILMSIANUM (C. MUELL.) PAR.
(=A. assimilis Broth. & Wag.) 1
- 1403 -Astomum Hampe = Southern African species moved to TETRAPTERUM
A. tetragonum (Hook.) Broth. = TETRAPTERUM TETRAGONUM
- 1404 -BARBULA HEDW.
1. MAGILL. 1981. FSA.
50 B. ACUTATA C. MUELL.
100 B. AFROFONTANA (C. MUELL.) BROTH.
B. afroinermis C. Muell. = TORTULA MURALIS
200 B. CALYCINA SCHWAEGR.
(=B. hookeri Steud.) 1
(=Tortella calycina (Schwaegr.) Dix.) 1
B. chrysoblasta C. Muell. = TORTULA MURALIS
B. circinalis C. Muell. = DESMATODON CONVOLUTUS
250 B. CRINITA SCHULTZ
(=B. torquescens Schimp. ex C. Muell.) 1
(=Tortula pilifera Hook.) 1
(=Tortula pilifera Hook. var. longifolia Sim) 1
B. dregeana C. Muell. = ALDINA BIFRONS
275 B. EUBRYUM C. MUELL.
(=Tortula eubryum (C. Muell.) Broth.) 1
B. hookeri Steud. = B. CALYCINA
300 B. HORNSCHUCHIANA SCHULTZ
350 B. INDICA (HOOK.) SPRENG.
(=B. natalensis C. Muell.) 1
(=Hymenostomum opacum Wag. & Dix.) 1
(=Semibarbula orientalis (Web.) Wijk & Marg.) 1
B. leptotortella C. Muell. = OXYSTEGUS CYLINDRICUS
375 B. MICROCALYCINA MAGILL
B. natalensis C. Muell. = B. INDICA
B. parvula (Hook. & Grev.) Spreng. = DESMATODON CONVOLUTUS
450 B. REHMANNII C. MUELL.
B. torquatifolia Geh. = TORTULA PORPHYREONEURA
B. torquescens Schimp. ex C. Muell. = B. CRINITA
B. trichostomea C. Muell. = TRICHOSTOMOPSIS AUSTRALASIAE
B. xanthocarpa C. MUELL. = DIDYMODON XANTHOCARPUS
- 1405 -CROSSIDIUM JUR.
1. MAGILL. 1981. FSA.
100 C. APICULATUM MAGILL
200 C. SPIRALIFOLIUM MAGILL
- 1406 -DESMATODON BRID.
1. MAGILL. 1981. FSA.
100 D. CONVOLUTUS (BRID.) GROUT
(=Barbula circinalis C. Muell.) 1
(=Barbula parvula (Hook. & Grev.) Spreng.) 1
(=Didymodon capensis Spreng.) 1
(=Tortula atrovirens (J.E. Sm.) Lindb.) 1
(=Tortula recurvata Hook.) 1
(=Tortula subtorquatifolia Dix.) 1
200 D. LONGIPEDUNCULATA (C. MUELL.) MAGILL
(=Tortula deserta (C. Muell.) Broth.) 1
(=Tortula longipedunculata (C. Muell.) Broth.) 1
- 1407 -DIDYMODON HEDW.
1. MAGILL. 1981. FSA.
D. afrorubellus Broth. & Wag. ex Dix. = BRYDERYTHOPHYLLUM JAMESONII
D. afrum C. Muell. = D. CERATODONTEUS
D. capensis Spreng. = DESMATODON CONVOLUTUS
200 D. CERATODONTEUS (C. MUELL.) DIX.
(=D. afrum C. Muell.) 1
(=D. perrevolutus P. Varde) 1
(=Gymnostomum dimorphum (C. Muell.) Sim) 1
(=Gymnostomum gracile (Wag. & Dix.) Dix.) 1
(=Gymnostomum pottsii (Dix.) Sim) 1
(=Gymnostomum wageri Schelpe) 1
(=Hymenostylium ceratodonteum (C. Muell.) Broth.) 1
(=Hyophila basutensis Sim) 1

- D. knysnae Rehm. ex Sim = D. XANTHOCARPUS
 D. lingulatum (Sim) Magill = GYMNSTOMUM LINGULATUM
 D. perrevolutus P. Vard. = D. CERATODONTEUS
 600 D. XANTHOCARPUS (C. MUELL.) MAGILL
 (=Barbula xanthocarpa C. Muell.) 1
 (=D. knysnae Rehm. ex Sim) 1
- 1408 -EUCLADIUM B. S. G.
 1. MAGILL. 1981. FSA.
 100 E. VERTICILLATUM (BRID.) B. S. G.
- 1409 -GYMNOSTOMUM NEES & HORNSCH.
 1. MAGILL. 1981. FSA.
 50 G. AERUGINOSUM J. E. SM.
 (=G. calcareum Nees & Hornsch.) 1
 100 G. BEWSII DIX.
 G. calcareum Nees & Hornsch. = G. AERUGINOSUM
 G. dimorphum (C. Muell.) Sim = DIDYMODON CERATODONTEUS
 G. gracile (Wag. & Dix.) Dix. = DIDYMODON CERATODONTEUS
 (=Didymodon lingulatum (Sim) Magill) 1
 G. pottsii (Dix.) Sim = DIDYMODON CERATODONTEUM
 G. wagherii Schelpe = DIDYMODON CERATODONTEUM
- 1409 -Gyroweisia Schimp. = Southern African species moved to HUSNOTIELLA
 G. amplexicaulis Sim = HUSNOTIELLA LATIFOLIA
 G. latifolia Dix. = HUSNOTIELLA LATIFOLIA
- 1410 -HUSNOTIELLA CARD.
 1. MAGILL. 1981. FSA.
 200 H. LATIFOLIA (DIX.) ZANDER & MAGILL
 (=Gyroweisia amplexicaulis Sim) 1
 (=Gyroweisia latifolia Dix.) 1
 300 H. PLICATA MAGILL
- 1411 -Hymenostomum R. BR. = Species moved to other genera
 1. MAGILL. 1981. FSA.
 H. cucullatum (C. Muell.) Kindb. = WEISSIA CUCULLATA
 H. eurybasis Dix. = WEISSIA LATIUSCULA
 H. humicolum (C. Muell.) Par. = WEISSIA HUMICOLA
 H. latiusculum (C. Muell.) Par. = WEISSIA LATIUSCULA
 H. opacum Wag. & Dix. = BARBULA INDICA
- 1412 -HYMENOSTYLIIUM BRID.
 1. MAGILL. 1981. FSA.
 H. ceratodontium (C. Muell.) Broth. = DIDYMODON CERATODONTEUS
 200 H. RECURVIROSTRUM (HEDW.) DIX.
- 1413 -HYOPHILA BRID.
 1. MAGILL. 1981. FSA.
 H. atrovirens (C. Muell.) Broth. = H. INVOLUTA
 300 H. BAGINSENSIS C. MUELL.
 H. basutensis Sim = DIDYMODON CERATODONTEUS
 H. cyathiforme (Dix.) Sim = HYPODONTIUM DREGEI
 650 H. INVOLUTA (HOOK.) JAEG.
 (=H. atrovirens (C. Muell.) Broth.) 1
 H. zeyheri (Hampe) Jaeg. = TRICHOSTOMUM BRACHYDONTIUM
- 1414 -LEPTODONTIUM (C. MUELL.) HAMPE EX LINDB.
 1. MAGILL. 1981. FSA.
 100 L. BRACHYPHYLLUM BROTH. & THER.
 200 L. LONGICAULE MITT.
 L. squarrosum (Hook.) Hampe ex Lindb. = L. VITICULOSIDES
 300 L. VITICULOSIDES (BEAUV.) WIJK & MARG.
 (=L. squarrosum (Hook.) Hampe ex Lindb.) 1
 (=Zygodon simii Dix.) 1
- 1416 -OXYSTEGUS (LIMPR.) HILP.
 1. MAGILL. 1981. FSA.
 100 O. CYLINDRICUS (BRID.) HILP.
 (=Barbula leptotortella C. Muell.) 1
 (=Trichostomum cylindricum (Brid.) C. Muell.) 1
- 1417 -PHASCONICA C. MUELL.
 1. MAGILL. 1981. FSA.
 100 P. TISSERANTII P. VARD.
- 1418 -PHASCUM HEDW.
 1. MAGILL. 1981. FSA.
 100 P. LEPTOPHYLLUM C. MUELL.
 200 P. PERARISTATUM C. MUELL.
- 1420 -POTTIA (REICHENB.) FUERNR.
 1. MAGILL. 1981. FSA.
 P. afrophaea C. Muell. = TRICHOSTOMUM BRACHYDONTIUM
 50 P. MACDOWANIANA C. MUELL.
 150 P. NAMAGUENSIS MAGILL
 200 P. SPLACHNOIDES (HORNSCH.) BROTH.
 300 P. SUBPLANOMARGINATA DIX.
- 1421 -PTERYGONEURUM JUR.
 1. MAGILL. 1981. FSA.
 100 P. MACLEANUM WARNST.

- 1422 -Semibarbula Herz. ex Hilp. = BARBULA
1. MAGILL. 1981. FSA.
S. orientalis (Web.) Wijk & Marg. = BARBULA INDICA
- 1423 -TETRAPTERUM HAMPE EX JAEQ.
1. MAGILL. 1981. FSA.
- 100 T. TETRAGONUM (HOOK.) ANDREWS
(=Astomum tetragonum (Hook.) Broth.) 1
- 1424 -TORTELLA (LINDB.) LIMPR.
1. MAGILL. 1981. FSA.
T. afrocaespitosa (C. Muell.) Broth. = T. HUMILIS
T. caespitosa (Schwaegr.) Limpr. = T. HUMILIS
T. calycina (Schwaegr.) Dix. = BARBULA CALYCINA
50 T. FRAGILIS (HOOK. & WILS.) LIMPR.
T. eutrichostomum (C. Muell.) Broth. = T. HUMILIS
200 T. HUMILIS (HEDW.) JENN.
(=T. afrocaespitosa (C. Muell.) Broth.) 1
(=T. caespitosa (Schwaegr.) Limpr.) 1
(=T. eutrichostomum (C. Muell.) Broth.) 1
(=T. natalensicaespitosa (C. Muell.) Broth.) 1
(=T. petrieana Sim) 1
T. natalensicaespitosa (C. Muell.) Broth. = T. HUMILIS
T. petrieana Sim = T. HUMILIS
700 T. XANTHOCARPA (C. MUELL.) BROTH.
(=Trichostomum rehmannii Sim) 1
(=Trichostomum rufisetum C. Muell.) 1
(=Trichostomum tortuloides Sull. & Lesq.) 1
- 1425 -TORTULA HEDW.
1. MAGILL. 1981. FSA.
T. afroruralis (C. Muell.) Broth. = T. RURALIS
50 T. AMMONSIANA CRUM & ANDERS.
T. atrovirens (J.E. Sm.) Lindb. = DESMATODON CONVOLUTUS
T. brachyaichme (C. Muell.) Broth. = T. SCHMIDII
T. brevimucronata (C. Muell.) Broth. = T. SCHMIDII
T. brevitubulosa Broth. = T. SCHMIDII
T. deserta (C. Muell.) Broth. = DESMATODON LONGIPEDUNCULATA
T. erubescens (C. Muell.) Broth. = T. SCHMIDII
T. erythroneura (C. Muell.) Broth. = T. RURALIS
T. eubryum (C. Muell.) Broth. = BARBULA EUBRYUM
T. exesa (C. Muell.) Broth. = T. SCHMIDII
T. hildebrandtii (C. Muell.) Broth. = T. SCHMIDII
T. irregularis Sim = T. SCHMIDII
T. leucostega (C. Muell.) Broth. = T. PRINCEPS
T. longipedunculata (C. Muell.) Broth. = DESMATODON LONGIPEDUNCULATA
T. macowaniana (C. Muell.) Broth. = T. SCHMIDII
T. muelleri Hook. f. & Wils. = T. PRINCEPS
800 T. MURALIS HEDW.
(=Barbula afroinermis C. Muell.) 1
(=Barbula chrysoblata C. Muell.) 1
T. oranica (C. Muell.) Broth. = T. SCHMIDII
900 T. PAGORUM (MILDE) DE NOT
1000 T. PAPILLOSA WILS. EX SPRUCE
(=T. reticularia (C. Muell.) Broth.) 1
T. pilifera Hook. = BARBULA CRINITA
T. pilifera Hook. var. longifolia Sim = BARBULA CRINITA
1150 T. PORPHYREONEURA (C. MUELL.) TOWNS.
(=Barbula torquatifolia Geh.) 1
1200 T. PRINCEPS DE NOT.
(=T. leucostega (C. Muell.) Broth.) 1
(=T. muelleri Hook. f. & Wils.) 1
T. recurvata Hook. = DESMATODON CONVOLUTUS
1300 T. REHMANNII (C. MUELL.) SIM
T. reticularia (C. Muell.) Broth. = T. PAPILLOSA
1500 T. RURALIS (HEDW.) GAERTN., MEYER & SCHERB.
(=T. afroruralis (C. Muell.) Broth.) 1
(=T. erythroneura (C. Muell.) Broth.) 1
(=T. trachyneura Dix.) 1
1550 T. SCHMIDII (C. MUELL.) BROTH.
(=T. brachyaichme (C. Muell.) Broth.) 1
(=T. brevimucronata (C. Muell.) Broth.) 1
(=T. brevitubulosa Broth.) 1
(=T. erubescens (C. Muell.) Broth.) 1
(=T. exesa (C. Muell.) Broth.) 1
(=T. hildebrandtii (C. Muell.) Broth.) 1
(=T. irregularis Sim) 1
(=T. macowaniana (C. Muell.) Broth.) 1
(=T. oranica (C. Muell.) Broth.) 1
T. subtorquatifolia Dix. = DESMATODON CONVOLUTUS
T. trachyneura Dix. = T. RURALIS
- 1426 -TRICHOSTOMUM BRUCH
1. MAGILL. 1981. FSA.
- 100 T. BRACHYDONTIUM BRUCH EX F.A. MUELL.
(=Hyophila zeyheri (Hampe) Jaeg.) 1
(=Pottia afrophaea C. Muell.) 1
T. cylindricum (Brid.) C. Muell. = OXYSTEGUS CYLINDRICUS
T. rehmannii Sim = TORTELLA XANTHOCARPA
T. rufisetum C. Muell. = TORTELLA XANTHOCARPA
T. tortuloides Sull. & Lesq. = TORTELLA XANTHOCARPA
- 1427 -TRIGUETRELLA C. MUELL.
1. MAGILL. 1981. FSA.
T. strictissima Rehm. ex C. Muell. = T. TRISTICHA
100 T. TRISTICHA (C. MUELL.) C. MUELL.
(=T. strictissima Rehm. ex C. Muell.) 1

- 1428 -WEISIOPSIS BROTH.
 I. MAGILL. 1981. FSA.
 50 W. INVOLUTA MAGILL
 100 W. PLICATA (MITT.) BROTH.
 200 W. PULCHRIRETIS DIX.
- 1429 -WEISSIA HEDW.
 I. MAGILL. 1981. FSA.
 100 W. CONTROVERSA HEDW.
 (=W. oranica C. Muell.) 1
 (=W. vailis-gratiae C. Muell.) I
 (=W. viridula Hedw. ex Brid.) I
 (=W. viridula Hedw. ex Brid. var. longifolia Broth. & Wag.) I
 W. controversa Hedw. var. pillansii ScheIpe = W. DIETERLENEI
 150 W. CUCULLATA C. MUELL.
 (=Hymenostomum cucullatum (C. Muell.) Kindb.) 1
 200 W. DIETERLENEI THER.
 (=W. controversa Hedw. var. pillansii ScheIpe) I
 250 W. HUMICOLA C. MUELL.
 (=Hymenostomum humicola (C. Muell.) Par.) I
 (=W. viridula Hedw. ex Brid. var. brachycarpa sensu Dix.) 1
 350 W. LATIUSCULA C. MUELL.
 (=Hymenostomum eurybasis Dix.) I
 (=Hymenostomum latiusculum (C. Muell.) Par.) I
 W. oranica C. Muell. = W. CONTROVERSA
 W. vailis-gratiae C. Muell. = W. CONTROVERSA
 W. viridula Hedw. ex Brid. = W. CONTROVERSA
 W. viridula Hedw. ex Brid. var. brachycarpa sensu Dix. = W. HUMICOLA
 W. viridula Hedw. ex Brid. var. longifolia Broth. ex Wag. = W. CONTROVERSA
- 1430 -TRICHOSTOMOPSIS CARD.
 I. MAGILL. 1981. FSA.
 100 T. AUSTRALASIAE (HOOK. & GREV.) ROBINS.
 (=Barbula trichostomacea Muell.) I
 200 T. TRIVIALIS (C. MUELL.) ROBINS.
- 1431 -BRYOERYTHROPHYLLUM CHEN
 I. MAGILL. 1981. FSA.
 100 B. JAMESONII (T. TAYL.) CRUM
 (=Didymodon afrorubellus Broth. & Wag. ex Dix.) 1
 200 B. RECURVIOSTRUM (HEDW.) CHEN
- 1432 -TIMMIELLA (DE NOT.) LIMPR.
 I. MAGILL. 1981. FSA.
 100 T. PELINDABA MAGILL

BRYOBARTRAMIACEAE (14A)

1435

-
- 1435 -BRYOBARTRAMIA SAINSB.
 I. MAGILL. 1981. FSA.
 100 B. NOVAE-VALESIAE (BROTH.) STONE & SCOTT
 (=B. robbinsii Sainsb.) I
 B. robbinsii Sainsb. = B. NOVAE-VALESIAE

GRIMMIAEAE (15)

1441

-
- 1441 -GRIMMIA HEDW.
 I. MAGILL. 1981. FSA.
 100 G. APOCARPA HEDW.
 (=G. boschbergiana C. Muell.) 1
 (=G. caffra C. Muell.) 1
 (=G. depilis C. Muell.) 1
 (=G. oranica C. Muell.) 1
 G. boschbergiana C. Muell. = G. APOCARPA
 G. caffra C. Muell. = G. APOCARPA
 G. campestris Bruch. ex Hook. = G. LAEVIGATA
 G. commutata Hueb. = G. OVALIS
 G. depilis C. Muell. = G. APOCARPA
 G. drakensbergensis Sim = G. PULVINATA
 300 G. LAEVIGATA (BRID.) BRID.
 (=G. campestris Bruch. ex Hook.) I
 G. leptotricha C. Muell. = G. PULVINATA
 G. nigroviride C. Muell. var. robusticulum (C. Muell.) Par. = RACOMITRIUM NIGRO-VIRIDE
 G. oranica C. Muell. = G. APOCARPA
 400 G. OVALIS (HEDW.) LINDB.
 (=G. commutata Hueb.) I
 (=G. senilis Sim) 1
 500 G. PULVINATA (HEDW.) J.E. SM.
 (=G. drakensbergensis Sim) I
 (=G. leptotricha C. Muell.) I
 (=G. pulvinata C. Muell. var. africana (Hedw.) Hook. f. & Wils.) I
 G. pulvinata C. Muell. var. africana (Hedw.) Hook. f. & Wils. = G. PULVINATA
 G. senilis Sim = G. OVALIS
- 1442 -RACOMITRIUM BRID.
 I. MAGILL. 1981. FSA.
 R. austropatens Broth. = R. CRISPULUM
 R. capense Lor. = R. CRISPULUM
 200 R. CRISPULUM (HOOK. F. & WILS.) HOOK. F. & WILS.
 (=R. austropatens Broth.) I
 (=R. capense Lor.) I
 (=R. drakensbergense Sim) I
 R. defoliatum Dix. = R. NIGRO-VIRIDE
 R. drakensbergense Sim = R. CRISPULUM
 R. hypnoides Lindb. = R. LANUGINOSUM

- 400 R. incanum C. Muell. = R. LANUGINOSUM
 R. LANUGINOSUM (HEDW.) BRID.
 (=R. hypnoides Lindb.) 1
 (=R. incanum C. Muell.) 1
 (=R. lanuginosum (Hedw.) Brid. var. pruinatum Wils.) 1
 R. lanuginosum (Hedw.) Brid. var. pruinatum Wils. = R. LANUGINOSUM
 500 R. NIGRO-VIRIDE (C. MUELL.) PAR.
 (=Grimmia nigroviride C. Muell. var. robusticulum (C. Muell.) Par.) 1
 (=R. defoliatum Dix.) 1
 (=R. pseudoacicularis (C. Muell.) Par.) 1
 R. pseudoacicularis (C. Muell.) Par. = R. NIGRO-VIRIDE
 1443 -LEUCOPERICHAETUM MAGILL
 1. MAGILL. 1981. FSA.
 100 L. EREMOPHILUM MAGILL

GIGASPERMACEAE (16)

1446

- 1446 -CHAMAEBRYUM THER. & DIX.
 1. MAGILL. IN PRESS. FSA.
 100 C. POTTIOIDES THER. & DIX.
 1447 -GIGASPERMUM LINDB.
 1. MAGILL. IN PRESS. FSA.
 G. breutelii (C. Muell.) Par. = G. REPENS
 100 G. REPENS (HOOK.) LINDB.
 (=G. breutelii (C. Muell.) Par.) 1
 1448 -OEDIPODIELLA DIX.
 1. MAGILL. IN PRESS. FSA.
 100 O. AUSTRALIS (WAG. & DIX.) DIX.

EPHEMERACEAE (18)

1461

- 1461 -EPHEMERUM HAMPE
 1. MAGILL. IN PRESS. FSA.
 50 E. CAPENSE C. MUELL.
 100 E. DIVERSIFOLIUM MITT. IN HARV.
 E. nervosa (Dix.) Schelpe = E. REHMANNII
 300 E. REHMANNII (C. MUELL.) BROTH.
 (=E. nervosa (Dix.) Schelpe) 1

FUNARIACEAE (19)

1466

- 1466 -Entosthodon Schwaegr. = Southern African species moved to FUNARIA
 E. bergianus (Hornsch.) C. Muell. = FUNARIA BERGIANA
 E. campylopodioides C. Muell. = FUNARIA ROTTLEI
 E. dixonii Sim = FUNARIA LONGICOLLIS
 E. gracilescens C. Muell. = FUNARIA LIMBATA
 E. marginatus C. Muell. = FUNARIA LIMBATA
 E. marginatus C. Muell. var. obtusatus Sim = FUNARIA LIMBATA
 E. rottleri (Schwaegr.) C. Muell. = FUNARIA ROTTLEI
 E. spathulatus (C. Muell.) Sim = FUNARIA SPATHULATA
 1467 -FUNARIA HEDW.
 1. MAGILL. IN PRESS. FSA.
 F. ampliretis (C. Muell.) Broth. = F. LIMBATA
 50 F. BERGIANA (HORNSCH.) BROTH.
 (=Entosthodon bergianus (Hornsch.) C. Muell.) 1
 (=F. gymnostoma Dix.) 1
 F. dieterlenii Ther. = F. SPATHULATA
 F. gracilescens Schimp. ex C. Muell. = F. HYGROMETRICA
 F. gymnostoma Dix. = F. BERGIANA
 80 F. HARVEYANA MAGILL
 100 F. HYGROMETRICA HEDW.
 (=F. gracilescens Schimp. ex C. Muell.) 1
 (=F. lonchopelma C. Muell.) 1
 150 F. LIMBATA (C. MUELL.) BROTH.
 (=Entosthodon gracilescens C. Muell.) 1
 (=Entosthodon marginatus C. Muell.) 1
 (=Entosthodon marginatus C. Muell. var. obtusatus Sim) 1
 (=F. ampliretis (C. Muell.) Broth.) 1
 (=F. micropylis (C. Muell.) Broth.) 1
 (=Physcomitrium leptolimbata C. Muell.) 1
 F. lonchopelma C. Muell. = F. HYGROMETRICA
 200 F. LONGICOLLIS DIX.
 (=Entosthodon dixonii Sim) 1
 F. micropylis (C. Muell.) Broth. = F. LIMBATA
 300 F. RHOMBOIDEA SHAW
 (=F. schinzii (Geh.) Broth.) 1
 (=Physcomitrium rivale (Geh.) Broth.) 1
 350 F. ROTTLEI (SCHWAEGR.) BROTH.
 (=Entosthodon campylopodioides C. Muell.) 1
 (=Entosthodon rottleri (Schwaegr.) C. Muell.) 1
 F. rufinervis Dix. = F. URCEOLATA
 F. schinzii (Geh.) Broth. = F. RHOMBOIDEA
 400 F. SPATHULATA SCHIMP. EX C. MUELL.
 (=Entosthodon spathulatus (C. Muell.) Sim) 1
 (=F. dieterlenii Ther.) 1
 500 F. URCEOLATA (MITT.) MAGILL
 (=F. rufinervis Dix.) 1
 1468 -GONIOMITRIUM HOOK. & WILS.
 1. MAGILL. IN PRESS. FSA.
 100 G. AFRICANUM (C. MUELL.) BROTH.

- 1469 -MICROPOMA LINDB.
1. MAGILL. IN PRESS. FSA.
100 M. NILOTICUM (DEL.) LINDB.
- 1470 -PHYSCOMITRELLOPSIS BROTH. & WAG. EX DIX.
1. MAGILL. IN PRESS. FSA.
100 P. AFRICANA WAG. & BROTH. EX DIX.
- 1471 -PHYSCOMITRIUM (BRID.) BRID.
1. MAGILL. IN PRESS. FSA.
P. brachypodium C. Muell. = P. SPATHULATUM
P. leptolimbata C. Muell. = FUNARIA LIMBATA
P. rivale (Geh.) Broth. = FUNARIA RHOMBOIDEA
200 P. SPATHULATUM (HORNSCH.) C. MUELL.
(=P. brachypodium C. Muell.) 1
(=P. spathulatum (Hornsch.) C. Muell. var. brevicollum C. Muell.) 1
P. spathulatum (Hornsch.) C. Muell. var. brevicollum C. Muell. = P. SPATHULATUM
- 1472 -CYGNICOLLUM FIFE & MAGILL.
1. MAGILL. IN PRESS. FSA.
100 C. IMMERSUM FIFE & MAGILL.

SPLACHNACEAE (21)

1491

- 1491 -TAYLORIA HOOK.
1. MAGILL. IN PRESS. FSA.
200 T. ISLEANA (BESCH.) BROTH.
-

BRYACEAE (24)

1506

- 1506 -ANOMOBRYUM SCHIMP.
1. MAGILL. IN PRESS. FSA.
50 A. FILIFORME (DICKS.) SOLMS IN RABENH.
(=A. promontorii (C. Muell.) Dix.) 1
A. promontorii (C. Muell.) Dix. = A. FILIFORME
- 1507 -BRACHYMIENIUM SCHWAEGR.
1. MAGILL. IN PRESS. FSA.
100 B. ACUMINATUM HARV. IN HOOK.
(=B. borgenianum Hampe) 1
(=B. lonchopus P. Varde) 1
(=B. pallidajulaceum (C. Muell.) Par.) 1
(=Mielichhoferia squarrosa C. Muell.) 1
200 B. ANGOLENSE (WELW. & DUB.) JAEG.
(=B. campylotrichum (C. Muell.) Broth.) 1
B. borgenianum Hampe = B. ACUMINATUM
B. campylotrichum (C. Muell.) Broth. = B. ANGOLENSE
300 B. DICRANOIDES (HORNSCH.) JAEG.
(=B. liliputanum (C. Muell.) Broth.) 1
(=B. ?neesii (C. Muell.) Par.) 1
B. julaceum Hornsch. = B. PULCHRUM
500 B. LEPTOPHYLLUM (C. MUELL.) JAEG.
(=B. variabile Dix.) 1
B. liliputanum (C. Muell.) Broth. = B. DICRANOIDES
B. lonchopus P. Varde = B. ACUMINATUM
B. ?neesii (C. Muell.) Par. = B. DICRANOIDES
550 B. NEPALENSE HOOK. IN SCHWAEGR.
B. pallidajulaceum (C. Muell.) Par. = B. ACUMINATUM
600 B. PULCHRUM HOOK.
(=B. julaceum Hornsch.) 1
B. variabile Dix. = B. LEPTOPHYLLUM
- 1508 -BRYUM HEDW.
1. OCHI. 1972. J. FAC. EDUC. TOTTORI UNIV. 23.
2. MAGILL. IN PRESS. FSA.
B. afroalpinum C. Muell. = B. ALPINUM
50 B. ALBORPULVINATA C. MUELL.
200 B. ALPINUM HUDS. EX WITH.
(=B. afroalpinum C. Muell.) 2
(=B. wilmsii C. Muell.) 2
250 B. ANDICOLA HOOK.
(=B. pumiliroseum Dix.) 2
B. aterrimum C. Muell. ex Sim = B. TORQUESCENS
B. aulacomnioides C. Muell. = B. PSEUDOTRIQUETRUM
B. aulacomnioides C. Muell. var. limbata Sim = B. PSEUDOTRIQUETRUM
200 B. ARGENTEUM HEDW.
(=B. argenteum Hedw. var. proliferum Sim) 2
(=B. argenteum Hedw. var. viride Sim) 2
(=B. capensiargenteum C. Muell.) 2
(=B. oranicum C. Muell.) 2
(=B. stellipilum C. Muell.) 2
B. argenteum Hedw. var. proliferum Sim = B. ARGENTEUM
250 B. ARGENTEUM HEDW. VAR. ROTUNDIFOLIUM SIM
B. argenteum Hedw. var. viride Sim = B. ARGENTEUM
300 B. AUBERTII (SCHWAEGR.) BRID.
(=Mnium aubertii Schwaegr.) 2
400 B. BICOLOR DICKS.
(=B. rigidicuspis Dix.) 1
600 B. BRACHYMIENIACEUM C. MUELL.
700 B. CAESPITICIMUM L. EX HEDW.
800 B. CANARIENSE BRID.
(=B. canariensisforme Dix.) 2
(=B. condensatum Hampe) 2
B. canariensisforme Dix. = B. CANARIENSE
B. capensiargenteum C. Muell. = B. ARGENTEUM

- 900 B. CAPILLARE HEDW.
B. condensatum Hampe = B. CANARIENSE
B. decurrens C. Muell. = B. PSEUDOTRIGUETUM
1050 B. decursivum C. Muell. = B. TORQUESCENS
B. DONIANUM GREV.
B. ecklonianum C. Muell. = POHLIA NUTANS
1075 B. ERYTHROCAULON (SCHWAEGR.) BRID.
B. herpetineuron Ther. = B. PERLIMBATUM
B. humidulum Sull & Lesq. = POHLIA NUTANS
B. keniae C. Muell. = RHODOBRYUM KENIAE
1080 B. KLINGGRAEFFII SCHIMP.
B. laxogemmaceum C. Muell. = B. MICROERYTHROCARPUM
B. lonchopyxis C. Muell. = B. TORQUESCENS
1090 B. MACLEANUM C. MUELL.
1100 B. MICRO-ERYTHROCARPUM C. MUELL. & KINDB.
(=B. laxogemmaceum C. Muell.) 1
(=B. zuluense Broth. & Bryhn) 1
1300 B. MUNDTII C. MUELL.
(=B. pervirens C. Muell.) 2
1400 B. NITENS HOOK.
B. oranicum C. Muell. = B. ARGENTEUM
1500 B. PERLIMBATUM CARD.
(=B. herpetineuron Ther.) 2
B. pervirens C. Muell. = B. MUNDTII
1600 B. POCsii BIZOT
B. polytrichoideum C. Muell. = ?B. TORQUESCENS
B. porphyreothrix C. Muell. = B. TORQUESCENS
1800 B. PSEUDOTRIGUETUM (HEDW.) GAERTN., MEYER & SCHERB.
(=B. aulacomnioides C. Muell.) 2
(=B. aulacomnioides C. Muell. var. limbatum Sim) 2
(=B. decurrens C. Muell.) 2
B. pumiliroseum Dix. = B. ANDICOLA
1850 B. PYCNOPHYLLUM (DIX.) MOHAMED
(=B. truncorum (Brid.) Brid. var. pycnophyllum Dix.) 2
1900 B. RADICALE REHM. EX DIX.
2000 B. RADICULOSUM BRID.
(=?B. subcavifolium Dix.) 2
B. rigidicuspis Dix. = B. BICOLOR
2100 B. SIMII SCHELPE
B. stellipilum C. Muell. = B. ARGENTEUM
B. subcavifolium Dix. = ?B. RADICULOSUM
2125 B. SUBDECURSIVUM C. MUELL.
2150 B. TORQUESCENS BRUCH EX DE NOT.
(=B. aterrimum C. Muell. ex Sim) 2
(=B. decursivum C. Muell.) 2
(=B. lonchopyxis C. Muell.) 2
(=?B. polytrichoideum C. Muell.) 2
(=B. porphyreothrix C. Muell.) 2
(=B. torquescentulum C. Muell.) 2
(=B. torquescentulum C. Muell. var. nutans C. Muell.) 2
B. torquescentulum C. Muell. = B. TORQUESCENS
B. torquescentulum C. Muell. var. nutans C. Muell. = B. TORQUESCENS
B. truncorum (Brid.) Brid. var. pycnophyllum Dix. = B. PYCNOPHYLLUM
2300 B. VIRIDESCENS WELW. & DUBY
B. wilmsii C. Muell. = B. ALPINUM
B. zuluense Broth. & Bryhn = B. MICRO-ERYTHROCARPUM
1510 -LEPTOBRYUM (B. S. G.) WILS.
1. MAGILL. IN PRESS. FSA.
100 L. PYRIFORME (HEDW.) WILS.
1512 -MIELICHHOFERIA NEES & HORNSCH.
1. MAGILL. IN PRESS. FSA.
100 M. BRYOIDES (HARV.) WIJK & MARG.
(=M. ecklonii Hornsch.) 1
(=M. rehmannii C. Muell.) 1
(=M. transvaaliensis C. Muell.) 1
M. cholnokyi P. Varde = M. SUBNUDA
M. ecklonii Hornsch. = M. BRYOIDES
M. rehmannii C. Muell. = M. BRYOIDES
M. squarrolosa C. Muell. = BRACHYMENIUM ACUMINATUM
300 M. SUBNUDA SIM
(=M. cholnokyi P. Varde) 1
M. transvaaliensis C. Muell. = M. BRYOIDES
1513 -PLAGIOBRYUM LINDB.
1. MAGILL. IN PRESS. FSA.
100 P. ZIERII (HEDW.) LINDB.
1514 -ORTHODONTIUM SCHWAEGR.
1. MAGILL. IN PRESS. FSA.
100 O. LINEARE SCHWAEGR.
1515 -POHLIA HEDW.
1. MAGILL. IN PRESS. FSA.
50 P. BARONII WIJK & MARG.
100 P. CRUDA (HEDW.) LINDB.
(=P. depauperata (Sim) Schelpe) 1
(=Webera cruda (Hedw.) Fuernr.) 1
P. depauperata (Sim) Schelpe = P. CRUDA
300 P. ELONGATA HEDW.
(=Webera elongata (Hedw.) Schwaegr.) 1
(=Webera leptoblepharon (C. Muell.) Jaeg.) 1
(=Webera mielichhoferia (C. Muell.) Par.) 1
700 P. NUTANS (HEDW.) LINDB.
(=Bryum ecklonianum C. Muell.) 1
(=Bryum humidulum Sull & Lesq.) 1
(=Webera afronutans (C. Muell.) Par.) 1
(=Webera nutans Hedw.) 1

- 1516 -RHODOBRYUM (SCHIMP.) LIMPR.
 1. MAGILL. IN PRESS. FSA.
 200 R. COMMERSONII (SCHWAEGR.) PAR.
 300 R. KENIAE (C. MUELL.) BROTH.
 (=Bryum keniae C. Muell.) 1
 R. leucothrix (C. Muell.) Broth. = R. ROSEUM
 400 R. ROSEUM (HEDW.) LIMPR.
 (=R. leucothrix (C. Muell.) Broth.) 1
 (=R. spathulatum (Hornsch.) Pocs in Bizot) 1
 R. spathulatum (Hornsch.) Pocs in Bizot = R. ROSEUM
 500 R. UMBRACULUM (HOOK.) SCHIMP. EX PAR.
- 1517 -Webera Hedw. = POHLIA
 W. afronutans (C. Muell.) Par. = POHLIA NUTANS
 W. cruda (Hedw.) Fuernr. = POHLIA CRUDA
 W. elongata (Hedw.) Schwaegr. = POHLIA ELONGATA
 W. leptoblepharon (C. Muell.) Jaeg. = POHLIA ELONGATA
 W. mielichhoferia (C. Muell.) Par. = POHLIA ELONGATA
 W. nutans Hedw. = POHLIA NUTANS

MNIACEAE (26)

1526

-
- 1525 -Mnium Hedw. = Species moved to other genera
 M. aubertii Schwaegr. = BRYUM AUBERTII
 M. ecklonii C. Muell. = PLAGIOMNIUM RHYNCHOPHORUM
 M. rostratum Schrad. var. reidii Dix. = PLAGIOMNIUM RHYNCHOPHORUM
- 1526 -PLAGIOMNIUM T. KOP.
 1. MAGILL. IN PRESS. FSA.
 200 P. RHYNCHOPHORUM (HOOK.) T. KOP. VAR. REIDII (DIX.) T. KOP.
 (=Mnium ecklonii C. Muell.) 1
 (=Mnium rostratum Schrad. var. reidii Dix.) 1

EUSTICHIACEAE (28)

1536

-
- 1536 -EUSTICHIA (BRID.) BRID.
 1. MAGILL. IN PRESS. FSA.
 E. africana (C. Muell.) Par. = E. LONGIROSTRIS
 200 E. LONGIROSTRIS (BRID.) BRID.
 (=E. africana (C. Muell.) Par.) 1

RHIZOGONIACEAE (32)

1556

-
- 1556 -RHIZOGONIUM BRID.
 1. MAGILL. IN PRESS. FSA.
 100 R. SPINIFORME (HEDW.) BRUCH EX KRAUSS
 200 R. VALLIS-GRATIAE (HAMPE) HAMPE EX JAEGER.

AULACOMNIACEAE (34)

1566

-
- 1566 -LEPTOTHECA SCHWAEGR.
 1. MAGILL. IN PRESS. FSA.
 100 L. GAUDICHAUDII SCHWAEGR.

BARTRAMIACEAE (37)

1581

-
- 1581 -BARTRAMIA HEDW.
 1. MAGILL. IN PRESS. FSA.
 25 B. AFROSTRICTA C. MUELL.
 B. afrovincinata C. Muell. = PHILONOTIS DREGEANA
 50 B. ARISTARIA C. MUELL.
 (=Breutelia aristaria (C. Muell.) Broth.) 1
 B. asperima C. Muell. = B. HAMPEANA
 100 B. CAPENSIS (R. BR.) WILK & MARG.
 (=B. inserta Sull. & Lesq.) 1
 (=B. quadrata Hook.) 1
 (=B. sericea Hornsch.) 1
 (=Breutelia aristaria (C. Muell.) Broth. var. plumosa Sim) 1
 200 B. COMPACTA HORNSCH.
 (=B. kraussii B.S.G.) 1
 (=B. subasperima C. Muell.) 1
 300 B. HAMPEANA C. MUELL.
 (=B. asperima C. Muell.) 1
 (=B. penicillata C. Muell.) 1
 (=B. ramentosa C. Muell.) 1
 B. inserta Sull. & Lesq. = B. CAPENSIS
 B. kraussii B.S.G. = B. COMPACTA
 400 B. MACOWANIANA C. MUELL.
 B. penicillata C. Muell. = B. HAMPEANA
 B. quadrata Hook. = B. CAPENSIS
 B. ramentosa C. Muell. = B. HAMPEANA
 B. sericea Hornsch. = B. CAPENSIS
 500 B. SQUARRIFOLIA SIM
 B. subasperima C. Muell. = B. COMPACTA
- 1582 -BARTRAMIDULA B.S.G.
 1. MAGILL. IN PRESS. FSA.
 100 B. COMOSA (HAMPE & C. MUELL.) BROTH.
 200 B. GLOBOSA (C. MUELL.) BROTH.
 (=B. globosa (C. Muell.) Broth. var. tenuicaulis (C. Muell.) Sim) 1
 B. globosa (C. Muell.) Broth. var. tenuicaulis (C. Muell.) Sim = B. GLOBOSA

- 1583 -BREUTELIA (B.S.G.) SCHIMP.
 1. MAGILL. IN PRESS. FSA.
 100 B. AFROSCOPARIA (C. MUELL.) PAR.
 200 B. ANGUSTIFOLIA REHM. EX SIM
 B. aristaria (C. Muell.) Broth. = BARTRAMIA ARISTARIA
 B. aristaria (C. Muell.) Broth. var. plumosa Sim = BARTRAMIA CAPENSIS
 225 B. BREUTELII (C. MUELL.) BROTH.
 400 B. DIFFRACTA MITT.
 (=B. subgnaphalea (C. Muell.) Par.) 1
 B. subgnaphalea (C. Muell.) Par. = B. DIFFRACTA
 (=B. afroscoparia (C. Muell.) Par.) 1
 (=Philonotis afrofontana (C. Muell.) Par. var. breviseta (C. Muell.) Par.) 1
 700 B. TABULARIS DIX. EX SIM
- 1584 -PHILONOTIS BRID.
 1. MAGILL. IN PRESS. FSA.
 100 P. AFRICANA (C. MUELL.) PAR.
 P. afrocapillaris Dix. ex Sim = P. DREGEANA
 P. afrofontana (C. Muell.) Par. = P. FALCATA
 200 P. AFROFONTANA (C. MUELL.) PAR. VAR. BREVISETA (C. MUELL.) PAR.
 P. afrofontana (C. Muell.) Par. var. gracilescens (C. Muell.) Par. = P. DREGEANA
 P. androgyna (Hampe) Jaeg. = P. DREGEANA
 500 P. DREGEANA (C. MUELL.) JAEG.
 (=Bartramia afrouncinata C. Muell.) 1
 (=P. afrocapillaris Dix. ex Sim) 1
 (=P. afrofontana (C. Muell.) Par. var. gracilescens (C. Muell.) Par.) 1
 (=P. androgyna (Hampe) Jaeg.) 1
 (=P. pernana (C. Muell.) Par.) 1
 550 P. FALCATA (HOOK.) MITT.
 (=P. afrofontana (C. Muell.) Par.) 1
 600 P. HASTATA (DUBY) WIJK & MARG.
 (=P. imbricatula Mitt.) 1
 (=P. laxissima (C. Muell.) Mitt.) 1
 (=P. obtusata C. Muell. ex Ren. & Card.) 1
 (=P. zuluensis Broth. & Bryhn) 1
 P. hymenodon (C. Muell.) Jaeg. = P. SCABRIFOLIA
 P. imbricatula Mitt. = P. HASTATA
 P. laxissima (C. Muell.) Mitt. = P. HASTATA
 P. obtusata C. Muell. ex Ren. & Card. = P. HASTATA
 P. pernana (C. Muell.) Par. = P. DREGEANA
 900 P. SCABRIFOLIA (HOOK. F. & WILS.) BRAITHW.
 (=P. hymenodon (C. Muell.) Jaeg.) 1
 1000 P. VAGANS (HOOK. F. & WILS.) MITT.
 P. zuluensis Broth. & Bryhn = P. HASTATA
- 1586 -CONOSTOMUM SW. IN WEB. & MOHR
 1. MAGILL. IN PRESS. FSA.
 100 C. PENTASTICHUM (BRID.) LINDB.
- 1587 -PLAGIOPUS BRID.
 1. MAGILL. IN PRESS. FSA.
 100 P. OEDERI (BRID.) LIMPR.

ERPODIAEAE (40)

1601

- 1601 -AULACOPILUM WILS.
 100 A. TRICHOPHYLLUM ANGSTR.
 1602 -ERPODIUM (BRID.) BRID.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 E. BECCARII C. MUELL. EX VENT.
 (=E. hanningtonii Mitt.) 1
 200 E. GROSSIRETE C. MUELL.
 E. hanningtonii Mitt. = E. BECCARII
 300 E. TRANSVAALIENSE BROTH. & WAG. EX DIX.

Crymon

RHACHITHECIAEAE (40A)

1606

- 1606 -RACHITHECIUM BROTH. EX LE'JOL.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 R. PERPUSILLUM (THWAIT. & MITT.) BROTH.

PTYCHOMITRIACEAE (41)

1611

- 1610 -Glyphomitrium Brid. = Southern African species moved to PTYCHOMITRIUM
 G. depressum (C. Muell.) Broth. = PTYCHOMITRIUM DEPRESSUM
 1611 -PTYCHOMITRIOPSIS DIX.
 1. MAGILL. MS. FSA.
 100 P. AFRICANA DIX.
 (=Ptychomitrium godfreyi Robins.) 1
 1612 -PTYCHOMITRIUM FUERNR.
 1. MAGILL. MS. FSA.
 100 P. CRASSINERVIVM (C. MUELL.) SCHIMP. EX PAR.
 200 P. CRISPATUM (HEDW.) JAEG.
 300 P. CUCULLATIFOLIUM (C. MUELL.) JAEG.
 (=P. obtusatum (C. Muell.) Par.) 1
 400 P. DEPRESSUM (C. MUELL.) PAR.
 (=Glyphomitrium depressum (C. Muell.) Broth.) 1
 450 P. DIEXARATUM MAGILL EX MAGILL & SCHELPE
 500 P. EURYBASIS DIX.
 600 P. EXARATIFOLIUM ROBINS.
 P. godfreyi Robins = PTYCHOMITRIOPSIS AFRICANA

- P. marginatum* (Wag. ex Dix.) Dix. = *P. SUBCRISPATUM*
P. obtusatum (C. Muell.) Par. = *P. CUCULLATIFOLIUM*
 1000 *P. SUBCRISPATUM* THER. & *P. VARD.*
 (= *P. marginatum* (Wag. ex Dix.) Dix.) 1

ORTHOTRICHACEAE (42)

1616

-
- 1617 -MACROCOMA (C. MUELL.) GROUT
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 *M. LYCOPODIODES* (SCHWAEGR.) VITT
 (= *Macromitrium confusum* Mitt.) 1
 200 *M. PULCHELLUM* (HORNSCH.) VITT
 300 *M. TENUE* (HOOK. & GREV.) VITT

 1618 -MACROMITRIUM BRID.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 M. confusum Mitt. = *MACROCOMA LYCOPODIODES*
 100 *M. LEVATUM* MITT.
 200 *M. MACROPELMA* C. MUELL.
 300 *M. SCHLOTHEIMIAEFORME* PAR.
 400 *M. SECUNDUM* C. MUELL.
 500 *M. SERPENS* (HOOK. & GREV.) BRID.
 600 *M. TRISTRATOSUM* DIX.

 1619 -ORTHOTRICHUM HEDW.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 *O. AFRO-FASTIGIATUM* C. MUELL.
 200 *O. DIAPHANUM* BRID.
 (= *O. glaucum* Spreng.) 1
 (= *O. piliferum* Sim) 1
 (= *O. pseudotenellum* Hampe ex C. Muell.) 1
 O. glaucum Spreng. = *O. DIAPHANUM*
 O. macleanii Sim = *O. RUPESTRE*
 300 *O. MIRUM* LEWINSKY
 O. piliferum Sim = *O. DIAPHANUM*
 O. pseudotenellum Hampe = *O. DIAPHANUM*
 450 *O. RUPESTRE* SCHWAEGR.
 (= *O. macleanii* Sim) 1
 500 *O. SUBEXSERTUM* SCHIMP. EX C. MUELL.
 600 *O. TRANSVAALENSE* REHM. EX SIM

 1620 -SCHLOTHEIMIA BRID.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 *S. FERRUGINEA* (HOOK. & GREV.) BRID.
 200 *S. GREVILLEANA* MITT.
 300 *S. PERCUSPIDATA* C. MUELL.
 400 *S. RUFO-AERUGINOSA* C. MUELL.
 S. subventrosa Broth. & Bryhn = *S. VENTROSA*
 500 *S. VENTROSA* C. MUELL.
 (= *S. subventrosa* Broth. & Bryhn) 1

 1621 -ULOTA MOHR
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 *U. ECKLONII* (HORNSCH.) JAEG

 1622 -ZYGODON HOOK. & TAYL.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 *Z. CERNUUS* C. MUELL.
 200 *Z. DIXONII* SIM
 300 *Z. EROSUS* MITT.
 400 *Z. INTERMEDIUS* B. S. G.
 500 *Z. LEPTOBOLAX* C. MUELL.
 600 *Z. RUNCINATUS* C. MUELL.
 Z. simii Dix. = *LEPTODONTIUM VITICULOSOIDES*
 700 *Z. TRICHOMITRIUS* HOOK. & WILS.

RHABDOWEISIAEAE (42A)

1631

-
- 1631 -AMPHIDIUM SCHIMP.
 1. MAGILL & SCHELPE. 1979. CHECKLIST
 A. cyathicarpum (Mont.) Broth. = *A. TORTUOSUM*
 100 *A. TORTUOSUM* (HORNSCH.) ROBINS.
 (= *A. cyathicarpum* (Mont.) Broth.) 1

 1632 -RHABDOWEISIA B. S. G.
 1. MAGILL & SCHELPE. 1979. CHECKLIST
 100 *R. FUGAX* (HEDW.) B. S. G.

RACOPILACEAE (44)

1641

-
- 1641 -RACOPILUM BEAUV.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 *R. CAPENSE* C. MUELL.

FONTINALACEAE (45)

1646

-
- 1646 -FONTINALIS HEDW.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 *F. ANTIPYRETICA* HEDW.

WARDIACEAE (45A)		1651
1651	-WARDIA HARV. & HOOK.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. W. HYGROMETRICA HARV. & HOOK.	
HEDWIGIACEAE (47)		1671
1671	-BRAUNIA B. S. G.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. B. peristomata Dix. = LEUCODON MARITIMUS B. SECUNDA (HOOK.) B. S. G.	
1672	-HEDWIGIA BEAUV.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. H. CILIATA (HEDW.) EHRH. EX BEAUV.	
1673	-HEDWIGIDIUM B. S. G.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. H. INTEGRIFOLIUM (P. BEAUV.) DIX.	
1674	-RHACOCARPUS LINDB.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. R. ecklonianus (C. Muell.) Broth. = R. PURPURASCENS R. PURPURASCENS (BRID.) PAR. (=R. ecklonianus (C. Muell.) Broth.) 1	
200	R. REHMANIANUS (C. MUELL.) WIJK & MARG.	
CRYPHAEACEAE (48)		1681
1681	-CRYPHAEA MOHR IN WEB.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. C. EXIGUA (C. MUELL.) JAEG.	
1682	-FORSSTROEMIA LINDB.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. F. PRODUCTA (HORNSCH.) PAR.	
LEUCODONTACEAE (49)		1686
1686	-ANTITRICHIA BRID.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. A. CURTIPENDULA (HEDW.) BRID.	
1687	-LEUCODON SCHWAEGR.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. L. assimilis (C. Muell.) Jaeg. = L. MARITIMUS L. CAPENSIS SCHIMP. IN REN.	
200	L. MARITIMUS (HOOK.) WIJK & MARG. (=Braunia peristomata Dix.) 1 (=L. assimilis (C. Muell.) Jaeg.) 1	
1688	-PTEROGONIUM SW.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. P. GRACILE (HEDW.) SM.	
PRIONODONTACEAE (53)		1711
1711	-PRIONODON C. MUELL.	
50	1. MAGILL & SCHELPE. 1979. CHECKLIST. P. DENSUS (HEDW.) C. MUELL. (=P. rehmannii Mitt.) 1 P. rehmannii Mitt. = P. DENSUS	
TRACHYPODACEAE (55)		1721
1721	-TRACHYPODOPSIS FLEISCH.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. T. SERRULATA (BEAUV.) FLEISCH	
1722	-TRACHYPUS REINW. & HORNSCH.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. T. BICOLOR REINW. & HORNSCH. (=Papillaria natalensis Sim) 1	
PTEROBRYACEAE (57)		1731
1731	-CALYPTOTHECIUM MITT.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. C. ACUTIFOLIUM (BRID.) BROTH. (=C. subacutifolium Broth.) 1	
200	C. HOEHNELLII (C. MUELL.) ARGENT (=Renauldia hoehnelii (C. Muell.) Broth.) 1 C. subacutifolium Broth. = C. ACUTIFOLIUM	
1732	-JAEGERINA C. MUELL.	
100	1. MAGILL & SCHELPE. 1979. CHECKLIST. J. STOLONIFERA (C. MUELL.) C. MUELL.	

- 1734 -ORTHOSTICHOPSIS BROTH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 O. PINNATELLA BROTH.) BROTH.
- 1735 -PTEROBRYOPSIS FLEISCH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. REHMANNII MAGILL
- 1736 -Renauldia C. Muell. in Ren. = Southern African species moved to CALYPTOTHECIUM
R. hoehnellii (C. Muell.) Broth. = CALYPTOTHECIUM HOEHNELII

METEORACEAE (58)

1741

-
- 1741 -AEROBRYOPSIS FLEISCH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 A. CAPENSIS (C. MUELL.) FLEISCH.
- 1742 -FLORIBUNDARIA FLEISCH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 F. FLORIBUNDA (DOZY. & MOLK.) FLEISCH.
- 1743 -PAPILLARIA (C. MUELL.) C. MUELL.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. AFRICANA (C. MUELL.) JAEG.
P. natalensis Sim = TRACHYPUS BICOLOR
- 1744 -PILOTRICHELLA (C. MUELL.) BESCH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
50 P. CONFERTA REN. & CARD.
75 P. CUSPIDATA BROTH.
100 P. PANDURAEFOLIA (C. MUELL.) JAEG.
- 1745 -SQUAMIDIUM (C. MUELL.) BROTH.
1. MAGILL & SCHELPE. 1979. CHECKLIST
100 S. BIFORME (HAMPE) BROTH.
(=S. rehmannii (C. Muell.) Broth.) 1
S. rehmannii (C. Muell.) Broth. = S. BIFORME

PHYLLOGONIACEAE (59)

1751

-
- 1751 -CATAGONIUM C. MUELL. EX BROTH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 C. MUCRONATUM (JAEG.) BROTH.

NECKERACEAE (60)

1756

-
- 1756 -LEPTODON MOHR
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. SMITHII (HEDW.) WEB. & MOHR
- 1757 -NECKERA HEDW
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 N. VALENTINIANA BESCH.
- 1758 -PINATELLA FLEISCH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. FLAGELLACEA (MITT.) BROTH.
- 1759 -POROTHAMNIUM FLEISCH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. CAPENSE (BROTH. & DIX.) SIM
300 P. HILDEBRANDTII (C. MUELL.) FLEISCH.
400 P. NATALENSE (C. MUELL.) FLEISCH.
500 P. PENNAEFRONDEUM (C. MUELL.) CARD.
P. woodii Sim = STEREOPHYLLUM WOODII

LEMBOPHYLLACEAE (61)

1771

-
- 1771 -RIGIDIUM KUNZE EX SCHWAEGR.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 R. KILIMANDSCHARICUM (BROTH.) PAR.
(=Thuidium thamniopsis Rehm. ex Sim) 1

HOOKERACEAE (65)

1781

-
- 1781 -CALLICOSTELLA (C. MUELL.) MITT.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 C. APPLANATA BROTH. & BRYHN
200 C. TRISTIS (C. MUELL.) BROTH.
- 1782 -CALYPTROCHAETA DESV.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 C. ASPLENIODES (BRID.) CROSBY
(=Eriopus mniaceus (C. Muell.) Broth.) 1
- 1784 -CYCLODICTION MITT.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 C. BORBONICUM (BESCH.) BROTH.
300 C. VALLIS-GRATIAE (HAMPE) O. KUNTZE

- 1785 -DISTICHOPHYLLUM DOZY & MOLK.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
D. mniifolium (Hornsch.) Sim = LESKEODON MNIIFOLIUM
100 D. TAYLORII SIM
- 1786 -Eriopus Brid. = CALYPTROCHAETA
E. mniaceus (C. Muell.) Broth. = CALYPTROCHAETA ASPLENIOIDES
- 1787 -HOOKERIOPSIS (BESCH.) JAEGER.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 H. PAPPEANA (HAMPE) JAEGER.
- 1788 -HYPOPTERYGIUM BRID.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 H. LARICINUM (HOOK.) BRID.
H. pennaeforme (Brid.) Hornsch. = LOPIDIUM PENNAEFORME
200 H. POLYTHRIX DIX.
- 1789 -LESKEODON BROTH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. MNIIFOLIUM (HORNSCH.) BIZOT.
(=Distichophyllum mniifolium (Hornsch.) Sim) 1
- 1790 -LEPIDOPILIDIUM (C. MUELL.) BROTH.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. HANNINGTONII (MITT.) BROTH.
- 1791 -LOPIDIUM HOOK. F. & WILS.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. PENNAEFORME (BRID.) FLEISCH.
(=Hypopterygium pennaeforme (Brid.) Hornsch.) 1

FABRONIACEAE (70)

1801

- 1801 -DIMERODONTIUM MITT.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 D. AFRICANUM C. MUELL.
- 1802 -FABRONIA RADDI
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 F. ABYSSINICA C. MUELL.
150 F. BREUTELII HAMPE IN C. MUELL.
175 F. ECKLONIANA HAMPE IN C. MUELL.
200 F. GUEINZII HAMPE
300 F. LEIKIPIAE C. MUELL.
350 F. PERCILIATA C. MUELL.
400 F. PILIFERA HORNSCH.
500 F. REHMANNII C. MUELL.
600 F. VICTORIAE DIX.
700 F. WAGERI DIX.
- 1803 -HELICODONTIUM SCHWAEGR.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 H. LANCEOLATUM (HAMPE & C. MUELL.) JAEGER.
(=Schwetschkea rehmannii C. Muell.) 1
- 1804 -HYPNOFABRONIA DIX.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 H. MARGINATA DIX.
- 1805 -ISCHYRODON C. MUELL.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 I. LEPTURUS (TAYL.) SCHELPE
(=Brachythecium afroalbicans Dix.) 1
(=I. seriolus (C. Muell.) C. Muell.) 1
I. seriolus (C. Muell.) C. Muell. = I. LEPTURUS
- 1806 -LEPTOISCHYRODON DIX.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. CONGOANUS DIX.
- 1807 -Schwetschkea C. Muell. = Southern African species moved to HELICODONTIUM
S. rehmannii C. Muell. = HELICODONTIUM LANCEOLATUM

LESKEACEAE (71)

1811

- 1811 -LESKEELLA (LIMPR.) LOESKE
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. ZULUENSIS BROTH. & BRYHN
- 1812 -LINDBERGIA KINDB.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 L. HAPLOCLADIODES DIX.
200 L. PATENTIFOLIA DIX.
300 L. PSEUDOLESKEODES DIX.
400 L. VIRIDIS DIX.
- 1813 -PSEUDOLESKEA B.S.G.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
P. claviramea (C. Muell.) C. Muell. = PSEUDOLESKEOPSIS CLAVIRAMEA
100 P. LESKEODES (PAR.) C. MUELL.
(=P. macowaniana C. Muell.) 1
P. macowaniana C. Muell. = P. LESKEODES

- 1814 -PSUEDOLESKEOPSIS BROTH.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 P. CLAVIRAMEA (C. MUELL.) THER.
 (=Pseudoleskea claviramea (C. Muell.) C. Muell.) 1
 150 P. PSEUDOGATTENUATA (C. MUELL.) THER.
 200 P. UNILATERALIS DIX.

THUIDIACEAE (72)

1826

- 1826 -HAPLOCLADIUM (C. MUELL.) C. MUELL.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 H. ANGUSTIFOLIUM (HAMPE & C. MUELL.) BROTH.
 1827 -HAPLOHYMENIUM DOZY & MOLK.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 H. PSEUDO-TRISTE (C. MUELL.) BROTH.
 1828 -HERPETINEURON (C. MUELL.) CARD.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 H. TOCCOAE (SULL. & LESQ.) CARD.
 1828 -Rauia Aust. = RAUIELLA
 R. abbreviata (Broth.) Broth. = RAUIELLA SUBFILAMENTOSA
 1829 -RAUIELLA REIM.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 R. SUBFILAMENTOSA (BESCH.) WIJK & MARG.
 (=Rauia abbreviata (Broth.) Broth.) 1
 1830 -THUIDIUM B.S.G.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 T. borbonicum Besch. = T. VERSICOLOR
 50 T. CHENAGONII C. MUELL. EX REN. & CARD.
 T. laevipes Mitt. = T. VARIANS
 100 T. MATARUMENSE BESCH.
 (=T. promontorii (C. Muell.) Par.) 1
 T. promontorii (C. Muell.) Par. = T. MATARUMENSE
 200 T. RAMUSCULOSUM (MITT.) JAEG.
 (=T. sublaevipes Dix.) 1
 T. sublaevipes Dix. = T. RAMUSCULOSUM
 T. thamniopsis Rehm. ex Sim = RIGIDIUM KILIMANDSCHARICUM
 T. torrentium C. Muell. = T. VERSICOLOR
 300 T. VARIANS WELW. & DUBY
 (=T. laevipes Mitt.) 1
 400 T. VERSICOLOR (C. MUELL.) JAEG.
 (=T. borbonicum Besch.) 1
 (=T. torrentium C. Muell.) 1
 1831 -ABIETINELLA C. MUELL.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 A. ABIETINA (HEDW.) FLEISCH.

AMBLYSTEGIACEAE (73)

1836

- 1835 -Amblystegium B.S.G. = Southern African species moved to LEPTODICTYUM
 A. afrofluitans (C. Muell.) Sim = LEPTODICTYUM RIPARIUM
 1836 -CRATONEURON (SULL.) SPRUCE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 C. FILICINUM (HEDW.) SPRUCE
 (=Hygroamblystegium filicinum (Hedw.) Loesk.) 1
 1837 -DREPANOCLADUS (C. MUELL.) G. ROTH.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 D. HALLII BROTH. & DIX.
 200 D. SPARSUS C. MUELL.
 300 D. UNCINATUS (HEDW.) WARNST.
 1838 -HYGROAMBLYSTEGIUM LOESKE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 H. CAUDICAULIS (C. MUELL.) BROTH.
 H. filicinum (Hedw.) Loesk. = CRATERONEURON FILICINUM
 1839 -LEPTODICTYUM (SCHIMP.) WARNST.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 L. RIPARIUM (HEDW.) WARNST.
 (=Amblystegium afrofluitans (C. Muell.) Sim) 1
 1840 -PLATYHYPNIDIUM FLEISCH
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 P. MACOWANIANUM (PAR.) FLEISCH.
 1841 -SCIAROMIUM (MITT.) MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 S. CAPENSE MITT. EX DIX.

BRACHYTHECIACEAE (74)

1851

- 1851 -BRACHYTHECIUM B.S.G.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 B. afroalbicans Dix. = ISCHYRODON LEPTURUS
 100 B. IMPLICATUM (HORNSCH.) JAEG.
 200 B. PINNATUM DIX.
 300 B. PLUMOSUM (HEDW.) B.S.G.

- 325 B. POPULEUM (HEDW.) B.S.G.
 (=B. strictopatens C. Muell.) 1
- 350 B. PSEUDOPOPULEUM (C. MUELL.) SCHIMP.
- 375 B. PSEUDOVULUTINUM (C. MUELL.) JAEG.
- 400 B. SALEBROSUM (WEB. & MOHR) B.S.G.
- B. strictopatens C. Muell. = B. POPULEUM
- 500 B. SUBRUTABULUM (C. MUELL.) JAEG.
- 1852 -OXYRRHYNCHIUM (B.S.G.) WARNST.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 O. CONFERVOIDUM SIM
- 200 O. SUBASPERUM SIM
- 1853 -PALAMOCLADIUM C. MUELL.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 P. SERICEUM (JAEG.) C. MUELL.
 (=Pleuropus sericeus (Jaeg.) Broth.) 1
- 1853 -Pleuropus Griff. = PALAMOCLADIUM
 P. sericeus (Jaeg.) Broth. = PALAMOCLADIUM SERICEUM
- 1854 -RHYNCHOSTEGIELLA (B.S.G.) LIMPR.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 R. HOLSTII (BROTH.) BROTH.
- 150 R. SUBLAEVIPES BROTH. & BRYHN
- 300 R. ZEYHERI (C. MUELL.) BROTH.
- 1855 -RHYNCHOSTEGIUM B.S.G.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 R. BRACHYPTERUM (HORNSCH.) JAEG.
- 200 R. RAPHDORRHYNCHIUM (C. MUELL.) JAEG.
- 300 R. SUBBRACHYPTERUM BROTH. & BRYHN

ENTODONTACEAE (75)

1861

- 1861 -ENTODON C. MUELL.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- E. brevirameus Dix. = E. DREGEANUS
- 200 E. CYMBIFOLIUS WAG. & DIX.
- 300 E. DREGEANUS (HORNSCH.) C. MUELL.
 (=E. brevirameus Dix.) 1
 (=Plagiothecium hendersonii Dix.) 1
- 400 E. GEMINIDENS (BESCH.) PAR.
- 500 E. NATALENSIS REHM. Ex C. MUELL.
- 1862 -ERYTHRODONTIUM HAMPE
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 E. JULACEUM (SCHWAEGR.) PAR.
- 300 E. SUBJULACEUM (C. MUELL.) PAR.
- 1863 -LEVIERELLA C. MUELL.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 L. FABRONIACEA C. MUELL.
- 1864 -TRACHYPHYLLUM GEPP IN HIERN.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 T. FABRONIODES (BESCH.) GEPP.
- 200 T. GASTRODES (WELW. & DUBY) GEPP.
- 300 T. MAXIMUM DIX.

PLAGIOTHECIACEAE (76)

1871

- 1871 -PLAGIOTHECIUM B.S.G.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- P. hendersonii Dix. = ENTODON DREGEANUS
- 300 P. MEMBRANOSULUM C. MUELL.
- 400 P. RHYNCHOSTEGIOIDES C. MUELL.
- 1872 -STEREOPHYLLUM MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 S. NATALENSE SIM
- 200 S. ODONTOCALYX (C. MUELL.) JAEG.
 (=S. zuIuense Broth. & Bryhn) 1
- 300 S. WOODII (SIM) MAGILL
 (=Porothamnium woodii Sim) 1
 S. zuIuense Broth. & Bryhn = S. ODONTOCALYX

SEMATOPHYLLACEAE (77)

1881

- 1880 -Acanthocladia Fleisch. = Southern African species moved to HETEROPHYLLIUM
 A. transvaaliensis Ther. & Dix. = HETEROPHYLLIUM TRANSVAALENSE
- 1881 -Acanthocladium Mitt. = WIJKIA
 A. trichocolea (C. Muell.) Broth. = WIJKIA TRICHOCOLEA
- 1882 -HETEROPHYLLIUM (SCHIMP.) KINDB. IN FLEISCH.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 200 H. FLEXILE (REN. & CARD.) THER. & P. VARD.
- 300 H. TRANSVAALENSE (THER. & DIX.) THER. & P. VARD.
 (=Acanthocladia transvaaliensis Ther. & Dix.) 1
- 1883 -MEIOTHECIUM MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
- 100 M. FUSCESCENS (JAEG.) BROTH

1885 -Rhaphidorrhynchium Fleisch. = PUNGENTELLA, but Southern African species moved to SEMATOPHYLLUM
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 R. dregei (C. Muell.) Broth. = SEMATOPHYLLUM DREGEI
 R. gueinzii (Hampe) Broth. = SEMATOPHYLLUM GUEINZII
 R. zuluense Sim = SEMATOPHYLLUM ZULUENSE

1886 -SEMATOPHYLLUM MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 S. BRACHYCARPUM (HAMPE) BROTH.
 200 S. CAESPITOSUM (HEDW.) MITT.
 250 S. DREGEI (C. MUELL.) MAGILL
 (=Rhaphidorrhynchium dregei (C. Muell.) Broth.) 1
 275 S. GUEINZII (HAMPE) MAGILL
 (=Rhaphidorrhynchium gueinzii (Hampe) Broth.) 1
 300 S. SPHAEROPYXIS (C. MUELL.) BROTH.
 400 S. WAGERII WRIGHT EX WAG.
 500 S. ZULUENSE (SIM) MAGILL
 (=Rhaphidorrhynchium zuluense Sim) 1

1887 -TRICHOSTELEM MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 T. PERCHLOROSUM BROTH. & BRYHN

1888 -WIJKIA CRUM
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 W. TRICHOCOLEA (C. MUELL.) CRUM
 (=Acanthocladium trichocolea (C. Muell.) Broth.) 1

HYPNACEAE (78)

1896

1896 -ECTROPOTHECIUM MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 E. BRACHYCARPUM (DIX.) MAGILL
 (=E. brevisetum Dix.) 1
 (=Isopterygium brachycarpum Dix.) 1
 E. brevisetum Dix. = E. BRACHYCARPUM
 200 E. PERROTII REN. & CARD.
 300 E. REGULARE (BRID.) JAEG.

1897 -HYPNUM HEDW.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 H. ADUNCOIDES (BRID.) C. MUELL.
 200 H. CUPRESSIFORME HEDW.

1898 -ISOPTERYGIUM MITT.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 I. AQUATICUM DIX.
 I. brachycarpum Dix. = ECTROPOTHECIUM BRACHYCARPUM
 200 I. LEUCOPHANES (C. MUELL.) JAEG.
 (=I. subleucopsis Broth. & Bryhn) 1
 300 I. LEUCOPSIS (C. MUELL.) PAR.
 400 I. PUNCTULATUM BROTH. & WAG.
 500 I. STRANGULATUM (C. MUELL.) BROTH.
 I. subleucopsis Broth. & Bryhn = I. LEUCOPHANES
 600 I. TAXITHELLIOIDES BROTH. & BRYHN
 700 I. TAYLORII SIM

1898 -Microthamnium Mitt. = MITTENOTHAMNIUM
 M. cavifolium Dix. = MITTENOTHAMNIUM CAVIFOLIUM
 M. ctenidioides Dix. = MITTENOTHAMNIUM CTENIDIIOIDES
 M. cygnicollum Dix. = MITTENOTHAMNIUM CYGNICOLLUM
 M. horridulum Broth. = MITTENOTHAMNIUM HORRIDULUM
 M. patens (Hampe) Jaeg. = MITTENOTHAMNIUM PATENS
 M. pseudoreptans (C. Muell.) Jaeg. = MITTENOTHAMNIUM PSEUDO-REPTANS

1899 -MITTENOTHAMNIUM HENN.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 M. CAVIFOLIUM (DIX.) WIJK & MARG.
 (=Microthamnium cavifolium Dix.) 1
 200 M. CTENIDIIOIDES (DIX.) SCHELPE
 (=Microthamnium ctenidioides Dix.) 1
 300 M. CYGNICOLLUM (DIX.) WIJK & MARG.
 (=Microthamnium cygnicollum Dix.) 1
 400 M. DIMINUTIVUM (HAMPE) BRITTEN
 500 M. HORRIDULUM (BROTH.) CARD.
 (=Microthamnium horridulum Broth.) 1
 600 M. PATENS (HAMPE) CARD.
 (=Microthamnium patens (Hampe) Jaeg.) 1
 700 M. PSEUDO-REPTANS (C. MUELL.) CARD.
 (=Microthamnium pseudoreptans (C. Muell.) Jaeg.) 1

1900 -VESICULARIA (C. MUELL.) C. MUELL.
 100 V. GALERULATA (DUB.) BROTH.

HYLOCOMIACEAE (80)

1911

1911 -LEPTOHYMENIUM SCHWAEGR.
 1. MAGILL & SCHELPE. 1979. CHECKLIST.
 100 L. BREUTELII (C. MUELL.) SCHIMP.
 200 L. DENTATUM SCHWAEGR.

- 1921 -ATRICHUM BEAUV.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 A. ANDROGYNUM (C. MUELL.) JAEG.
- 1922 -POGONATUM BEAUV.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. CAPENSE (HAMPE) JAEG.
200 P. NANUM (HEDW.) BEAUV.
300 P. OLIGODUS (C. MUELL.) MITT.
(=P. simense (Bruch & Schimp.) Jaeg.) 1
P. simense (Bruch & Schimp.) Jaeg. = P. OLIGODUS
- 1923 -POLYTRICHUM HEDW.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. COMMUNE HEDW.
150 P. FORMOSUM HEDW.
200 P. JUNIPERINUM WILLD. EX HEDW.
250 P. LONGISETUM SW. EX BRID.
300 P. NATALENSE SIM
400 P. PILIFERUM SCHREB. EX HEDW.
500 P. SUBFORMOSUM BESCH.
- 1924 -PSILOPILUM BRID.
1. MAGILL & SCHELPE. 1979. CHECKLIST.
100 P. AFRO-LAEVIGATUM DIX.
200 P. TRICHODON (HOOK. F. & WILS.) MITT.
300 P. WAGERI BROTH. IN DIX

Ceylon

PTERIDOPHYTA

PSILODACEAE		10
10	-PSILODUM SWARTZ	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	P. NUDUM (L.) BEAUV.	
LYCOPODIACEAE		20
20	-LYCOPODIUM L.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	L. CAROLINIANUM L. VAR. CAROLINIANUM	
200	L. CAROLINIANUM L. VAR. GRANDIFOLIUM SPRING	
300	L. CERNUUM L.	
400	L. CLAVATUM L.	
500	L. COMPLANATUM L. SUBSP. ZANCLOPHYLLUM (WILCE) SCHELPE	
600	L. DACRYDIOIDES BAK.	
700	L. GNIDIIOIDES L. F.	
800	L. OPHIOGLOSSOIDES LAM.	
900	L. SAURURUS LAM.	
1000	L. VERTICILLATUM L. F.	
SELAGINELLACEAE		30
30	-SELAGINELLA BEAUV.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	S. CAFFRORUM (MILDE) HIERON.	
200	S. DREGEI (PRESL) HIERON.	
300	S. IMBRICATA (FORSSK.) SPRING EX DECNE	
400	S. KRAUSSIANA (KUNZE) A. BRAUN	
500	S. MITTENII BAK.	
600	S. PYGMAEA (KAULF.) ALSTON	
ISOETACEAE		40
40	-ISOETES L.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
	#. PRE HERBARIUM PRACTICE, FOLLOWING SCHELPE.	
50	I. AEGUINOCTIALIS WELW. EX A. BR.	
	(=I. erongoensis Wanntorp) #	
	I. alstonii Reed & Verdc. = I. SCHWEINFURTHII	
100	I. CAPENSIS DUTHIE	
	I. erongoensis Wanntorp = I. AEGUINOCTIALIS	
	I. giessii Launert = I. PERRIERANA	
	I. kersii Wanntorp = I. SCHWEINFURTHII	
	I. natalensis Bak. = I. WELWITSCHII	
520	I. PERRIERANA IVERSEN	
	(=I. giessii Launert) 3	
540	I. RHODESIANA ALSTON	
550	I. SCHWEINFURTHII A. BR.	
	(=I. alstonii Reed & Verdc.) #	
	(=I. kersii Wanntorp) #	
600	I. STELLENBOSSIENSIS DUTHIE	
700	I. STEPHANSENII DUTHIE	
720	I. TRANSVAALENSIS SCHELPE & JERMY	
750	I. WELWITSCHII A. BR. EX KUHN	
	(=I. natalensis Bak.) 3	
800	I. WORMALDII SIM	

Cry mon
↓

EGUISETACEAE		50
50	-EGUISETUM L.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	E. RAMOSISSIMUM DESF.	
OPHIOGLOSSACEAE		60
60	-OPHIOGLOSSUM L.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	O. BERGIANUM SCHLECHTD.	
150	O. COSTATUM R. BR.	
200	O. GOMEZIANUM MELW. EX A. BR.	
250	O. LANCIFOLIUM PRESL	
300	O. NUDICAULE L. F.	
400	O. POLYPHYLLUM A. BR. EX SEUB.	
500	O. RETICULATUM L.	
600	O. VULGATUM L.	
MARATTIACEAE		70
70	-MARATTIA SWARTZ	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	M. FRAXINEA J.E. SM. EX J.F. GMEL. VAR. SALICIFOLIA (SCHRAD.) C. CHR.	
OSMUNDACEAE		80
80	-OSMUNDA L.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	O. REGALIS L.	
90	-TODEA WILLD.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	T. BARBARA (L.) T. MOORE	
SCHIZAEACEAE		100
100	-ANEMIA SWARTZ	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	A. DREGEANA KUNZE	
200	A. SIMII TARDIEU EMEND. ALSTON	
110	-LYGODIUM SWARTZ	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	L. KERSTENII KUHN	
200	L. MICROPHYLLUM (CAV.) R. BR.	
120	-MOHRIA SWARTZ	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	M. CAFFRORUM (L.) DESV.	
130	-SCHIZAEA J.E. SM.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	S. PECTINATA (L.) SWARTZ	
200	S. TENELLA KAULF.	
GLEICHENIACEAE		140
140	-DICRANOPTERIS BERNH.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	D. LINEARIS (BURM. F.) UNDERW.	
150	-GLEICHENIA J.E. SM.	
	1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.	
	2. SCHELPE. 1970. FZ.	
	3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	G. POLYPODIOIDES (L.) J.E. SM.	
200	G. UMBRACULIFERA (KUNZE) T. MOORE (=Sticherus umbraculiferus (Kunze) Ching) 1	
155	-Sticherus Presl = GLEICHENIA S. umbraculiferus (Kunze) Ching = GLEICHENIA UMBRACULIFERA	

HYMENOPHYLLACEAE		160
160	-HYMENOPHYLLUM J.E. SM. 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127. 2. SCHELPE. 1970. FZ. 3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	H. CAPENSE SCHRAD.	
200	H. CAPILLARE DESV.	
300	H. MARLOTHII BRAUSE	
400	H. PELTATUM (POIR.) DESV.	
500	H. POLYANTHOS SWARTZ VAR. KUHNII (C. CHR.) SCHELPE	
600	H. TUNBRIDGEENSE (L.) J.E. SM.	
170	-TRICHOMANES L. 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127. 2. SCHELPE. 1970. FZ. 3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	T. BORBONICUM V.D. BOSCH	
200	T. EROSUM WILLD. VAR. AERUGINEUM (V.D. BOSCH) BONAP.	
300	T. PYXIDIFERUM L. VAR. MELANOTRICHUM (SCHLECHTD.) SCHELPE	
400	T. REPTANS SWARTZ	
500	T. RIGIDUM SWARTZ	
CYATHEACEAE		175
175	-Aisophila R. Br. = CYATHEA A. capensis (L. f.) J. Sm. = CYATHEA CAPENSIS A. dregei (Kunze) R. Tryon = CYATHEA DREGEI	
180	-CYATHEA J.E. SM. 1. HOLTUM. 1981. KEW BULL. 36: 463.	
100	C. CAPENSIS (L. F.) J.E. SM. (=Aisophila capensis (L. f.) J. Sm.) 1 (=Hemitelia capensis (L. f.) Kaulf.) 1	
200	C. DREGEI KUNZE (=Aisophila dregei (Kunze) R. Tryon) 1	
185	-Hemitelia R. Br. = CYATHEA H. capensis (L. f.) Kaulf. = CYATHEA CAPENSIS	
MARSILEACEAE		190
190	-MARSILEA L. 1. LAUNERT. 1968. SENCKENBERG. BIOL. 49: 273. 2. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127. 3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	M. AEGYPTIACA WILLD.	
200	M. APPSITA LAUNERT	
300	M. BURCHELLII (KUNZE) A. BR.	
400	M. CAPENSIS A. BR.	
500	M. CORDMANDELINA WILLD.	
550	M. DISTORTA A. BR.	
600	M. EPHIPPIOCARPA ALSTON	
700	M. FARINOSA LAUNERT	
800	M. FENESTRATA LAUNERT	
900	M. MACROCARPA PRESL	
950	M. MINUTA L.	
1000	M. NUBICA A. BR.	
1100	M. SCHELPEANA LAUNERT	
1200	M. UNICORNIS LAUNERT	
1300	M. VERA LAUNERT	
1400	M. VILLIFOLIA BREM. & OBERM. EX ALSTON & SCHELPE	
AZOLLACEAE		200
200	-AZOLLA LAM. 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127. 2. SCHELPE. 1970. FZ. 3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	A. FILICULOIDES LAM. *	
200	A. NILOTICA DECNE. EX METT.	
300	A. PINNATA R. BR. VAR. AFRICANA (DESV.) BAK.	
SALVINIACEAE		210
210	-SALVINIA ADANS. 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127. 2. SCHELPE. 1970. FZ. 3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	S. auriculata auctt., non Aubl. = S. MOLESTA S. MOLESTA D.S. MITCHELL * (=S. auriculata auctt., non Aubl.) 3	
DENNSTAEDTIACEAE		220
220	-BLOTIELLA A.F. TRYON 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127. 2. SCHELPE. 1970. FZ. 3. JACOBSEN. 1983. FERNS & FERN ALLIES.	
100	B. GLABRA (BORY) A.F. TRYON	
200	B. NATALENSIS (HOOK.) A.F. TRYON (=Lonchitis natalensis Hook.) 1	

- 230 -HISTIOPTERIS J. SM.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES
- 100 H. INCISA (THUNB.) J. SM.
- 240 -HYPOLEPIS BERNH.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- H bergiana (Schlechtld.) Hook. = CHEILANTHES BERGIANA
- 100 H. SPARSISORA (SCHRAD.) KUHN
- 245 -Lonchitis L. = BLOTIELLA
 L. natalensis Hook. = BLOTIELLA NATALENSIS
- 250 -MICROLEPIA PRESL
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 M. SPELUNCAE (L.) T. MOORE
- 260 -PTERIDIUM SCOP.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 P. AGUILINUM (L.) KUHN

VITTARIACEAE

270

- 270 -VITTARIA J.E. SM.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 V. ISOETIFOLIA BORY

ADIANTACEAE

280

- 280 -ACROSTICHUM L.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 A. AUREUM L.
- 290 -ACTINIOPTERIS LINK
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES
- 100 A. DIMORPHA PICH1 SERM.
 200 A. RADIATA (SWARTZ) LINK
- 300 -ADIANTUM L.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 50 A. AETHIOPICUM L.
 100 A. CAPILLUS-VENERIS L.
 200 A. HISPIDULUM SWARTZ
 300 A. INCISUM FORSSK.
 350 A. PHILLIPENSE L.
 400 A. POIRETII WIKSTR. VAR. POIRETII
 500 A. POIRETII WIKSTR. VAR. SULPHUREUM (KAULF.) TRYON
 600 A. RADDIANUM PRESL *
- 310 -ANDROGRAMMA LINK
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 A. LEPTOPHYLLA (L.) LINK
- 330 -CERATOPTERIS BRONGN.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. SCHELPE & ANTHONY. 1982. CONTR. BOL. HERB. 10: 143.
 4. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 C. THALICTROIDES (L.) BRONGN.
- 340 -CHEILANTHES SWARTZ
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. SCHELPE & ANTHONY. 1982. CONTR. BOL. HERB. 10: 143.
 4. JACOBSEN. 1983. FERNS & FERN ALLIES.
 # PRE HERBARIUM PRACTICE, FOLLOWING SCHELPE.
- 100 C. BERGIANA SCHLECHTD. EX KUNZE
 (=Hypolepis bergiana (Schlechtld.) Hook.) 2
- 150 C. BOTSWANAE SCHELPE & N.C. ANTHONY
 200 C. CAPENSIS (THUNB.) SWARTZ
 250 C. CONCOLOR (LANGSD. & FISCH.) SCHELPE & N.C. ANTHONY
 (=Doryopteris concolor (Langsd. & Fisch.) Kuhn) 3
- 300 C. CONTRACTA METT. EX KUHN
 350 C. DELTOIDEA KUNZE
 400 C. DEPAUPERATA BAK.
 500 C. DINTERI BRAUSE
 550 C. DOLOMITICOLA (SCHELPE) SCHELPE & N.C. ANTHONY
 (=Pellaea dolomiticola Schelpe) 3

- 600 C. ECKLONIANA (KUNZE) METT.
 (=Notholaena eckloniana Kunze) 2
- 700 C. FARINOSA (FORSSK.) KAULF.
- 750 C. HASTATA (L. F.) KUNZE
 (=Pellaea hastata (L. f.) Link) var. hastata) #
- 800 C. HIRTA SWARTZ
- 900 C. INAEQUALIS (KUNZE) METT. VAR. BUCHANANII (BAK.) SCHELPE
- 1000 C. INAEQUALIS (KUNZE) METT. VAR. INAEQUALIS
 (=Notholaena inaequalis Kunze) 2
- 1100 C. INDUTA KUNZE
- 1150 C. INVOLUTA (SWARTZ) SCHELPE & N.C. ANTHONY VAR. INVOLUTA
 (=Pellaea viridis (Forssk.) Prantl var. involuta (Swartz) Schelpe) 3
- 1180 C. KUNZEI METT.
 (=Pellaea hastata (L. f.) Link var. minor (Kunze) Schelpe) #
- 1200 C. MARLOTHII (HIERON.) SCHELPE
 (=Notholaena marlothii Hieron.) 4
- 1250 C. MULTIFIDA (SWARTZ) SWARTZ SUBSP. LACERATA N.C. ANTHONY & SCHELPE
- 1300 C. MULTIFIDA (SWARTZ) SWARTZ SUBSP. MULTIFIDA
- 1350 C. NAMAQUENSIS (BAK.) SCHELPE & N.C. ANTHONY
 (=Pellaea namaquensis Bak.) 3
- 1400 C. PARVILoba (SWARTZ) SWARTZ
- 1450 C. PENTAGONA SCHELPE & N.C. ANTHONY
- 1480 C. GUADRIPINNATA (FORSSK.) KUHN
- 1500 C. RAWSONII (PAPPE) METT. EX KUHN
 (=Notholaena rawsonii Pappe) 4
- 1550 C. ROBUSTA (KUNZE) R. TRYON
- 1600 C. VIRIDIS (FORSSK.) SWARTZ VAR. GLAUCA (SIM) SCHELPE & N.C. ANTHONY
 (=Pellaea viridis (Forssk.) Prantl var. glauca (Sim) 3
- 1700 C. VIRIDIS (FORSSK.) SWARTZ VAR. OBSCURA N.C. ANTHONY
- 1800 C. VIRIDIS (FORSSK.) SWARTZ VAR. MACROPHYLLA (KUNZE) SCHELPE & N.C. ANTHONY
 (=Pellaea viridis (Forssk.) Prantl var. macrophylla (Kunze) Sim) 3
- 1900 C. VIRIDIS (FORSSK.) SWARTZ VAR. VIRIDIS
 (=Pellaea viridis (Forssk.) Prantl var. viridis) 3
- 350 -Doryopteris J. SM. = CHEILANTHES
 D. concolor (Langsd. & Fisch.) Kuhn = CHEILANTHES CONCOLOR
- 355 -Notholaena R. BR. = CHEILANTHES
 N. eckloniana Kunze = CHEILANTHES ECKLONIANA
 N. inaequalis Kunze = CHEILANTHES INAEQUALIS VAR. INAEQUALIS
 N. marlothii Hieron. = CHEILANTHES MARLOTHII
 N. rawsonii Pappe = CHEILANTHES RAWSONII
- 360 -PELLAEA LINK
 1. SCHELPE, 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE, 1970. FZ.
 3. JACOBSEN, 1983. FERNS & FERN ALLIES.
- 100 P. BOIVINII HOOK.
- 200 P. CALOMELANOS (SWARTZ) LINK
 P. dolomiticola Schelpe = CHEILANTHES DOLOMITICOLA
- 600 P. DURA (WILLD.) HOOK.
 P. goudotii Kunze ex C. Chr. = P. PECTINIFORMIS
 P. hastata (L. f.) Link var. hastata = CHEILANTHES HASTATA
 P. hastata (L. f.) Link var. minor (Kunze) Schelpe = CHEILANTHES KUNZEI
- 950 P. LEUCOMELAS (METT. EX KUHN) BAK.
 P. namaquensis Bak. = CHEILANTHES NAMAQUENSIS
- 1100 P. PECTINIFORMIS BAK.
 (=P. goudotii Kunze ex C. Chr.) 3
- 1200 P. PTEROIDES (L.) PRANTL
- 1500 P. RUFA A.F. TRYON
 P. viridis (Forssk.) Prantl var. glauca (Sim) Sim = CHEILANTHES VIRIDIS VAR. GLAUCA
 P. viridis (Forssk.) Prantl var. involuta (Swartz) Schelpe = CHEILANTHES INVOLUTA
 P. viridis (Forssk.) Prantl var. macrophylla (Kunze) Sim = CHEILANTHES VIRIDIS VAR. MACROPHYLLA
 P. viridis (Forssk.) Prantl var. viridis = CHEILANTHES VIRIDIS VAR. VIRIDIS
- 370 -PITYROGRAMMA LINK
 1. SCHELPE, 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE, 1970. FZ.
 3. JACOBSEN, 1983. FERNS & FERN ALLIES.
- 100 P. ARGENTEA (WILLD.) DOMIN
- 200 P. AUREA (WILLD.) C. CHR.
- 300 P. CALOMELANOS (L.) LINK VAR. AUREOFLAVA (HOOK.) WEATH. EX BAILEY *
- 400 P. CALOMELANOS (L.) LINK VAR. CALOMELANOS *
- 380 -PTERIS L.
 1. SCHELPE, 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE, 1970. FZ.
 3. JACOBSEN, 1983. FERNS & FERN ALLIES.
- 100 P. BUCHANANII BAK. EX SIM
- 200 P. CATOPTERA KUNZE
- 300 P. CRETICA L.
- 400 P. DENTATA FORSSK.
- 500 P. FRIESII HIERON.
- 600 P. VITTATA L.

LINDSAEACEAE

390

- 390 -LINDSAEA DRYAND.
 1. SCHELPE, 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE, 1970. FZ.
 3. JACOBSEN, 1983. FERNS & FERN ALLIES.
- 100 L. ENSIFOLIA SWARTZ
 (=Schizolaena ensifolia (Swartz) J. Sm.) 1
- 393 -Schizolaena Gaud. = LINDSAEA
 S. ensifolia (Swartz) J. Sm. = LINDSAEA ENSIFOLIA

Cryman

395 -GRAMMITIS SWARTZ

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. ROURKE & SCHELPE. 1978. JL. S. AFR. BOT. 44: 419.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

G. magellanica Desv. = G. POEPPIGIANA

- 100 G. POEPPIGIANA (METT.) SCHELPE
(=G. magellanica Desv.) 2

400 -XIPHopteris KAULF.

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

- 100 X. FLABELLIFORMIS (POIR.) SCHELPE
(=X. rigescens (Bory ex Willd.) Alston) 1
X. rigescens (Bory ex Willd.) Alston = X. FLABELLIFORMIS

410 -LOXogramme PRESL

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 L. LANCEOLATA (SWARTZ) PRESL

420 -MICROGRAMMA PRESL

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 M. LYCOPODIODES (L.) COPEL.

430 -MICROSORIUM LINK

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. SCHELPE. 1977. CONSP. FL. ANGOL.
4. SCHELPE & ANTHONY. 1982. CONTR. BOL. HERB. 10: 151.
5. JACOBSEN. 1983. FERNS & FERN ALLIES.

50 M. ENSIFORME (THUNB.) SCHELPE
(=Phymatodes ensiformis (Thunb.) Schelpe) 4

100 M. PAPPEI (METT. EX KUHN) TARDIEU

200 M. PUNCTATUM (L.) COPEL.

300 M. SCOLOPENDRIUM (BURM. F.) COPEL.
(=Phymatodes scolopendria (Burm. f.) Ching) 3

435 -PHLEBODIUM J. SM.

1. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 P. AUREUM J. SM. *

440 -Phymatodes Presl = MICROSORIUM

P. ensiformis (Thunb.) Schelpe = MICROSORIUM ENSIFORME
P. scolopendria (Burm. f.) Ching = MICROSORIUM SCOLOPENDRIUM

450 -PLEOPELTIS WILLD.

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 P. EXCAVATA (BORY EX WILLD.) SLEDGE

200 P. MACROCARPA (BORY EX WILLD.) KAULF. FORMA MACROCARPA

300 P. MACROCARPA (BORY EX WILLD.) KAULF. FORMA SINUATA (SIM) SCHELPE

400 P. SCHRADERI (METT.) TARDIEU

460 -POLYPODIUM L.

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 P. POLYPODIODES (L.) HITCHC. SUBSP. ECKLONII (KUNZE) SCHELPE

200 P. VULGARE L.

470 -PYRRROSIA MIRB.

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 P. AFRICANA (KUNZE) BALLARD

200 P. SCHIMPERANA (METT. EX KUHN) ALSTON

480 -ARTHROPTERIS J. SM.

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 A. MONOCARPA (CORDEME.) C. CHR.

490 -DAVALLIA J. E. SM.

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 D. CHAEROPHYLLOIDES (POIR.) STEUD.

500 -NEPHROLEPIS SCHOTT

1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.

100 N. BISERRATA (SWARTZ) SCHOTT

- 150 N. EXALTATA (L.) SCHOTT *
- 200 N. UNDULATA (AFZEL. EX SWARTZ) J. SM. *
- 510 -OLEANDRA CAY.
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 D. DISTENTA KUNZE

ASPLENIACEAE

520

- 520 -ASPLENIUM L.
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 A. ADIANTUM-NIGRUM L. VAR. ADIANTUM-NIGRUM
- 200 A. ADIANTUM-NIGRUM L. VAR. SOLIDUM (KUNZE) SCHELPE
- 300 A. AETHIOPICUM (BURM. F.) BECHERER
- 400 A. ANISOPHYLLUM KUNZE
- 500 A. BLASTOPHORUM HIERON.
- 600 A. BOLTONII HOOK. EX SCHELPE
- 700 A. CHRISTII HIERON.
- 800 A. DREGEANUM KUNZE
- 900 A. ERECTUM BORY EX WILLD. VAR. ERECTUM
- 1000 A. ERECTUM BORY EX WILLD. VAR. USAMBARENSE (HIERON.) SCHELPE
- 1100 A. FRIESIORUM C. CHR.
- 1200 A. GEMMIFERUM SCHRAD.
- 1300 A. HYPOMELAS KUHN
- 1400 A. INAEQUILATERALE WILLD.
- A. kraussii T. Moore = A. STOLONIFERUM
- 1500 A. LIVIDUM METT. EX KUHN
- 1600 A. LOBATUM PAPPE & RAWSON
- 1700 A. LUNULATUM SWARTZ
- 1900 A. MONANTHES L.
- 2000 A. PLATYNEURON (L.) DAKES
- 2100 A. PREUSSII HIERON.
- 2200 A. PRIONITIS KUNZE
- 2300 A. PROTENSUM SCHRAD.
- 2600 A. RUTIFOLIUM (BERG.) KUNZE
- 2700 A. SANDERSONII HOOK.
- 2800 A. SIMII BRAITHW. & SCHELPE
- 2900 A. SPLENDENS KUNZE
- 3000 A. STOLONIFERUM BORY
- (=A. kraussii T. Moore) 1
- 3100 A. THECIFERUM (KUNTH) METT. VAR. CONCINNUM (SCHRAD.) SCHELPE
- (=Loxoscapha theciferum (Kunth) T. Moore var. concinna C. Chr.) 1
- 3200 A. TRICHOMANES L.
- 3400 A. VARIANS WALL. EX HOOK. & GREV. SUBSP. FIMBRIATUM (KUNZE) SCHELPE
- 3500 A. X FLEXUOSUM SCHRAD.
- 530 -CETERACH DC.
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 C. CORDATUM (THUNB.) DESV.
- 530 -Loxoscapha T. Moore = ASPLENIUM
- L. theciferum (Kunth) T. Moore var. concinna C. Chr. = ASPLENIUM THECIFERUM VAR. CONCINNUM

THELYPTERIDACEAE

532

- 531 -Amauropelta Kunze = THELYPTERIS
- A. bergiana (Schlechtld.) Holtt. = THELYPTERIS BERGIANA
- 532 -THELYPTERIS SCHMIDEL
1. SCHELPE. 1965. J. S. AFR. BOT. 31: 259.
 2. HOLTTUM. 1974. J. S. AFR. BOT. 40: 123.
 3. VORSTER. 1977. BOTHALIA 12: 260.
 4. JACOBSEN. 1983. FERNS & FERN ALLIES.
 - #. PRE HERBARIUM PRACTICE, FOLLOWING SCHELPE.
- 100 T. ALTISSIMA (HOLTT.) P. J. VORSTER
- (=Christella altissima Holtt.) 3
- 200 T. BERGIANA (SCHLECHTD.) CHING
- (=Amauropelta bergiana (Schlechtld.) Holtt.) 2,4,#
- 300 T. CHASEANA SCHELPE
- (=Christella chaseana (Schelpe) Holtt.) 2,4,#
- 350 T. CONFLUENS (THUNB.) MORTON
- 500 T. DENTATA (FORSSK.) E. ST. JOHN
- (=Christella dentata (Forssk.) Holtt.) 2,4,#
- 550 T. GUIENZIANA (METT.) SCHELPE
- (=Christella guienziana (Mett.) Holtt.) 2,4,#
- 600 T. INTERRUPTA (WILLD.) K. IWATS.
- (=Cyclosorus interruptus (Willd.) H. Ito) 2,4,#
- (=T. totta (Thunb.) Schelpe) 4
- 650 T. KNYSNAENSIS N.C. ANTHONY & SCHELPE
- 700 T. MADAGASCARIENSIS (FEE) SCHELPE
- (=Pneumatopteris unita (Kunze) Holtt. 2,4,#
- 800 T. POZOI (LAG.) MORTON
- (=Stegnogramma pozoi (Lag.) K. Iwats.) 2,4,#
- T. prolifera (Retz.) P. J. Vorster = AMPELOPTERIS PROLIFERA
- T. totta (Thunb.) Schelpe = T. INTERRUPTA
- 533 -Christella Leveille = THELYPTERIS
- C. altissima Holtt. = THELYPTERIS ALTISSIMA
- C. chaseana (Schelpe) Holtt. = THELYPTERIS CHASEANA
- C. dentata (Forssk.) Holtt. = THELYPTERIS DENTATA
- C. guienziana (Mett.) Holtt. = THELYPTERIS GUIENZIANA

- 534 -Cyclosorus Link = THELYPTERIS
C. interruptus (Willd.) H. Ito = THELYPTERIS INTERRUPTA
- 535 -AMPELOPTERIS KUNZE
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. VORSTER. 1977. BOTHALIA 12: 260.
PRE HERBARIUM PRACTICE, FOLLOWING SCHELPE.
- 100 A. PROLIFERA (RETZ.) COPEL.
(=Thelypteris prolifera (Retz.) P.J. Vorster) #
- 537 -MACROTHELYPTERIS (H. ITO) CHING
1. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 M. TORRESIANA (GAUD.) CHING *
- 538 -Pneumatopteris Nakai = THELYPTERIS
P. unita (Kunze) Holtt. = THELYPTERIS MADAGASCARIENSIS
- 539 -Stegnogramma Blume = THELYPTERIS
S. pozoi (Lag.) K. Iwats. = THELYPTERIS POZOI

ATHYRIACEAE

540

- 540 -ATHYRIUM ROTH
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 A. SCANDICINUM (WILLD.) PRESL
- 200 A. SCHIMPERI MOUG. EX FEE
- 550 -CYSTOPTERIS BERNH.
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 C. FRAGILIS (L.) BERNH.
- 560 -DIPLAZIUM SWARTZ
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 D. ZANZIBARICUM (BAK.) C. CHR.
- 565 -DRYDATHYRIUM CHING
1. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 D. BORYANUM (WILLD.) CHING
- 567 -LUNATHYRIUM KEIDSUMI
1. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 L. JAPONICUM (THUNB.) KURATA *

LOMARIOPSIDACEAE

570

- 570 -BOLBITIS SCHOTT
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 B. HEUDELOTII (BORY EX FEE) ALSTON
- 580 -ELAPHOGLOSSUM SCHOTT
1. ROUX. 1982. JL. S. AFR. BOT. 48: 481.
- 100 E. ACROSTICHOIDES (HOOK. & GREV.) SCHELPE
- 200 E. ANGUSTATUM (SCHRAD.) HIERON.
- 300 E. AUBERTII (DESV.) T. MOORE
- 400 E. CONFORME (SWARTZ) J. SM.
- 500 E. DRAKENSBERGENSE SCHELPE
- 600 E. HYBRIDUM (BORY) BRACK
- 800 E. MACROPODIUM (FEE) T. MOORE
- 900 E. SPATHULATUM (BORY) T. MOORE

Crymon

ASPIDACEAE

590

- 590 -ARACHNIODES BLUME
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 A. FOLIOSA (C. CHR.) SCHELPE
- 600 -CTENITIS C. CHR. EX TARDIEU
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 C. LANUGINOSA (WILLD. EX KAULF.) COPEL.
- 610 -DIDYMOCHLAENA DESV.
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 D. TRUNCATULA (SWARTZ) J. SM.
- 620 -DRYOPTERIS ADANS.
1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
2. SCHELPE. 1970. FZ.
3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 D. ATHAMANTICA (KUNZE) KUNTZE
- 200 D. CALLOLEPIS C. CHR.

Crymon

- 250 D. DRACOMONTANA SCHELPE & N.C. ANTHONY
 270 D. ESTERHUYSENAE SCHELPE & N.C. ANTHONY
 300 D. INAEQUALIS (SCHLECHTD.) KUNTZE
 500 D. SQUAMISETA (HOOK.) KUNTZE
- 630 -HYPODEMATIUM KUNZE
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 H. CRENATUM (FORSSK.) KUHN
- 640 -PHANEROPHLEBIA PRESL
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 P. CARYOTIDEA (WALL. EX HOOK. & GREV.) COPEL. VAR. MICROPTERIS (KUNZE) TARDIEU
- 650 -POLYSTICHUM ROTH
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
 P. adiantiforme J. Sm. = RUMOHRA ADIANTIFORMIS
 50 P. ALTICOLA SCHELPE & N.C. ANTHONY
 80 P. DRACOMONTANUM SCHELPE & N.C. ANTHONY
 100 P. LUCIDUM (BURM. F.) BECHERER
 200 P. LUCTUOSUM (KUNZE) T. MOORE
 300 P. MACLEAII (BAK.) DIELS
 350 P. PUNGENS (KAULF.) PRESL
 600 P. TRANSKEIENSE JACOBSEN
 700 P. TRANSVAALENSE N.C. ANTHONY
- 660 -RUMOHRA RADDI
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 R. ADIANTIFORMIS (G. FORST.) CHING
 (=Polystichum adiantiforme (G. Forst.) J. Sm.) 1
- 670 -TECTARIA CAV.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 T. GEMMIFERA (FEE) ALSTON
- 680 -WOODSIA R. BR.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 W. MONTEVIDENSIS (SPRENG.) HIERON. VAR. BURGESSIANA (GERR. EX HOOK. & BAK.) SCHELPE

BLECHNACEAE

690

- 690 -BLECHNUM L.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1979. JL. S. AFR. BOT. 45: 193.
 3. ROUX. 1982. JL. S. AFR. BOT. 48: 451.
 4. JACOBSEN. 1983. FERNS & FERN ALLIES.
 #. PRE HERBARIUM PRACTICE, FOLLOWING SCHELPE.
 B. attenuatum (Swartz) Mett. var. giganteum (Kaulf.) Bonap. = B. GIGANTEUM
 200 B. AUSTRALE L.
 300 B. CAPENSE (L.) SCHLECHTD.
 (=B. sylvaticum Schelpe) 2,3
 350 B. GIGANTEUM (KAULF.) SCHLECHTD.
 (=B. attenuatum (Swartz) Mett. var. giganteum (Kaulf.) Bonap.) #
 400 B. INFLEXUM (KUNZE) KUHN
 450 B. PUNCTULATUM SWARTZ VAR. ATHERSTONEI (PAPPE & RAWSON) SIM
 460 B. PUNCTULATUM SWARTZ VAR. INTERMEDIUM SIM
 470 B. PUNCTULATUM SWARTZ VAR. KREBSII (KUNZE) SIM
 500 B. PUNCTULATUM SWARTZ VAR. PUNCTULATUM
 B. sylvaticum Schelpe = B. CAPENSE
 600 B. TABULARE (THUNB.) KUHN
- 700 -STENOCHLAENA J. SM.
 1. SCHELPE. 1969. JL. S. AFR. BOT. 35: 127.
 2. SCHELPE. 1970. FZ.
 3. JACOBSEN. 1983. FERNS & FERN ALLIES.
- 100 S. TENUIFOLIA (DESV.) T. MOORE

Crymon

GYMNOSPERMAE

STANGERIACEAE		2000	
0002000	-STANGERIA T. MOORE		Crymon
	1. DYER. 1966. FSA.		
100	S. ERIOPUS (KUNZE) BAILL.		
	(=S. paradoxa T. Moore) 1		
	S. paraxoda T. Moore = S. ERIOPUS		

ZAMIACEAE		3000	
0009000	-ENCEPHALARTOS LEHM.		Crymon
	1. DYER & VERDOORN 1966. FSA.		
100	E. ALTENSTEINII LEHM.		
200	E. ARENARIUS R. A. DYER		
300	E. CAFFER (THUNB.) LEHM.		
400	E. CUPIDUS R. A. DYER		
500	E. CYCADIFOLIUS (JACQ.) LEHM.		
600	E. EUGENE-MARAISII VERDOORN		
700	E. FEROX BERTOL. F.		
800	E. FRIDERICI-GUILIELMI LEHM.		
900	E. GHELLINCKII LEM.		
1000	E. HEENANII R. A. DYER		
1100	E. HORRIDUS (JACQ.) LEHM.		
1200	E. HUMILIS VERDOORN		
1300	E. INOPINUS R. A. DYER		
1400	E. LAEVIFOLIUS STAFF & BURTT DAVY		
1500	E. LANATUS STAFF & BURTT DAVY		
1600	E. LATIFRONS LEHM.		
1700	E. LEBOMBOENSIS VERDOORN		
1800	E. LEHMANNII LEHM.		
1900	E. LONGIFOLIUS (JACQ.) LEHM.		
2000	E. NATALENSIS R. A. DYER & VERDOORN		
2100	E. NGOYANUS VERDOORN		
2200	E. PAUCIDENTATUS STAFF & BURTT DAVY		
2300	E. PRINCEPS R. A. DYER		
2400	E. TRANSVENOSUS STAFF & BURTT DAVY		
2500	E. TRISPINOSUS (HOOK.) R. A. DYER		
2600	E. UMBELUZIENSIS R. A. DYER		
2700	E. VILLOSUS LEM.		
2800	E. WOODII SANDER		

PODOCARPACEAE		11000	
0013000	-PODOCARPUS L'HERIT.		Crymon
	1. LEISTNER. 1966. FSA.		
100	P. ELONGATUS (AIT.) L'HERIT. EX PERS.		
200	P. FALCATUS (THUNB.) R. BR. EX MIRB.		
	(=P. gracilior sensu Burttt Davy, non Pilg.) 1		
	P. gracilior sensu Burttt Davy, non Pilg. = P. FALCATUS		
300	P. HENKELII STAFF EX DALLIM. & JACKS.		
400	P. LATIFOLIUS (THUNB.) R. BR. EX MIRB.		

PINACEAE		22000	
0022000	-PINUS L.		Crymon
	1. JESSOP. 1966. FSA.		
30	P. CANARIENSIS SWEET EX K. SPRENG. *		
50	P. ELLIOTTII ENGLEM. *		
70	P. HALEPENSIS MILL. *		
100	P. PATULA SCHLECHTD. & CHAM. *		
200	P. PINASTER AIT. *		
300	P. RADIATA D. DON *		

CUPRESSACEAE		37000
0038000	-WIDDRINGTONIA ENDL.	Crymon
38010	1. MARSH. 1966. FSA.	
	2. POWRIE. 1972. J.L.S. AFR. BOT. 38: 301.	
100	W. CEDARBERGENSIS MARSH	
	(=W. juniperoides sensu Dur. & Schinz, non Endl.) 1	
	W. cupressoides (L.) Endl. = W. NODIFLORA	
	W. dracomontana Stapf = W. NODIFLORA	
	W. juniperoides sensu Dur. & Schinz, non Endl. = W. CEDARBERGENSIS	
200	W. NODIFLORA (L.) POWRIE	
	(=W. cupressoides (L.) Endl.) 2	
	(=W. dracomontana Stapf) 1	
	(=W. whytei Rendle) 1	
300	W. SCHWARZII (MARLOTH) MAST.	
	W. whytei Rendle = W. NODIFLORA	

WELWITSCHIAEAE		48000
0048000	-WELWITSCHIA HOOK. F.	Crymon
	1. VERDOORN. 1966. FSA.	
	2. DYER & VERDOORN. 1972. TAXON 21: 485.	
	3. NOMENCLATURE COMMITTEE. 1975. TAXON 24: 176.	
	W. bainesii (Hook. f.) Carr. = W. MIRABILIS	
100	W. MIRABILIS HOOK. F.	
	(=W. bainesii (Hook. f.) Carr.) 2, 3	

ANGIOSPERMAE

MONOCOTYLEDONAE

TYPHACEAE		49000	
0049000	-TYPHA L.		Crymon
	1. ANDERSON. 1966. FSA.		
	2. NAPPER. 1971. FTEA.		
20	T. australis Schumach. = T. DOMINGENSIS		
50	T. CAPENSIS (ROHRB.) N.E. BR. (=T. latifolia L. subsp. capensis Rohrb.) 2		
	T. DOMINGENSIS PERS. (=T. australis Schumach.) 2		
	T. latifolia L. subsp. capensis Rohrb. = T. CAPENSIS		
ZOSTERACEAE		53000	
0055000	-ZOSTERA L.		Crymon
100	1. OBERMEYER. 1966. FSA. Z. CAPENSIS SETCH.		
POTAMOGETONACEAE		58000	
0058000	-POTAMOGETON L.		Crymon
100	1. OBERMEYER. 1966. FSA. P. CRISPUS L.		
200	P. natans sensu Thunb., non L. = P. THUNBERGII		
300	P. OCTANDRUS POIR.		
400	P. panormitanus Biv. = P. PUSILLUS		
	P. PECTINATUS L.		
	P. PUSILLUS L. (=P. panormitanus Biv.) 1		
500	P. SCHWEINFURTHII A.W. BENN.		
600	P. THUNBERGII CHAM. & SCHLECHTD. (=P. natans sensu Thunb., non L.) 1		
700	P. TRICHOIDES CHAM. & SCHLECHTD.		
RUPPIACEAE		59000	
Included in POTAMOGETONACEAE by Dahlgren & Clifford (1982) Monocotyledons.			
0059000	-RUPPIA L.		Crymon
	1. OBERMEYER. 1966. FSA.		
	2. GAMERRO. 1968. DARWINIANA 14: 575.		
50	R. CIRRHOSA (PETAG.) GRANDE (=R. spiralis L. ex Dumort.) 2		
100	R. MARITIMA L. R. spiralis L. ex Dumort. = R. CIRRHOSA		
ZANNICHELLIACEAE		60000	
0060000	-Cymodocea Koenig = Southern African species moved to THALASSODENDRON		Crymon
	C. ciliata (Forssk.) Ehrenb. ex Aschers. = THALASSODENDRON CILIATA		
0060010	-THALASSODENDRON DEN HARTOG		
	Included in CYMODOCEACEAE by Dahlgren & Clifford (1982) Monocotyledons.		
	1. OBERMEYER. 1966. FSA.		
100	2. DEN HARTOG. 1970. VERH. KON. NED. AKAD. WETENSCH., AFD. NATUURK., SER. 2, 39: 186. T. CILIATA (FORSSK.) DEN HARTOG (=Cymodocea ciliata (Forssk.) Ehrenb. ex Aschers.) 2		
0061000	-HALODULE ENDL.		
	Included in CYMODOCEACEAE by Dahlgren & Clifford (1982) Monocotyledons.		
100	1. OBERMEYER. 1966. FSA. H. UNINERVIS (FORSSK.) ASCHERS.		
0062000	-ZANNICHELLIA L.		
	1. OBERMEYER. 1966. FSA.		
200	Z. aschersoniana Graebn. = PSEUDALTHENIA ASCHERSONIANA Z. PALUSTRIS L.		

- 0062010 -PSEUDALTHENIA NAKAI
 1. OBERMEYER. 1966. FSA.
 2. TOMLINSON & POSLUSZNY. 1976. TAXON 25: 273.
 3. DEN HARTOG. 1980. AGUAT. BOTANY 9: 95.
 100 P. ASCHERSONIANA (GRAEBN.) DEN HARTOG
 (=Vleisia aschersoniana (Graebn.) Tomlinson & Posluszny) 3
 (=Zannichellia aschersoniana Graebn.) 2
- 0062015 -Vleisia Tomlinson & Posluszny = PSEUDALTHENIA
 V. aschersoniana (Graebn.) Tomlinson & Posluszny = PSEUDALTHENIA ASCHERSONIANA
- 0063000 -ALTHENIA PETIT
 1. OBERMEYER. 1966. FSA.
 100 A. FILIFORMIS PETIT

NAJADACEAE 64000

- 0064000 -NAJAS L.
 1. OBERMEYER. 1966. FSA.
 100 N. GRAMINEA DEL.
 200 N. MARINA L. SUBSP. DELILEI (ROUY) MAIRE
 300 N. PECTINATA (PARL.) MAGNUS

Crymon

AFONGETONACEAE 65000

- 0065000 -AFONGETON L. F.
 1. OBERMEYER. 1966. FSA.
 2. VAN BRUGGEN. 1973. BULL. JARD. BOT. NAT. BELG. 43: 193.
 100 A. ANGUSTIFOLIUS AIT.
 150 A. AZUREUS VAN BRUGGEN
 200 A. DESERTORUM ZEYH. EX SPRENG. F.
 300 A. DISTACHYOS L. F.
 400 A. JUNCEUS LEHM. EX SCHLECHTD. SUBSP. JUNCEUS
 (=A. spathaceus E. Mey. ex Hook. f.) 1
 420 A. JUNCEUS LEHM. EX SCHLECHTD. SUBSP. NATALENSIS (OLIV.) OBERM.
 440 A. JUNCEUS LEHM. EX SCHLECHTD. SUBSP. REHMANNII (OLIV.) OBERM.
 460 A. RANUNCULIFLORUS JACOT GUILL. & MARAIS
 500 A. spathaceus E. Mey. ex Hook. = A. JUNCEUS SUBSP. JUNCEUS
 A. STUHLMANNII ENGL.

Crymon

JUNCAGINACEAE 66000

- 0066000 -TRIGLOCHIN L.
 1. OBERMEYER. 1966. FSA.
 100 T. BULBOSA L.
 (=T. compacta Adamson) 1
 (=T. elongata Buchen.) 1
 (=T. tenuifolia Adamson) 1
 T. compacta Adamson = T. BULBOSA
 T. elongata Buchen. = T. BULBOSA
 200 T. STRIATA RUIZ & PAV.
 T. tenuifolia Adamson = T. BULBOSA

Crymon

ALISMATACEAE 70000

- 0070000 -ALISMA L.
 1. OBERMEYER. 1966. FSA.
 100 A. PLANTAGO-AQUATICA L.
- 0072000 -LIMNOPHYTON MIG.
 1. OBERMEYER. 1966. FSA.
 50 L. ANGOLENSE BUCHEN.
 100 L. OBTUSIFOLIUM (L.) MIG.
- 0072010 -CALDESIA PARL.
 1. CARTER. 1960. FTEA.
 100 C. RENIFORMIS (D. DON.) MAKINO
- 0079000 -BURNATIA P. A. MICH.
 1. OBERMEYER. 1966. FSA.
 100 B. ENNEANDRA P. A. MICH.
- 0080000 -WISNERIA P. A. MICH.
 1. WRIGHT. 1902. FTA.
 200 W. SCHWEINFURTHII HOOK. F.
- 0082000 -TENAGDOCHARIS HOCHST.
 1. CARTER. 1960. FTEA.
 100 T. LATIFOLIA (D. DON) BUCHEN.

Crymon

HYDROCHARITACEAE 85000

- 0085000 -HALOPHILA THOUARS
 1. OBERMEYER. 1966. FSA.
 100 H. OVALIS (R. BR.) HOOK. F.
- 0087000 -EGERIA PLANCH.
 1. OBERMEYER. 1966. FSA.
 100 E. Densa PLANCH. *

Crymon

- 0088000 -LAGARDSIPHON HARV.
 1. OBERMEYER, 1966. FSA.
 2. SYMOENS & TRIEST. 1983. BULL. JARD. BOT. NAT. BELG. 53: 441.
- 50 L. CORDOFANUS CASPARY
 (=L. crispus Rendle) 2
 (=L. tsotsorogensis Bremek. & Oberm.) 1
 L. crispus Rendle = L. CORDOFANUS
- 200 L. ILICIFOLIUS OBERM.
- 300 L. MAJOR (RIDLEY) MOSS EX WAGER
- 400 L. MUSCOIDES HARV.
 L. tsotsorogensis Bremek. & Oberm. = L. CORDOFANUS
- 500 L. VERTICILLIFOLIUS OBERM.
- 0089000 -VALLISNERIA L.
 1. PODLECH ET AL. 1966. FSWA.
- 100 V. AETHIOPICA FENZL
- 0095000 -OTTELIA PERS.
 1. OBERMEYER, 1966. FSA.
- 100 O. EXSERTA (RIDLEY) DANDY
- 200 O. KUNENENSIS (GUERKE) DANDY
- 300 O. MURICATA (C.H. WR.) DANDY
- 400 O. ULVIFOLIA (PLANCH.) WALP.

POACEAE

9900010

- 9900020 -COIX L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 C. LACRYMA-JOBI L. *
- 9900060 -TRIPSACUM L.
 1. DE WET ET AL. 1982. AMER. J. BOT. 69: 1251.
- 100 T. DACTYLOIDES (L.) L. *
- 9900100 -ISCHAEMUM L.
 1. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 I. AFRUM (J.F. Gmel.) DANDY
 (=I. brachyatherum (Hochst.) Hack.) 1
 (=I. glaucostachyum Stapf) 1
 I. arcuatum (Nees) Stapf = I. FASCICULATUM
 I. brachyatherum (Hochst.) Hack. = I. AFRUM
- 200 I. FASCICULATUM BRONGN.
 (=I. arcuatum (Nees) Stapf) 1
 I. franksae J.M. Wood = PHACELURUS FRANKSAE
 I. glaucostachyum Stapf = I. AFRUM
- 9900110 -THELEPOGON ROEM. & SCHULT.
 1. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 T. ELEGANS ROEM. & SCHULT.
- 9900130 -SEHIMA FORSSK.
 1. CHIPPINDALL. 1955. GR. & PAST.
- 100 S. GALPINII STENT
- 200 S. ISCHAEMOIDES FORSSK.
- 9900160 -VOSSIA WALL. & GRIFF.
 1. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 V. CUSPIDATA (ROXB.) GRIFF.
- 9900170 -URELYTRUM HACK.
 1. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 U. AGROPYROIDES (HACK.) HACK.
 (=U. squarrosum Hack.) 1
 U. squarrosum Hack. = U. AGROPYROIDES
- 9900180 -PHACELURUS GRISEB.
 1. CLAYTON. 1978. KEW BULL. 33: 175.
- 100 P. FRANKSAE (J.M. WOOD) CLAYTON
 (=Ischaemum franksae J.M. Wood) 1
- 9900210 -HEMARTHRIA R. BR.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 H. ALTISSIMA (POIR.) STAPF & C.E. HUBB.
- 9900220 -HACKELOCHLOA KUNTZE
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 H. GRANULARIS (L.) KUNTZE
- 9900280 -ELIONURUS KUNTH EX WILLD.
 1. CLAYTON & RENVOIZE. 1982. FTEA.
- E. argenteus Nees = E. MUTICUS
 E. glaber Phill. = E. MUTICUS
 E. glaber Phill. var. villosus Phill. = E. MUTICUS
- 100 E. MUTICUS (SPRENG.) KUNTH
 (=E. argenteus Nees) 1
 (=E. glaber Phill.) 1
 (=E. glaber Phill. var. villosus Phill.) 1
 E. pretoriensis Phill. = E. MUTICUS
 (=E. pretoriensis Phill.) 1
- 200 E. TRIPSACOIDES WILLD.
- 9900290 -COELORHACHIS BRONGN.
 1. CHIPPINDALL. 1955. GR. & PAST.
- 100 C. CAPENSIS STAPF

Grasse

- 9900310 -ROTTBOELLIA L. F.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
3. SIMON. 1982. TAXON 31:564.
100 R. EXALTATA L. F. 1,3
- 9900340 -RHYTACHNE DESV.
1. CLAYTON & RENVOIZE. 1982. FTEA.
50 R. LATIFOLIA CLAYTON
100 R. ROBUSTA STAPF
200 R. ROTTBOELLIODES DESV.
- 9900370 -IMPERATA L.
1. LAUNERT. 1970. FSWA
2. CLAYTON & RENVOIZE. 1982. FTEA.
50 I. CYLINDRICA (L.) RAEUSCHEL
(=I. cylindrica (L.) Raeuschel var. africana (Anderss.) C.E. Hubb.) 1, 2
(=I. cylindrica (L.) Raeuschel var. major (Nees) C.E. Hubb.) 1, 2
I. cylindrica (L.) Raeuschel var. africana (Anderss.) C.E. Hubb. = I. CYLINDRICA
I. cylindrica (L.) Raeuschel var. major (Nees.) C.E. Hubb. = I. CYLINDRICA
- 9900380 -MISCANTHUS ANDERSS. Revision: G.E. Gibbs Russell (PRE).
1. LAUNERT. 1970. FSWA.
2. CLAYTON & RENVOIZE. 1982. FTEA.
100 M. CAPENSIS (NEES) ANDERSS. VAR. CAPENSIS
(=Miscanthidium capensis Nees var. capensis) 2
(=Miscanthidium teretifolium (Stapf) Stapf) 1,2
600 M. SORGHUM (NEES) PILG.
- 9900400 -Miscanthidium Stapf = MISCANTHUS
1. Launert. 1970. FSWA.
M. capensis Nees var. capensis = MISCANTHUS CAPENSIS VAR. CAPENSIS
M. teretifolium (Stapf) Stapf = M. junceus Stapf
- 9900420 -ERIOCHRYSIS BEAUV.
1. CLAYTON & RENVOIZE. 1982. FTEA.
100 E. BRACHYPOGON (STAPF) STAPF
(=E. brachypogon subsp. australis J.G. Anders.) 1
E. brachypogon subsp. australis J.G. Anders. = E. BRACHYPOGON
200 E. PALLIDA MUNRO
- 9900460 -SORGHUM MDENCH.
1. DE WET. 1978. AMER. J. BOT. 65: 477.
2. CLAYTON & RENVOIZE. 1982. FTEA.
S. alnum Parodi = S. HALEPENSE
300 S. BICOLOR (L.) MDENCH. SUBSP. ARUNDINACEUM (DESV.) DE WET & HARLAN
(=S. verticilliflorum (Steud.) Stapf) 1
350 S. BICOLOR (L.) MDENCH. SUBSP. DRUMMONDII (STEUD.) DE WET
(=S. sudanense (Piper) Stapf) 1
2600 S. HALEPENSE (L.) PERS. *
(=S. alnum Parodi) 1
S. sudanense (Piper) Stapf = S. BICOLOR SUBSP. DRUMMONDII
3700 S. VERSICOLOR ANDERSS.
S. verticilliflorum (Steud.) Stapf = S. BICOLOR SUBSP. ARUNDINACEUM
- 9900461 -SORGHASTRUM NASH
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
100 S. FRIESII (PILG.) PILG.
S. rigidifolium (Stapf) Chippind. = S. STIPOIDES (KUNTH) NASH
200 S. STIPOIDES (KUNTH) NASH
(=S. rigidifolium (Stapf) Chippind.) 2
- 9900480 -CLEISTACHNE BENTH.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
100 C. SORGHOIDES BENTH.
- 9900490 -VETIVERIA BORY
1. CLAYTON & RENVOIZE. 1982. FTEA.
100 V. NIGRITANA (BENTH.) STAPF
- 9900500 -CHRYSOPOGON TRIN.
1. CLAYTON & RENVOIZE. 1982. FTEA.
C. montanus Trin. var. tremulus (Hack.) Stapf = C. SERRULATUS
200 C. SERRULATUS TRIN.
(=C. montanus Trin. var. tremulus (Hack.) Stapf) 1
- 9900530 -EULALIA KUNTH.
1. CLAYTON & RENVOIZE. 1982. FTEA.
150 E. AUREA (BORY) KUNTH
(=E. geniculata Stapf) 1
E. geniculata Stapf = E. AUREA
200 E. VILLOSA (THUNB.) NEES
- 9900550 -MICROSTEGIUM NEES
1. CLAYTON & RENVOIZE. 1982. FTEA.
M. capense (Hochst.) J.A. Camus = M. NUDUM
100 M. NUDUM (TRIN.) A. CAMUS
(=M. capense (Hochst.) J.A. Camus) 1
- 9900630 -BOTHRIOCHLOA KUNTZE
1. CLAYTON & RENVOIZE. 1982. FTEA.
100 B. BLADHII (RETZ.) S.T. BLAKE
(=B. glabra (Roxb.) A. Camus) 1
(=B. insculpta (A. Rich.) A. Camus var. vegetior (Hack.) C.E. Hubb.) 1
B. glabra (Roxb.) A. Camus = B. BLADHII
150 B. INSCULPTA (A. RICH.) A. CAMUS
(=B. pertusa auctt., non (L.) A. Camus) 1

- B. insculpta (A. Rich.) A. Camus var. vegetior (Hack.) C.E. Hubb. = B. BLADHII
 B. pertusa auctt., non (L.) A. Camus = B. INSCULPTA
 500 B. RADICANS (LEHM.) A. CAMUS
- 9900640 -DICHANTHIUM WILLEMET
 1. CLAYTON & RENVOIZE. 1982. FTEA.
 50 D. ANNULATUM (FORSSK.) STAFF VAR. PAPILLOSUM (A. RICH.) DE WET & HARLAN
 (=D. nodosum sensu Acocks, non Willemet) 1
 (=D. papillosum (Hochst.) Stapf) 1
 100 D. ARISTATUM (POIR.) C.E. HUBB.
 D. nodosum sensu Acocks, non Willemet = D. ANNULATUM
 D. papillosum (Hochst.) Stapf = D. ANNULATUM VAR. PAPILLOSUM
- 9900670 -ARTHRAOXON BEAUV.
 1. VAN WELZEN. 1981. BLUMEA 27: 255.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 50 A. LANCEOLATUS (ROXB.) HOCHST. VAR. LANCEOLATUS
 (=A. prionodes (Steud.) Dandy) 1
 A. prionodes (Steud.) Dandy = A. LANCEOLATUS VAR. LANCEOLATUS
- 9900680 -SCHIZACHYRIUM NEES
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 100 S. BREVIFOLIUM (SWARTZ) BUESE
 200 S. EXILE (HOCHST.) PILG.
 (=S. inclusum Stent) 2
 S. inclusum Stent = S. EXILE
 300 S. JEFFREYSII (HACK.) STAFF
 400 S. SANGUINEUM (RETZ.) ALST.
 (=S. semiberbe Nees) 2
 S. semiberbe Nees = S. SANGUINEUM
 500 S. URSULUS STAFF
- 9900690 -Dietomis Kunth = ANDROPOGON
 D. fastigiata (Swartz) Kunth = ANDROPOGON FASTIGIATUS
- 9900700 -Hypogynium Nees = ANDROPOGON
 H. schlechteri (Hack.) Pilg. = ANDROPOGON FESTUCIFORMIS
- 9900710 -ANDROPOGON L.
 1. ANDERSON. 1960. BO'HALIA 7: 417.
 2. CLAYTON. 1964. KEW BULL. 17: 470.
 3. CLAYTON & RENVOIZE. 1982. FTEA.
 A. abyssinicus sensu Chippind. = A. AMETHYSTINUS
 150 A. AMETHYSTINUS STEUD.
 (=A. abyssinicus sensu Chippind., non Fresen) 3
 (=A. pilosellus Stapf) 3
 A. amplexans Nees = DIHETEROPOGON AMPLECTENS
 200 A. APPENDICULATUS NEES
 300 A. BRAZZAE FRANCH.
 350 A. CHINENSIS (NEES) MERR.
 (=A. schinzii Hack.) 3
 400 A. DISTACHYOS L.
 500 A. EUCOMUS NEES
 A. gayanus Kunth var. squamulatus (Hochst.) Stapf = A. GAYANUS VAR. POLYCLADUS
 600 A. FASTIGIATUS SWARTZ
 (=Dietomis fastigiata (Swartz) Kunth) 3
 700 A. FESTUCIFORMIS RENDLE
 (=Hypogynium schlechteri (Hack.) Pilg.) 2
 A. filifolius (Nees) Steud. = DIHETEROPOGON FILIFOLIUS
 820 A. GAYANUS KUNTH VAR. POLYCLADUS (HACK.) CLAYTON
 (=A. gayanus var. squamulatus (Hochst.) Stapf) 3
 900 A. HUILLENSIS RENDLE
 1000 A. LACUNOSUS J.G. ANDERS.
 1100 A. LAXATUS STAFF
 1250 A. MANNII HOOK. F.
 (=A. platybasis J.G. Anders.) 3
 A. pilosellus Stapf = A. AMETHYSTINUS
 A. platybasis J.G. Anders. = A. MANNII
 1400 A. RAVUS J.G. ANDERS. 1
 A. schinzii Hack. = A. CHINENSIS
 1600 A. SCHIRENSIS A. RICH.
 (=A. schirensis var. angustifolius Stapf) 3
 A. schirensis A. Rich. var. angustifolius Stapf = A. SCHIRENSIS
- 9900720 -CYMBOPOGON SPRENG. Revision: E.R. Robinson (J).
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 C. afronardus Stapf = C. VALIDUS
 100 C. DIETERLENI STAFF EX PHILL.
 200 C. EXCAVATUS (HOCHST.) STAFF EX BURTT DAVY 1
 300 C. MARGINATUS (STEUD.) STAFF EX BURTT DAVY 1
 400 C. PLURINODIS (STAFF) STAFF EX BURTT DAVY 1
 500 C. PROLIXUS (STAFF) PHILL. 1
 600 C. VALIDUS (STAFF) STAFF EX BURTT DAVY 1
 (=C. afronardus Stapf) 2
- 9900730 -HYPARRHENIA ANDERSS. EX FOURN.
 1. CLAYTON. 1969. KEW BULL. ADD. SER. II.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 100 H. ANAMESA CLAYTON
 H. aucta (Stapf) Stapf ex Stent = H. DREGEANA
 H. buehanani (Stapf) Stapf ex Stent = H. POECILOTRICHA
 200 H. COLLINA (PILG.) STAFF
 300 H. CYMBARIA (L.) STAFF
 400 H. DICHROA (STEUD.) STAFF
 H. dissoluta (Nees) C.E. Hubb. = HYPERTHELIA DISSOLUTA

- 500 H. DREGEANA (NEES) STAFF
 (=H. aucta (Stapf) Stapf ex Stent) 1
 (=H. pilosissima (Hack.) J.G. Anders.) 1
- 600 H. FILIPENDULA (HOCHST.) STAFF VAR. FILIPENDULA 1
 700 H. FILIPENDULA (HOCHST.) STAFF VAR. PILOSA (HOCHST.) STAFF 1
 800 H. FINITIMA (HOCHST.) ANDERSS. EX STAFF
 900 H. GAZENSIS (RENDLE) STAFF
 H. glauca Stent = H. TAMBA
- 1000 H. HIRTA (L.) STAFF
 1200 H. NEWTONII (HACK.) STAFF VAR. NEWTONII
 1300 H. NEWTONII (HACK.) STAFF VAR. MACRA STAFF
 1400 H. NYASSAE (RENDLE) STAFF
 1500 H. PILGERANA C.E. HUBB.
 H. pilosissima (Hack.) J.G. Anders = H. DREGEANA
- 1600 H. POECILOTRICHA (HACK.) STAFF
 (=H. buchanani (Stapf) Stapf ex Stent) 1
- 1700 H. GUARREI ROBYNS
 1800 H. RUDIS STAFF
 1900 H. RUFA (NEES) STAFF VAR. RUFA
 2000 H. SCHIMPERI (HOCHST. EX A. RICH.) ANDERSS. EX STAFF
 2100 H. TAMBA (STEUD.) STAFF
 (=H. glauca Stent) 1
- 2200 H. UMBROSA (HOCHST.) ANDERSS. EX CLAYTON
 2300 H. VARIABILIS STAFF
- 9900731 -HYPERTHELIA CLAYTON
 1. CLAYTON & RENVOIZE. 1982. FTEA.
 100 H. DISSOLUTA (NEES EX STEUD.) CLAYTON
 (=Hyparrhenia dissoluta (Nees) C.E. Hubb.) 1
- 9900750 -MONOCYMBIUM STAFF
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 100 M. CERESIFORME (NEES) STAFF
- 9900780 -TRACHYPOGON NEES
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 T. capensis (Thunb.) Trin. = T. SPICATUS
 100 T. SPICATUS (L. F.) KUNTZE
 (=T. capensis (Thunb.) Trin.) 1
- 9900800 -HETEROPOGON PERS.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 100 H. CONTORTUS (L.) ROEM. & SCHULT.
 200 H. MELANOCARPUS (ELL.) BENTH.
- 9900801 -ELYMANDRA STAFF
 1. CLAYTON & RENVOIZE. 1982. FTEA.
 100 E. GRALLATA (STAFF) CLAYTON
- 9900810 -DIHETEROPOGON STAFF
 1. CLAYTON. 1966. KEW BULL. 20: 75.
 2. CLAYTON & RENVOIZE. 1982. FTEA.
 100 D. AMPLECTENS (NEES) CLAYTON
 (=Andropogon amplexens Nees) 1
 200 D. FILIFOLIUS (NEES) CLAYTON
 (=Andropogon filifolius (Nees) Steud.) 1
- 9900830 -THEMEDA FORSSK.
 1. CLAYTON & RENVOIZE. 1982. FTEA.
 #. PRE HERBARIUM PRACTICE, FOLLOWING SMOOK & GIBBS RUSSELL.
 100 T. TRIANDRA FORSSK.
 (=T. triandra Forssk. var. burchellii (Hack.) Stapf) 1
 (=T. triandra Forssk. var. hispida (Nees) Stapf) 1
 (=T. triandra Forssk. var. imberbis (Retz.) A. Camus) 1
 (=T. triandra Forssk. var. trachyspatea Goossens) 1
 (=T. triandra Forssk. var. vulgaris auctt., non Hack.) #
 T. triandra Forssk. var. burchellii (Hack.) Stapf = T. TRIANDRA
 T. triandra Forssk. var. hispida (Nees) Stapf = T. TRIANDRA
 T. triandra Forssk. var. imberbis (Retz.) A. Camus = T. TRIANDRA
 T. triandra Forssk. var. trachyspatea Goossens = T. TRIANDRA
 T. triandra Forssk. var. vulgaris auctt., non Hack. = T. TRIANDRA
- 9900881 -MEGALOPROTACHNE C.E. HUBB.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. ROIVAINEN. 1974. ANN. BOT. FENNICI 11: 38.
 100 M. ALBESCENS C.E. HUBB.
 200 M. GLABRESCENS ROIV.
- 9900890 -DIGITARIA HALLER Revision: P.D.F. Kok (PRU).
 1. DE WINTER. 1961. BOTHALIA 7: 467.
 2. KOK. 1981. BOTHALIA 13: 435.
 3. CLAYTON & RENVOIZE. 1982. FTEA.
 4. KOK. 1984. S.A. J. BOT. 3: 185.
 100 D. ABYSSINICA (A. RICH.) STAFF
 (=D. scalarum (Schweinf.) Chiov.) 4
 (=D. vestita Fig. & De Not. var. scalarum (Schweinf.) Henr.) 3
 150 D. ACUMINATISSIMA STAFF
 (=D. acuminatissima Stapf subsp. inermis Goetghebeur) 4
 D. acuminatissima Stapf subsp. inermis Goetghebeur = D. ACUMINATISSIMA
 D. adscendens Henr. = D. CILIARIS
 D. albomarginata Stent = D. DIVERSINERVIS
 250 D. ANGOLENSIS RENDLE
 D. apiculata Stent = D. MAITLANDII
 400 D. ARGYROGRAPTA (NEES) STAFF

D. bechuanica Stent = D. ERIANTHA
 D. borbonica Desv. = D. NUDA
 600 D. BRAZZAE (FRANCH.) STAFF
 700 D. CILIARIS (RETZ.) KOELER
 (=D. adscendens Henr.) 2
 (=D. marginata Link) 4
 750 D. COMIFERA PILG.
 800 D. DEBILIS (DESF.) WILLD.
 D. decumbens Stent = D. ERIANTHA
 1000 D. DIAGONALIS (NEES) STAFF VAR. DIAGONALIS
 (=D. trichopodia Stent) 4
 (=D. uniglumis (A. Rich.) Stapf) 2
 1050 D. DIDACTYLA WILLD. *
 (=D. swazilandensis Stent) 4
 D. dinteri Henr. = D. ERIANTHA
 1200 D. DIVERSINERVIS (NEES) STAFF
 (=D. albomarginata Stent) 4
 (=D. diversinervis var. woodiana Henr.) 2
 D. diversinervis var. woodiana Henr. = D. DIVERSINERVIS
 1400 D. ERIANTHA STEUD.
 (=D. bechuanica (Stent) Henr.) 2
 (=D. decumbens Stent) 2
 (=D. dinteri Henr.) 4
 (=D. eriantha subsp. pentzii (Stent) Kok) 4
 (=D. eriantha subsp. stolonifera (Stapf) Kok) 4
 (=D. eriantha subsp. transvaalensis Kok) 4
 (=D. eriantha var. stolonifera Stapf) 2
 (=D. geniculata Stent) 2
 (=D. glauca sensu Stent, non A. Camus) 2
 (=D. pentzii Stent) 2
 (=D. pentzii Stent var. stolonifera (Stapf) Henr.) 2, 4
 (=D. setivalva Stent) 4
 (=D. smutsii Stent) 2
 (=D. stentiana Henr.) 2
 (=D. valida Stent) 2
 (=D. valida Stent var. glauca Stent) 2
 D. eriantha subsp. pentzii (Stent) Kok = D. ERIANTHA
 D. eriantha subsp. stolonifera (Stapf) Kok = D. ERIANTHA
 D. eriantha subsp. transvaalensis Kok = D. ERIANTHA
 D. eriantha var. stolonifera Stapf = D. ERIANTHA
 1500 D. EYLESII C.E. HUBB.
 1600 D. FLACCIDA STAFF
 1700 D. GAYANA (KUNTH) STAFF
 1800 D. GAZENSIS RENDLE
 D. geniculata Stent = D. ERIANTHA
 D. glauca sensu Stent, non A. Camus = D. ERIANTHA
 2000 D. GYMNSTACHYS PILG.
 D. littoralis sensu Stent, non Salisb. = D. NATALENSIS
 D. littoralis sensu Stent, non Salisb. var. prostrata Stent = D. NATALENSIS
 2100 D. LONGIFLORA (RETZ.) PERS.
 D. macroglossa Henr. = D. NATALENSIS
 D. macroglossa Henr. var. prostrata (Stent) Henr. = D. NATALENSIS
 2200 D. MAITLANDII STAFF. & C.E. HUBB.
 (=D. apiculata Stent) 3
 2400 D. MANICULATA STAFF
 D. marginata Link = D. CILIARIS
 D. melanochila Stapf = D. THOUARESIANA
 2500 D. MILANJIANA (RENDLE) STAFF
 2700 D. MONODACTYLA (NEES) STAFF
 (=D. monodactyla var. explicata Stapf) 2
 D. monodactyla (Nees) Stapf var. explicata Stapf = D. MONODACTYLA
 2750 D. NATALENSIS STENT
 (=D. littoralis sensu Stent, non Salisb.) 2
 (=D. littoralis sensu Stent, non Salisb. var. prostrata Stent) 4
 (=D. macroglossa Henr.) 2
 (=D. macroglossa Henr. var. prostrata (Stent) Henr.) 2
 (=D. natalensis Stent subsp. stentiana Henr.) 2
 (=D. rigida Stent) 2
 D. natalensis Stent subsp. stentiana Henr. = D. NATALENSIS
 2900 D. NUDA SCHUMACH.
 (=D. borbonica Desv.) 3
 D. pentzii Stent = D. ERIANTHA
 D. pentzii Stent var. stolonifera (Stapf) Henr. = D. ERIANTHA
 3100 D. PERROTTETII (KUNTH) STAFF
 D. polevansii Stent = D. SERIATA
 3300 D. POLYPHYLLA HENR.
 3350 D. REMOTIGLUMA (DE WINTER) CLAYTON
 (=Digitariella remotigluma De Winter) 3
 D. rigida Stent = D. NATALENSIS
 3370 D. SANGUINALIS (L.) SCOP. *
 D. scalarum (Schweinf.) Chiov. = D. ABYSINNICA
 3400 D. SETIFOLIA STAFF
 D. setivalva Stent = D. ERIANTHA
 3450 D. SERIATA STAFF
 (=D. polevansii Stent) 4
 D. smutsii Stent = D. ERIANTHA
 D. stentiana Henr. = D. ERIANTHA
 D. swazilandensis Stent = D. DIDACTYLA
 4100 D. TERNATA (A. RICH.) STAFF
 4300 D. THOUARESIANA (FLUEGGE) A. CAMUS
 (=D. melanochila Stapf) 3
 (=D. tricostulata (Hack.) Henr.) 3
 4400 D. TRICOLAENDIDES STAFF
 D. trichopodia Stent = D. DIAGONALIS
 D. tricostulata (Hack.) Henr. = D. THOUARESIANA
 D. uniglumis (A. Rich.) Stapf = D. DIAGONALIS
 D. valida Stent = D. ERIANTHA
 D. valida Stent var. glauca Stent = D. ERIANTHA

- 4900 D. VELUTINA (FORSSK.) BEAUV.
(=D. zeyheri (Nees) Henn.) 3
D. vestita Fig. & De Not. var. scalarum (Schweinf.) Henn. = D. ABYSSINICA
D. zeyheri (Nees) Henn. = D. VELUTINA
- 9900891 -TARIGIDIA STENT
1. CHIPPINDALL. 1955. GR. & PAST.
2. LAUNERT. 1970. FSWA.
100 T. AEGUIGLUMIS (GOOSSENS) STENT
- 9900894 -Digitariella De Winter = DIGITARIA
D. remotigluma De Winter = DIGITARIA REMOTIGLUMA
- 9900910 -STEREOCHLAENA HACK.
1. CLAYTON & RENVOIZE. 1982. FTEA.
100 S. CAMERONII (STAPP) PILG.
- 9900940 -ALLOTROPSIS J.S. PRESL
1. CLAYTON & RENVOIZE. 1982. FTEA.
2. GIBBS RUSSELL. 1983. BOTHALIA 14: 205.
100 A. CIMICINA (L.) STAPP
150 A. PAPILLOSA CLAYTON
A. semialata auctt., non Gibbs Russell = A. SEMIALATA SUBSP. SEMIALATA & A. SEMIALATA SUBSP. ECKLONIANA
A. semialata (R. Br.) Hitchc. var. ecklonii (Stapp) Stapp = A. SEMIALATA SUBSP. ECKLONIANA
200 A. SEMIALATA (R. BR.) HITCHC. SUBSP. ECKLONIANA (NEES) GIBBS RUSSELL
(=A. semialata auctt., non Gibbs Russell) 2
(=A. semialata var. ecklonii (Stapp) Stapp) 2
250 A. SEMIALATA (R. BR.) HITCHC. SUBSP. SEMIALATA
(=A. semialata auctt., non Gibbs Russell) 2
- 9901010 -PSEUDECHINOLAENA STAPP
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
100 P. POLYSTACHYA (H.B.K.) STAPP
- 9901020 -ERIOCHLOA KUNTH
1. GIBBS RUSSELL. 1980. BOTHALIA 13: 457.
2. CLAYTON & RENVOIZE. 1982. FTEA.
E. borumensis sensu Hack., non Stapp = E. MEYERANA
E. borumensis sensu Stapp, non Hack. = E. STAFFIANA
50 E. FATMENSIS (HOCHST. & STEUD.) CLAYTON
(=E. nubica (Steud.) Hack. & Stapp ex Thell.) 2
100 E. MEYERANA (NEES) PILG. SUBSP. MEYERANA
(=E. borumensis sensu Hack., non Stapp) 2
(=Panicum meyerianum Nees var. meyerianum) 2
150 E. MEYERANA (NEES) PILG. SUBSP. GRANDIGLUMIS (STENT & RATTRAY) GIBBS RUSSELL
(=Panicum meyerianum Nees var. grandiglume Stent & Rattray) 1
E. nubica (Steud.) Hack. & Stapp ex Thell. = E. FATMENSIS
300 E. PARVISPIULATA C.E. HUBB
400 E. STAFFIANA CLAYTON
(=E. borumensis sensu Stapp, non Hack.) 2
- 9901021 -ENTOLASIA STAPP
1. CLAYTON & RENVOIZE. 1982. FTEA.
100 E. IMBRICATA STAPP
- 9901030 -LEUCOPHYRS RENDLE
1. CHIPPINDALL. 1955. GR. & PAST.
2. LAUNERT. 1970. FSWA.
100 L. MESOCOMA (NEES) RENDLE
- 9901040 -BRACHIARIA GRISEB.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
3. SCHOLZ. 1978. WILLDENOWIA 8: 383.
100 B. ADVENA VICKERY *
200 B. ARRECTA (DUR. & SCHINZ) STENT
(=B. latifolia Stapp) 2
250 B. BOVONEI (CHIOV.) ROBYNS
300 B. BRIZANTHA (A. RICH.) STAPP
350 B. CHUSQUEOIDES (HACK.) CLAYTON
(=Panicum chusqueoides Hack.) 2
B. deflexa (Schumacher.) C.E. Hubb. ex Robyns = PSEUDOBRACHIARIA DEFLEXA
400 B. DICTYONEURA (FIG. & DE NOT.) STAPP
500 B. DURA STAPP VAR. DURA
600 B. DURA STAPP VAR. PILOSA J.G. ANDERS.
700 B. ERUCIFORMIS (J.E. SM.) GRISEB.
B. filifolia Stapp = B. SUBULIFOLIA
B. GLOMERATA (HACK.) A. CAMUS
900 B. GROSSA STAPP
1000 B. HUMIDICOLA (RENDLE) SCHWEICK.
1100 B. latifolia Stapp = B. ARRECTA
1170 B. MALACODES (MEZ & K. SCHUM.) SCHOLZ
(=B. poaeoides Stapp) 3
1200 B. MARLOTHII (HACK.) STENT
1300 B. NIGROPEDATA (FICAL. & HIERN) STAPP
B. poaeoides Stapp = B. MALACODES
1500 B. PSAMMOPHILA (WELW. EX RENDLE) LAUNERT
1550 B. RUGULOSA STAPP
1600 B. SCHOENFELDERI C.E. HUBB. & SCHWEICK.
1700 B. SERRATA (THUNB.) STAPP
(=B. serrata (Thunb.) Stapp var. serrata) 2
(=B. serrata (Thunb.) Stapp var. gossypina (A. Rich.) Stapp) 2
B. serrata (Thunb.) Stapp var. serrata = B. SERRATA
B. serrata (Thunb.) Stapp var. gossypina = B. SERRATA

- 1850 B. SUBULIFOLIA (MEZ) CLAYTON
(=B. filifolia Stapf) 2
- 1900 B. XANTHOLEUCA (SCHINZ) STAFF
- 9901043 -PSEUDOBRACHIARIA LAUNERT
1. LAUNERT. 1970. FSWA.
2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 P. DEFLEXA (SCHUMACH.) LAUNERT
(=Brachiaria deflexa (Schumach.) C.E. Hubb. ex Robyns) 1
- 9901050 -AXONOPUS BEAUV.
1. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 A. AFFINIS CHASE *
(=A. compressus sensu Chippind., non (Swartz) Beauv.) 1
A. compressus sensu Chippind., non (Swartz) Beauv. = A. AFFINIS
- 9901070 -PASPALUM L.
1. DE WINTER & VORSTER. 1974. BOTHALIA 11: 295.
2. CLAYTON & RENVOIZE. 1982. FTEA.
3. CLAYTON & RENVOIZE. 1980. TAXON 29: 337.
- 50 P. AURICULATUM PRESL
P. commersonii Lam. = P. SCROBICULATUM
- 100 P. DILATATUM POIR. *
P. distichum L. = P. PASPALODES
- 200 P. NOTATUM FLUEGGE *
P. orbiculare Forst. = P. SCROBICULATUM
- 400 P. PASPALODES (MICHX.) SCRIBN
(=P. distichum L.) 1, 3
P. polystachyum R. Br. = P. SCROBICULATUM
- 550 P. SCROBICULATUM L.
(=P. commersonii Lam.) 2
(=P. orbiculare Forst.) 2
(=P. polystachyum R. Br.) 2
- 600 P. URVILLEI STEUD. *
- 700 P. VAGINATUM SWARTZ
- 9901080 -STENOTAPHRUM TRIN.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 S. DIMIDIATUM (L.) BRONGN.
- 200 S. SECUNDATUM (WALT.) KUNTZE
- 9901090 -PASPALIDIUM STAFF
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 P. GEMINATUM (FORSSK.) STAFF
P. platyrrhachis C.E. Hubb. = P. OBTUSIFOLIUM
- 200 P. OBTUSIFOLIUM (DEL.) SIMPSON
(=P. platyrrhachis C.E. Hubb.) 2
- 9901100 -UROCHLOA BEAUV.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
- 200 U. bolbodes (Steud.) Stapf = U. OLIGOTRICA
U. BRACHYURA (HACK.) STAFF
U. engleri Pilg. = U. TRICHOPUS
- 400 U. MOSAMBICENSIS (HACK.) DANDY
(=U. pullulans Stapf) 2
(=U. rhodesiensis Stent) 2
- 450 U. OLIGOTRICA (FIG. & DE NOT.) HENR.
(=U. bolbodes (Steud.) Stapf) 2
- 500 U. PANICOIDES BEAUV.
(=U. ruschii sensu Chippind., non Pilg.) 2
U. pullulans Stapf = U. MOSAMBICENSIS
U. rhodesiensis Stent = U. MOSAMBICENSIS
U. ruschii sensu Chippind., non Pilg. = U. PANICOIDES
- 700 U. STOLONIFERA (GOOSSENS) CHIPPIND.
- 800 U. TRICHOPUS (HOCHST.) STAFF
(=U. engleri Pilg.) 2
- 9901120 -ECHINOCHLOA BEAUV.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 E. COLONA (L.) LINK
- 200 E. CRUS-GALLI (L.) BEAUV.
(=E. subverticillata Pilg.) 2
- 300 E. CRUS-PAVONIS (KUNTH) SCHULT.
- 400 E. FRUMENTACEA LINK
- 500 E. HAPLOCLADA (STAFF) STAFF
- 600 E. HOLUBII (STAFF) STAFF 1
- 650 E. JUBATA STAFF
- 700 E. PYRAMIDALIS (LAM.) HITCHC. & CHASE
- 800 E. STAGNINA (RETZ.) BEAUV.
E. subverticillata Pilg. = P. CRUS-GALLI
- 900 E. UGANDENSIS SNOWDEN & C.E. HUBB.
- 9901121 -ACRO CERAS STAFF
1. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 A. MACRUM STAFF
A. pilgeranum Schweick. = PSILOCHLOA PILGERANA
- 9901124 -PSILOCHLOA LAUNERT
1. LAUNERT. 1970. FSWA.
- 100 P. PILGERANA (SCHWEICK.) LAUNERT
(=Acroceras pilgeranum Schweick.) 1

- 9901142 -ORYZIDIUM C. E. HUBB.
1. CHIPPINDALL. 1955. GR. & PAST.
2. LAUNERT. 1970. FSWA.
100 O. BARNARDII C. E. HUBB. & SCHWEICK.
- 9901150 -OPLISMENUS BEAUV.
1. CLAYTON & RENVOIZE. 1982. FTEA.
100 O. BURMANNII (RETZ.) BEAUV.
200 O. HIRTELLUS (L.) BEAUV.
300 O. UNDULATIFOLIUS (ARD.) ROEM. & SCHULT.
- 9901160 -PANICUM L.
1. CHIPPINDALL. 1955. GR. & PAST.
2. LAUNERT. 1970. FSWA.
3. CLAYTON & RENVOIZE. 1982. FTEA.
100 P. AEGUINERVE NEES
P. aphanoneurum Steud. = P. FLUVIICOLA
300 P. ARBUSCULUM MEZ
400 P. ARCURAMEUM STAPF
450 P. ATRJSANGUINEUM A. RICH.
500 P. BECHUANENSE BREM. & OBERM.
600 P. BREVIFOLIUM L.
P. chusqueoides Hack. = BRACHIARIA CHUSQUEOIDES
800 P. COLORATUM L. VAR. COLORATUM
900 P. COLORATUM L. VAR. MAKARIKARIENSE GOOSSENS
950 P. COMORENSE MEZ
1000 P. DEUSTUM THUNB.
1100 P. DEWINTERI J. G. ANDERS.
1200 P. DREGEANUM NEES
1300 P. ECKLONII NEES
P. filiculme Schinz = P. HYMENIOCHILUM NEES
1450 P. FLUVIICOLA STEUD.
(=P. aphanoneurum Steud.) 3
P. fulgens auctt., non Stapf = P. NATALENSE
1600 P. GILVUM LAUNERT
(=P. laevifolium Hack. var. contractum Pilg.) 2
P. glabrescens Steud. = P. SUBALBIDUM
1800 P. HETEROSTACHYUM HACK.
1900 P. HIANIS ELL. *
P. sp. aff. hippothrix later described as P. VOLUTANS
2100 P. HYMENIOCHILUM NEES
(=P. filiculme Schinz) 3
(=P. hymeniochilum var. glandulosum Nees) 3
(=P. hymeniochilum var. hymeniochilum) 3
P. hymeniochilum Nees var. glandulosum Nees = P. HYMENIOCHILUM
P. hymeniochilum Nees var. hymeniochilum = P. HYMENIOCHILUM
2200 P. IMPEDITUM LAUNERT
2300 P. INFESTUM PETERS
2400 P. KALAHARENSE MEZ
P. laevifolium Hack. var. contractum Pilg. = P. GILVUM
P. laevifolium Hack. var. laevifolium = P. SCHINZII
2600 P. LANIPES MEZ
2700 P. LATICOMUM NEES
2800 P. MAXIMUM JACQ.
2850 P. MERKERI MEZ
P. meyerianum Nees var. meyerianum = ERIOCHLOA MEYERANA SUBSP. MEYERANA
P. meyerianum Nees var. grandeglume = ERIOCHLOA MEYERANA SUBSP. GRANDIGLUMIS
2900 P. MILIACEUM L. *
3000 P. MONTICOLUM HOOK. F.
3100 P. NATALENSE HOCHST.
(=P. fulgens auctt., non Stapf) 3
3200 P. NOVEMNERVE STAPF
3300 P. OBUMBRATUM STAPF
3400 P. PANSUM RENDLE
3500 P. PARVIFOLIUM LAM.
3600 P. PEARSONII F. BOL.
3700 P. PHRAGMITOIDES STAPF
3800 P. REPENS L.
3900 P. SCHINZII HACK.
(=P. laevifolium Hack. var. laevifolium) 3
4000 P. STAPFIANUM FOURC.
4050 P. SUBALBIDUM KUNTH
(=P. glabrescens Steud.) 3
4100 P. SUBFLABELLATUM STAPF
4300 P. TRICHONODE LAUNERT & RENVOIZE
4400 P. VOLUTANS J. G. ANDERS.
- 9901240 -SACCIROLEPIS NASH
1. SIMON. 1972. KEW BULL. 27: 387.
2. CLAYTON & RENVOIZE. 1982. FTEA.
100 S. auriculata Stapf = S. INDICA
S. AFRICANA C. E. HUBB. & SNOWDEN
S. cinereo-vestita (Pilg.) C. E. Hubb. = S. TYPHURA
400 S. CURVATA (L.) CHASE
500 S. CYMBIANDRA STAPF
S. glaucescens Stapf = S. TYPHURA
700 S. HUILLENSIS (RENDLE) STAPF
S. INDICA (L.) A. CHASE
(=S. auriculata Stapf) 2
750 S. RIGENS (MEZ) A. CHEV.
800 S. TYPHURA (STAPF) STAPF
(=S. cinereo-vestita (Pilg.) C. E. Hubb.) 2
(=S. glaucescens Stapf) 2
- 9901280 -SETARIA BEAUV.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
S. almaspicata De Wit = S. SPHACELATA VAR. SERICEA
S. anceps Stapf ex Massey = S. SPHACELATA VAR. SERICEA

- 200 S. APPENDICULATA (HACK.) STAPF
S. cana De Wit = S. SPHACELATA VAR. SERICEA
S. chevalieri Stapf ex Stapf & C.E. Hubb. = S. MEGAPHYLLA
S. decipiens De Wit = S. SPHACELATA VAR. SPHACELATA
S. eylesii Stapf & C.E. Hubb. = S. INCRASSATA
- 600 S. FINITA LAUNERT
S. flabellata Stapf subsp. flabellata = S. SPHACELATA VAR. SPHACELATA
S. flabellata Stapf subsp. natalensis De Wit = S. SPHACELATA VAR. TORTA
S. flabelliformis De Wit = S. SPHACELATA VAR. SERICEA
- 800 S. GENICULATA (LAM.) BEAUV. *
S. gerrardii Stapf = S. INCRASSATA
S. holstii Herr. = S. INCRASSATA
S. homblei De Willd. = S. SPHACELATA VAR. TORTA
- 1000 S. HOMONYMA (STEUD.) CHIOV.
1050 S. INCRASSATA (HOCHST.) HACK.
(=S. eylesii Stapf & C.E. Hubb.) 2
(=S. gerrardii Stapf) 2
(=S. holstii Herr.) 2
(=S. pabularis Stapf) 2
(=S. palustris Stapf) 2
(=S. perberbis De Wit) 2
(=S. phragmitoides Stapf) 2
(=S. porphyrantha Stapf) 2
(=S. rudifolia Stapf) 2
(=S. woodii Hack. subsp. bechuanica De Wit) 2
(=S. woodii Hack. var. fonssalutis De Wit) 2
(=S. woodii Hack. var. woodii) 2
- 1100 S. insignis De Wit = S. MEGAPHYLLA
S. ITALICA (L.) BEAUV. *
- 1200 S. LINDENBERGIANA (NEES) STAPF
(=S. phillipsii De Wit) 2
S. lutescens (Wieg.) F.T. Hubb. = PENNISETUM GLAUCUM
- 1350 S. MEGAPHYLLA (STEUD.) DUR. & SCHINZ
(=S. chevalieri Stapf ex Stapf & C.E. Hubb.) 2
(=S. insignis De Wit) 1
- S. neglecta De Wit = S. SPHACELATA VAR. SPHACELATA
- 1500 S. NIGRIROSTRIS (NEES) DUR. & SCHINZ
- 1600 S. OBSCURA DE WIT
S. pabularis Stapf = S. INCRASSATA
- 1800 S. PALLIDE-FUSCA (SCHUMACH.) STAPF & C.E. HUBB. I
S. palustris Stapf = S. INCRASSATA
S. perberbis De Wit = S. INCRASSATA
S. perennis Hack. = S. SPHACELATA VAR. SPHACELATA
S. phillipsii De Wit = S. LINDENBERGIANA
S. phragmitoides Stapf = S. INCRASSATA
S. PLICATILIS (HOCHST.) ENGL.
S. porphyrantha Stapf = S. INCRASSATA
- 2250 S. PSEUDARISTATA (PETER) PILG.
(=S. tenuiseta De Wit) 2
- 2300 S. RIGIDA STAPF
S. rudifolia Stapf = S. INCRASSATA
- 2500 S. SPHACELATA (SCHUMACH.) MOSS VAR. SPHACELATA
(=S. decipiens De Wit) 2
(=S. flabellata Stapf subsp. flabellata) 2
(=S. neglecta De Wit) 2
(=S. perennis Hack.) 2
(=S. sphacelata (Schumach.) Moss subsp. aquamontana De Wit) 2
(=S. sphacelata (Schumach.) Moss var. stolonifera De Wit) 2
(=S. stenantha Stapf) 2
- 2550 S. SPHACELATA (SCHUMACH.) MOSS VAR. SERICEA (STAPF) CLAYTON
(=S. aimaspicata De Wit) 2
(=S. anceps Stapf ex Massey) 2
(=S. cana De Wit) 2
(=S. flabelliformis De Wit) 2
(=S. sphacelata (Schumach.) Moss subsp. nodosa De Wit) 2
(=S. sphacelata (Schumach.) Moss subsp. pyropea De Wit) 2
- 2570 S. SPHACELATA (SCHUMACH.) MOSS VAR. SPLENDIDA (STAPF) CLAYTON
(=S. splendida Stapf) 2
- 2590 S. SPHACELATA (SCHUMACH.) MOSS VAR. TORTA (STAPF) CLAYTON
(=S. flabellata Stapf subsp. natalensis De Wit) 2
(=S. homblei De Willd.) 2
(=S. torta Stapf) 2
- S. sphacelata (Schumach.) Moss subsp. aquamontana De Wit = S. SPHACELATA VAR. SPHACELATA
S. sphacelata (Schumach.) Moss subsp. nodosa De Wit = S. SPHACELATA VAR. SERICEA
S. sphacelata (Schumach.) Moss subsp. pyropea De Wit = S. SPHACELATA VAR. SERICEA
S. sphacelata (Schumach.) Moss var. stolonifera De Wit = S. SPHACELATA VAR. SPHACELATA
S. splendida Stapf = S. SPHACELATA VAR. SPLENDIDA
S. stenantha Stapf = S. SPHACELATA VAR. SPHACELATA
S. tenuiseta De Wit = S. PSEUDARISTATA
S. torta Stapf = S. SPHACELATA VAR. TORTA
- 3100 S. USTILATA DE WIT 1
- 3200 S. VERTICILLATA (L.) BEAUV.
S. woodii Hack. subsp. bechuanica De Wit = S. INCRASSATA
S. woodii Hack. var. fonssalutis De Wit = S. INCRASSATA
S. woodii Hack. var. woodii = S. INCRASSATA
- 9901282 -CYMBOSSETARIA SCHWEICK.
1. CHIPPINDALL. 1955. GR. & PAST.
2. LAUNERT. 1970. FSWA.
3. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 C. SAGITTIFOLIA (A. RICH.) SCHWEICK. I, 2
- 9901321 -RHYNCHELYTRUM NEES
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON & RENVOIZE. 1982. FTEA.
- 100 R. BELLESPICATUM (RENDLE) STAPF & C.E. HUBB.
R. brevipilum (Hack.) Chiov. = R. GRANDIFLORUM
R. costatum Stapf & C.E. Hubb. = R. GRANDIFLORUM
R. drakensbergense (C.E. Hubb. & Schweick.) Clayton = MELINIS DRAKENBERGENSE

- 250 R. GRANDIFLORUM HOCHST.
 (=R. brevipilum (Hack.) Chiov.) 2
 (=R. costatum Stapf & C.E. Hubb.) 2
- 450 R. KALLIMORPHON CLAYTON
- 550 R. LONGISETUM (A. RICH.) STAPF & C.E. HUBB.
 (=R. minutiflorum (Rendle) Stapf & C.E. Hubb. var. melinoides (Stent) Stapf & C.E. Hubb.) 2
 R. minutiflorum (Rendle) Stapf & C.E. Hubb. var. melinoides (Stent) Stapf & C.E. Hubb. = R. LONGISETUM
- 600 R. NERVIGLUME (FRANCH.) CHIOV.
 (=R. nyassanum (Mez) Stapf & C.E. Hubb.) 2
 (=R. ramosum Stapf & C.E. Hubb.) 2
 (=R. setifolium (Stapf) Chiov.) 2
 R. nyassanum (Mez) Stapf & C.E. Hubb. = R. NERVIGLUME
 R. ramosum Stapf & C.E. Hubb. = R. NERVIGLUME
- 800 R. REPENS (WILLD.) C.E. HUBB.
 (=R. villosum (Parl.) Chiov.) 2
- 900 R. RHODESIANUM (RENDLE) STAPF & C.E. HUBB.
- 1000 R. SCABRIDUM (K. SCHUM.) CHIOV.
 R. setifolium (Stapf) Chiov. = R. NERVIGLUME
 R. suberostratum Stapf & C.E. Hubb. = R. SUBGLABRUM
- 1150 R. SUBGLABRUM (MEZ) STAPF & C.E. HUBB.
 (=R. suberostratum Stapf & C.E. Hubb.) 2
 R. villosum (Parl.) Chiov. = R. REPENS
- 9901330 -TRICHOLAENA SCHRAD.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. LAUNERT. 1970. FSWA.
 3. ANDERSON. 1961. KIRKIA 1: 103.
 4. CLAYTON & RENVOIZE. 1982. FTEA.
 T. arenaria Nees = T. CAPENSIS
 T. arenaria Nees var. glauca (Hack.) Stapf = T. CAPENSIS
- 100 T. CAPENSIS (LICHT. EX ROEM. & SCHULT.) NEES
 (=T. arenaria Nees) 2
 (=T. arenaria Nees var. glauca (Hack.) Stapf) 2
- 200 T. MONACHNE (TRIN.) STAPF & C.E. HUBB. VAR. ANNUA J.G. ANDERS. 3
 E. aphylla Schrad. = E. RAMOSA
- 300 T. MONACHNE (TRIN.) STAPF & C.E. HUBB. VAR. MONACHNE
- 9901340 -MELINIS BEAUV.
 1. CLAYTON. 1978. KEW BULL. 33:
 2. CLAYTON & RENVOIZE. 1982. FTEA
- 50 M. DRAKENSBERGENSIS (C.E. HUBB. & SCHWEICK.) CLAYTON
 (=Rhynchelytrum drakensbergense C.E. Hubb. & Schweick.) 1
- 100 M. MACROCHAETA STAPF & C.E. HUBB.
- 200 M. MINUTIFLORA BEAUV.
 (=M. tenuinervis (Stapf) Stapf) 2
 M. tenuinervis (Stapf) Stapf = M. MINUTIFLORA
- 400 M. TENUISSIMA STAPF
- 9901380 -ANTHEPHORA SCHREB.
 1. CHIPPINDALL. 1955. GR. & PAST.
- 100 A. ANGUSTIFOLIA GOOSSENS
- 200 A. ARGENTEA GOOSSENS
- 300 A. PUBESCENS NEES
- 400 A. RAMOSA GOOSSENS
- 500 A. SCHINZII HACK.
- 9901390 -PENNISETUM RICH.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. BRUNKEN. 1977. AMER. J. BOT 64: 161.
 3. CLAYTON & RENVOIZE. 1982. FTEA.
 P. albicauda Stapf & C.E. Hubb. = P. americanum subsp. americanum
 P. americanum (L.) Leeke subsp. americanum = P. GLAUCUM
- 300 P. CLANDESTINUM CHIOV. *
 P. echinurus (K. Schum.) Stapf & C.E. Hubb. = P. americanum subsp. americanum
 P. FOERMERANUM LEEKE
- 500 P. GLAUCOCLADUM STAPF & C.E. HUBB. 1
- 600 P. GLAUCUM (L.) R. BR. *
- 650 P. GLAUCUM (L.) R. BR. *
 (=P. americanum (L.) Leeke subsp. americanum) 3
 (=P. albicauda Stapf & C.E. Hubb.) 2
 (=P. echinurus (K. Schum.) Stapf & C.E. Hubb.) 2
 (=P. nigritarum (Schlecht.) Dur. & Schinz) 2
 (=P. typhoides (Burm. f.) Stapf & C.E. Hubb.) 2
 (=Setaria lutescens (Wieg.) F.T. Hubb.) 3
- 700 P. MACROURUM TRIN.
- 800 P. MEZIANUM LEEKE
- 900 P. NATALENSE STAPF 1
 P. nigritarum (Schlecht.) Dur. & Schinz = P. americanum subsp. americanum
- 1100 P. PURPUREUM SCHUMACH. *
- 1200 P. SETACEUM (FORSSK.) CHIOV. *
- 1300 P. SPHACELATUM (NEES) DUR. & SCHINZ
 (=P. sphacelatum (Nees) Dur. & Schinz var. sphacelatum) 3
 (=P. sphacelatum (Nees) Dur. & Schinz var. tenuifolium (Hack.) Stapf) 3
 P. sphacelatum (Nees) Dur. & Schinz var. sphacelatum = P. SPHACELATUM
 P. sphacelatum (Nees) Dur. & Schinz var. tenuifolium (Hack.) Stapf = P. SPHACELATUM
- 1600 P. STAFFIANUM F. BOL.
- 1700 P. THUNBERGII KUNTH
 P. typhoides (Burm. f.) Stapf & C.E. Hubb. = P. americanum subsp. americanum
- 1750 P. UNISETUM (NEES) BENTH.
 (=Beckeropsis unisetata (Nees) K. Schum.) 3
- 1800 P. VILLOSUM R. BR. EX FRIESEN *
- 9901391 -Beckeropsis K. Schum. = PENNISETUM
 B. unisetata (Nees) K. Schum. = PENNISETUM UNISETUM

- 9901400 -CENCHRUS L.
1. CHIPPINDALL. 1955. GR. & PAST.
2. DELISLE. 1963. IOWA ST. JOUR. SCI. 37: 239.
100 C. BIFLORUS ROXB.
200 C. BROWNII ROEM. & SCHULT. *
300 C. CILIARIS L.
400 C. INCERTUS M.A. CURTIS *
(=C. pauciflorus Benth.) 2
C. pauciflorus Benth. = C. INTERTUS
- 9901420 -PARATHERIA GRISEB.
1. LAUNERT. 1970. FSWA.
100 P. PROSTRATA GRISEB. *
- 9901430 -ODONTELYTRUM HACK.
1. CLAYTON & RENVOIZE. 1982. FTEA.
100 O. ABYSSINICUM HACK.
- 9901560 -Potamophila R. Br. = PROSPHYTOCHLOA
P. prehensilis (Nees) Benth. = PROSPHYTOCHLOA PREHENSILIS
- 9901561 -PROSPHYTOCHLOA SCHWEICK.
1. SCHWEICKERDT. 1961. DER ZUCHTER 31: 194.
100 P. PREHENSILIS (NEES) SCHWEICK.
(=Potamophila prehensilis (Nees) Benth.) 1
- 9901580 -ORYZA L.
1. CLAYTON. 1970. FTEA.
2. LAUNERT. 1971. FZ.
O. barthii auctt., non A. Chev. = O. LONGISTAMINATA
50 O. BARTHII A. CHEV.
100 O. LONGISTAMINATA A. CHEV. & ROEHR.
(=O. barthii auctt., non A. Chev.) 1
200 O. PUNCTATA STEUD.
- 9901590 -LEERSIA SWARTZ.
1. CLAYTON. 1970. FTEA.
2. LAUNERT. 1971. FZ.
100 L. DENUDATA LAUNERT
150 L. FRIESII MELD.
200 L. HEXANDRA SWARTZ
300 L. TISSERANTII (A. CHEV.) LAUNERT
- 9901600 -EHRHARTA THUNB. Revision: G.E. Gibbs RusseII (PRE).
1. CHIPPINDALL. 1955. GR. & PAST.
E. aphylla Schrad. = E. RAMOSA
100 E. BARBINODIS NEES EX TRIN.
200 E. BREVIFOLIA SCHRAD. VAR. BREVIFOLIA
300 E. BREVIFOLIA SCHRAD. VAR. CUSPIDATA NEES
400 E. BULBOSA J.E. SM.
500 E. CALYCINA J.E. SM. VAR. ANGUSTIFOLIA KUNTH
600 E. CALYCINA J.E. SM. VAR. CALYCINA
(=E. geniculata Thunb.) 1
650 E. CALYCINA J.C. SM. VAR. VERSICOLOR STAFF
700 E. CAPENSIS THUNB.
800 E. DELICATULA (NEES) STAFF
900 E. DODII STAFF
1000 E. DURA NEES EX TRIN.
E. geniculata Thunb. = E. CALYCINA VAR. CALYCINA
E. gigantea Thunb. = E. VILLOSA VAR. MAXIMA
1100 E. ERECTA LAM. VAR. ERECTA
1200 E. ERECTA LAM. VAR. NATALENSIS STAFF
1400 E. LONGIFLORA J.E. SM.
1500 E. LONGIFOLIA SCHRAD.
1600 E. LONGIGLUMA C.E. HUBB.
1700 E. MELICOIDES THUNB.
1800 E. MICROLAENA NEES EX TRIN.
1900 E. OTTONIS KUNTH EX NEES
2000 E. PUSILLA NEES EX TRIN.
2100 E. RAMOSA (THUNB.) THUNB. VAR. APHYLLA (SCHRAD.) GLUCKMAN
(=E. aphylla Schrad.) 1
2200 E. RAMOSA (THUNB.) THUNB. VAR. RAMOSA
2300 E. REHMANNII STAFF VAR. FILIFORMIS STAFF
2400 E. REHMANNII STAFF VAR. REHMANNII
2500 E. RUPESTRIS NEES EX TRIN.
2600 E. SETACEA NEES EX TRIN.
2700 E. SUBSPICATA STAFF
2800 E. TRIANDRA NEES EX TRIN.
2900 E. TRICOSTATA STAFF
3000 E. UNIFLORA BURCH. EX STAFF
3200 E. VILLOSA SCHULT. F. VAR. MAXIMA STAFF
(=E. gigantea Thunb.) 1
3300 E. VILLOSA SCHULT. F. VAR. VILLOSA
3400 E. VIRGATA LAUNERT
- 9901630 -PHALARIS L.
1. CHIPPINDALL. 1955. GR. & PAST.
2. ANDERSON. 1961. IOWA STATE J. SCI. 36: 1.
100 P. ANGUSTA NEES EX TRIN.
200 P. AGUATICA L. *
(=P. nodosa L.) 2
(=P. tuberosa L.) 2
300 P. ARUNDINACEA L. *
500 P. CANARIENSIS L. *
600 P. MINOR RETZ. *
P. nodosa L. = P. AGUATICA
700 P. PARADOXA L. *
(=P. paradoxa L. var. praemorsa Coss. & Dur.) 2

- P. paradoxa* L. var. *praemorsa* Coss. & Dur. = *P. PARADOXA*
P. tuberosa L. = *P. AQUATICA*
- 9901640 -*ANTHOXANTHUM* L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 A. *BREVIFOLIUM* STAPF
 200 A. *DREGEANUM* (NEES) STAPF
 300 A. *ECKLONII* (NEES EX TRIN.) STAPF
 400 A. *ODORATUM* L. *
 500 A. *TONGO* (TRIN.) STAPF
- 9901660 -*OLYRA* L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 O. *LATIFOLIA* L. *
- 9901730 -*ARUNDINELLA* RADDI
 1. CLAYTON ET AL. 1974. FTEA.
 100 A. *NEPALENSIS* TRIN.
- 9901740 -*TRISTACHYA* NEES
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON ET AL. 1972. FTEA.
 100 T. *BISERIATA* STAPF
 T. *eylesii* Stent & Rattray = T. *NODIGLUMIS*
 T. *hispida* (L. f.) K. Schum. = T. *LEUCOTHRIX*
 T. *hitchcockii* (C.E. Hubb.) Conert = T. *LUALABAENSIS*
 450 T. *LEUCOTHRIX* NEES
 (= *Apochaete hispida* (L. f.) J.B. Phipps) 2
 (= T. *hispida* (L. f.) K. Schum.) 2
 500 T. *LONGISPICULATA* C.E. HUBB.
 540 T. *LUALABAENSIS* (DE WILD.) J.B. PHIPPS
 (= T. *hitchcockii* (C.E. Hubb.) Conert) 2
 550 T. *NODIGLUMIS* K. SCHUM.
 (= T. *eylesii* Stent & Rattray) 2
 600 T. *REHMANNII* HACK.
 (= *Dolichochoaete rehmannii* (Hack.) J.B. Phipps) 2
 700 T. *SUPERBA* (DE NOT.) SCHWEINF. & ASCHERS
 (= *Loudetia superba* De Not.) 2
- 9901741 -*Apochaete* (C.E. Hubb.) Phipps = *TRISTACHYA*
 A. *hispida* = *TRISTACHYA LEUCOTHRIX*
- 9901742 -*Dolichochoaete* (C.E. Hubb.) Phipps = *TRISTACHYA*
 D. *rehmannii* (Hack.) J.B. Phipps = *TRISTACHYA REHMANNII*
- 9901750 -*TRICHOPTERYX* NEES
 1. CLAYTON ET AL. 1972. FTEA.
 100 T. *DREGEANA* NEES
 T. *ramosa* Stapf = *DANTHONIOPSIS RAMOSA*
- 9901751 -*LOUDETIA* HOCHST. EX STEUD.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON ET AL. 1972. FTEA.
 L. *anomala* C.E. Hubb. & Schweick. = *DANTHONIOPSIS RAMOSA*
 100 L. *DENSISPICA* (RENDLE) C.E. HUBB.
 200 L. *FILIFOLIA* SCHWEICK.
 300 L. *FLAVIDA* (STAPF) C.E. HUBB.
 400 L. *LANATA* (STENT & RATTRAY) C.E. HUBB.
 500 L. *PEDICELLATA* (STENT) CHIPPIND.
 L. *ramosa* (Stapf) C.E. Hubb. = *DANTHONIOPSIS RAMOSA*
 600 L. *SIMPLEX* (NEES) C.E. HUBB.
 L. *superba* De Not. = *TRISTACHYA SUPERBA*
- 9901752 -*LOUDETIOPSIS* CONERT
 1. CONERT. 1957. BOT. JAHRB. 77: 289.
 100 L. *GLABRATA* (K. SCHUM.) CONERT
- 9901770 -*DANTHONIOPSIS* STAPF
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON. 1967. KEW BULL. 21: 123.
 3. LAUNERT. 1970. FSWA.
 4. PHIPPS. 1972. BOLM. SOC. BROTERIANA 46: 423.
 #. PRE HERBARIUM PRACTICE, FOLLOWING SMOOK & GIBBS RUSSELL.
 200 D. *DINTERI* (PILG.) C.E. HUBB.
 250 D. *LIGNOSA* C.E. HUBB.
 300 D. *PARVA* (J.B. PHIPPS) CLAYTON
 400 D. *PETIOLATA* (J.B. PHIPPS) CLAYTON
 500 D. *PRUINOSA* C.E. HUBB. VAR. *PRUINOSA*
 600 D. *PRUINOSA* C.E. HUBB. VAR. *GRACILIS* C.E. HUBB.
 700 D. *RAMOSA* (STAPF) CLAYTON
 (= *Trichopteryx ramosa* Stapf) #
 (= *Loudetia anomala* C.E. Hubb. & Schweick.) 3, #
 (= *Loudetia ramosa* (Stapf) C.E. Hubb.) 2, #
 750 D. *SCOPULORUM* (J.B. PHIPPS) J.B. PHIPPS
 (= *Gazochloa scopulorum* J.B. Phipps) 4
- 9901772 -*Gazochloa* J.B. Phipps = *DANTHONIOPSIS*
 G. *scopulorum* J.B. Phipps = *DANTHONIOPSIS SCOPULORUM*
- 9901800 -*PRIONANTHIUM* DESV.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 P. *ECKLONII* (NEES) STAPF
 200 P. *PHOLIURIODES* STAPF
 300 P. *RIGIDUM* DESV.
- 9901850 -*AIRA* L.
 1. CLAYTON. 1972. FWTA.
 100 A. *CARYOPHYLLEA* L. *
 200 A. *CUPATIANA* GUSS. *

- 9901870 -PERIBALLIA TRIN.
1. CHIPPINDALL. 1955. GR. & PAST.
100 P. MINUTA (L.) ASCH. & GRAEBN.
- 9901880 -CORYNEPHORUS BEAUV.
1. TUTIN. 1980. FL. EUROP. 5.
100 C. FASCICULATUS BOISS. & REUT. *
- 9901890 -DESCHAMPSIA BEAUV.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON. 1970. FTEA.
100 D. CAESPITOSA (L.) BEAUV.
200 D. FLEXUOSA (L.) TRIN.
- 9901910 -POAGROSTIS STAFF.
1. CHIPPINDALL. 1955. GR. & PAST.
100 P. PUSILLA (NEES) STAFF
- 9901920 -HOLCUS L.
1. STACE. 1980. FL. EUROP. 5: 230.
100 H. LANATUS L. *
200 H. MOLLIS L. *
300 H. SETIGER NEES
- 9901930 -Trisetum Pers. = LOPHOCHLOA
Trisetum pumiium (Desf.) Kunth = LOPHOCHLOA PUMILA
- 9901950 -AVENA L.
1. ROCHA AFONSO. 1980. FL. EUROP.
100 A. BARBATA BROT. *
150 A. BYZANTINA K. KOCH. *
200 A. FATUA L. *
300 A. SATIVA L. *
400 A. STERILIS L. *
500 A. STRIGOSA L. *
- 9901970 -HELIOTRICHON BESS. EX SCHULT.
1. CHIPPINDALL. 1955. GR. & PAST.
100 H. BARBATUM (NEES) SCHWEICK.
200 H. CAPENSE SCHWEICK.
300 H. DODII (STAFF) SCHWEICK.
400 H. GALPINII SCHWEICK.
500 H. HIRTULUM (STEUD.) SCHWEICK.
600 H. LEONINUM (STEUD.) SCHWEICK.
700 H. LONGIFOLIUM (NEES) SCHWEICK.
800 H. LONGUM (STAFF) SCHWEICK.
900 H. NAMAQUENSE SCHWEICK.
1000 H. NATALENSE (STAFF) SCHWEICK.
1100 H. QUINQUESETUM (STEUD.) SCHWEICK.
1200 H. TURGIDULUM (STAFF) SCHWEICK.
- 9901971 -STREBLOCHAETE HOCHST. EX PILG.
1. CLAYTON. 1970. FTEA.
100 S. LONGIARISTA (A. RICH.) PILG.
- 9902000 -ARRHENATHERUM BEAUV.
1. CHIPPINDALL. 1955. GR. & PAST.
100 A. ELATIUS (L.) PRESL *
- 9902020 -LINTONIA STAFF.
1. CLAYTON ET AL. 1974. FTEA.
100 L. NUTANS STAFF
- 9902033 -Astenatherum Nevski = CENTROPODIA
A. forskahiei auctt., non (Vahl) Nevski = CENTROPODIA GLAUCA
A. glaucum (Nees) Nevski = CENTROPODIA GLAUCA
A. mossamedense (Rendle) Conert = CENTROPODIA MOSSAMEDENSIS
- 9902033 -CENTROPODIA REICHB.
1. COPE. 1982. KEW BULL. 37: 657.
100 C. GLAUCA (NEES) T.A. COPE
(=Astenatherum forskahiei auctt., non (Vahl) Nevski) 1
(=Astenatherum glaucum (Nees) Nevski) 1
(=Danthonia glauca Nees) 1
200 C. MOSSAMEDENSIS (RENDLE) T.A. COPE
(=Astenatherum mossamedense (Rendle) Conert) 1
(=Danthonia mossamedensis Rendle) 1
- 9902040 -Danthonia DC. (Southern African taxa moved to other genera)
D. arundinacea (Berg.) Schweick. = MERXMUELLERA ARUNDINACEA
D. aureocephala J.G. Anders. = MERXMUELLERA AUREOCEPHALA
D. brachyphylla (Stapf) Conert = PSEUDOPENTAMERIS BRACHYPHYLLA
D. cincta Nees = MERXMUELLERA CINCTA
D. curva Nees = KARROOCHLOA CURVA
D. davyi Nees = MERXMUELLERA DAVYI
D. disticha Nees = MERXMUELLERA DISTICHA
D. drakensbergensis Schweick. = MERXMUELLERA DRAKENSBERGENSIS
D. dura Stapf = MERXMUELLERA DURA
D. forskahiei auctt., non (Vahl.) R. Br. = CENTROPODIA GLAUCA
D. glauca Nees = CENTROPODIA GLAUCA
D. lanata (Schröd.) Schröd. var. lanata = MERXMUELLERA RUFA
D. lanata (Schröd.) Schröd. var. maior Nees = MERXMUELLERA RUFA
D. lupulina (Thunb.) Beauv. ex Roem. & Schult. = MERXMUELLERA LUPULINA
D. macowanii Stapf = MERXMUELLERA MACOWANII
D. macrantha Schröd. = PSEUDOPENTAMERIS MACRANTHA
D. macrocephala Stapf = MERXMUELLERA RUFA
D. mossamedensis Rendle = CENTROPODIA MOSSAMEDENSIS
D. papposa Nees = MERXMUELLERA PAPPOSA

D. *pumila* Nees = DREGEOCHLOA PUMILA
D. *purpurea* (Thunb.) Beauv. ex Roem. & Schult = KARROOCHLOA PURPUREA
D. *rangei* Pilg. = MERXMUELLERA RANGEI
D. *stereophylla* J.G. Anders. = MERXMUELLERA STEREOPHYLLA
D. *stricta* Schrad. = MERXMUELLERA STRICTA
D. *tenella* Nees = KARROOCHLOA TENELLA
D. *zeyheriana* Steud. var. *trichostachya* Stapf = MERXMUELLERA DECORA
D. *zeyheriana* Steud. var. *zeyheriana* = MERXMUELLERA DECORA

9902043 -MERXMUELLERA CONERT

1. CONERT. 1970. SENCKENB. BIOL. 51: 129.
 2. CONERT. 1971. MITT. BOT. STSAMML. MUNCH. 10 : 299.
- 150 M. ARUNDINACEA (BERG.) CONERT
(=Danthonia arundinacea (Berg.) Schweick.) 1
- 250 M. AUREOCEPHALA (J.G. ANDERS.) CONERT
(=Danthonia aureocephala J.G. Anders.) 1
- 300 M. CINCTA (NEES) CONERT
(=Danthonia cincta Nees) 1
- 350 M. DAVYI (C.E. HUBB.) CONERT
(=Danthonia davyi C.E. Hubb.) 1
- 400 M. DECORA (NEES) CONERT
(=Danthonia zeyheriana Steud. var. *trichostachya* Stapf) 2
(=Danthonia zeyheriana Steud. var. *zeyheriana*) 2
- 500 M. DISTICHA (NEES) CONERT
(=Danthonia disticha Nees) 1
- 600 M. DRAKENSBERGENSIS (SCHWEICK.) CONERT
(=Danthonia drakensbergensis Schweick.) 1
- 700 M. DURA (STAFF) CONERT
(=Danthonia dura Stapf) 1
- 750 M. GUILLARMODIAE CONERT
- 800 M. LUPULINA (THUNB.) CONERT
(=Danthonia lupulina (Thunb.) Beauv. ex Roem. & Schult.) 2
- 900 M. MACOWANII (STAFF) CONERT
(=Danthonia macowanii Stapf) 1
- 1000 M. PAPPOSA (NEES) CONERT
(=Danthonia papposa Nees) 1
- 1100 M. RANGEI (PILG.) CONERT
(=Danthonia rangei Pilg.) 1
- 1200 M. RUFA (NEES) CONERT
(=Danthonia lanata (Schrad.) Schrad. var. *lanata*) 2
(=Danthonia lanata (Schrad.) Schrad. var. *maior* Nees) 2
(=Danthonia macrocephala Stapf) 2
- 1300 M. STEREOPHYLLA (J.G. ANDERS.) CONERT
(=Danthonia stereophylla J.G. Anders.) 1
- 1400 M. STRICTA (SCHRAD.) CONERT
(=Danthonia stricta Schrad.) 1

9902044 -KARROOCHLOA CONERT & TURPE

1. CONERT & TURPE. 1969. SENCKENB. BIOL. 50: 333.
- 100 K. CURVA (NEES) CONERT & TURPE
(=Danthonia curva Nees) 1
- 200 K. PURPUREA (L. F.) CONERT & TURPE
(=Danthonia purpurea (Thunb.) Beauv. ex Roem. & Schult.) 1
- 300 K. SCHISMOIDES (STAFF EX CONERT) CONERT & TURPE
- 400 K. TENELLA (NEES) CONERT & TURPE
(=Danthonia tenella Nees) 1

9902045 -DREGEOCHLOA CONERT

1. CONERT. 1966. SENCKENB. BIOL. 47: 338.
- 100 D. CALVINIENSIS CONERT
- 200 D. PUMILA (NEES) CONERT
(=Danthonia pumila Nees) 1

9902050 -PENTASCHISTIS STAFF

1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON. 1969. KEW BULL. 23: 294.
- 100 P. ACINOSA STAFF
- 200 P. AIROIDES (NEES) STAFF
- 300 P. AMPLA (NEES) MCCLEAN
- 400 P. ANGULATA (NEES) ADAMSON
- 500 P. ANGUSTIFOLIA (NEES) STAFF VAR. *ALBESCENS* STAFF
- 600 P. ANGUSTIFOLIA (NEES) STAFF VAR. *ANGUSTIFOLIA*
- 700 P. ANGUSTIFOLIA (NEES) STAFF VAR. *CIRRHULOSA* (NEES) STAFF
- 800 P. ANGUSTIFOLIA (NEES) STAFF VAR. *MICRATHERA* (NEES) STAFF
- 900 P. ARISTIDOIDES (THUNB.) STAFF
- 1000 P. ARISTIFOLIA SCHWEICK.
- 1100 P. ASPERA (THUNB.) STAFF
- 1200 P. AUREA (STEUD.) MCCLEAN
- 1300 P. BACHMANNII MCCLEAN
- 1400 P. BASUTORUM STAFF
- 1500 P. BRACHYATHERA STAFF
- 1600 P. CAPENSIS (NEES) STAFF
- 1700 P. CAPILLARIS (THUNB.) MCCLEAN
- 1800 P. COLORATA (STEUD.) STAFF VAR. *COLORATA*
- 1900 P. COLORATA (STEUD.) STAFF VAR. *POLYTRICHA* STAFF
- 2000 P. CURVIFOLIA (SCHRAD.) STAFF
- 2100 P. DENSIFOLIA (NEES) STAFF VAR. *DENSIFOLIA*
- 2200 P. DENSIFOLIA (NEES) STAFF VAR. *INTRICATA* STAFF
- 2250 P. ECKLONII (NEES) MCCLEAN
- 2300 P. ELEGANS (NEES) STAFF
- 2400 P. ERIOSTOMA (NEES) STAFF
- 2500 P. EUADENIA STAFF
- 2600 P. FIBROSA STAFF
- 2700 P. FILIFORMIS (NEES) STAFF
- 2800 P. GALPINII (STAFF) MCCLEAN
- 2900 P. HEPTAMERA (NEES) STAFF
- 3000 P. IMPERFECTA STAFF
- 3100 P. INVOLUTA (STEUD.) ADAMSON

3200 P. JUGDRUM STAFF
3300 P. JUNCIFOLIA STAFF
3400 P. LONGIPES STAFF
3500 P. MALOUINENSIS (STEUD.) CLAYTON
(P. steudellii (Nees) McClean) 2
3600 P. MICROPHYLLA (NEES) MCCLEAN
3700 P. NATALENSIS STAFF
3800 P. NUTANS (NEES) STAFF
3900 P. OREODOXA SCHWEICK.
4000 P. PALLESCENS (SCHRAD.) STAFF
4100 P. PATULA (NEES) STAFF VAR. ACUTA STAFF
4200 P. PATULA (NEES) STAFF VAR. GLABRATA STAFF
4300 P. PATULA (NEES) STAFF VAR. PATULA
4400 P. PATULIFLORA RENDLE
4500 P. PILOSOLUMA MCCLEAN
4600 P. RIGIDISSIMA PILG.
4700 P. RUPESTRIS (NEES) STAFF
4800 P. SETIFOLIA (THUNB.) MCCLEAN
4900 P. SILVATICA ADAMSON
P. steudellii (Nees) McClean) = P. MALOUINENSIS
5100 P. SUBULIFOLIA STAFF
5200 P. THUNBERGII (KUNTH) STAFF VAR. BREVIFOLIA STAFF
5300 P. THUNBERGII (KUNTH) STAFF VAR. BULBOTHRIX STAFF
5400 P. THUNBERGII (KUNTH) STAFF VAR. EBARBATA STAFF
5500 P. THUNBERGII (KUNTH) STAFF VAR. THUNBERGII
5600 P. TOMENTELLA STAFF
5700 P. TORTUOSA (TRIN.) STAFF
5800 P. TRISETA (THUNB.) STAFF
5900 P. TYSONII STAFF
6000 P. VISCIDULA (NEES) STAFF

9902060 -CHAETOBROMUS NEES
1. CHIPPINDALL. 1955. GR. & PAST.
100 C. DREGANUS NEES
200 C. INVOLUCRATUS (SCHRAD.) NEES
300 C. SCHLECHTERI PILG.
400 C. SCHRADERI STAFF

9902080 -PENTAMERIS BEAUV.
1. CHIPPINDALL. 1955. GR. & PAST.
100 P. DREGANA STAFF
200 P. LONGIGLUMIS (NEES) STAFF
300 P. MACROCALYCINA (STEUD.) SCHWEICK.
400 P. OBTUSIFOLIA (HOCHST.) SCHWEICK.
500 P. THUARII BEAUV.

9902081 -PSEUDOPENTAMERIS CONERT
1. CONERT. 1971. MITT. BOT. STSAMML., MUNCH. 10: 304
100 P. BRACHYPHYLLA (STAFF) CONERT
(=Danthonia brachyphylla Staff) 1
200 P. MACRANTHA (SCHRAD.) CONERT
(=Danthonia macrantha Schrad.) 1

9902110 -CORTADERIA STAFF Revision: E.R. Robinson (J).
1. CHIPPINDALL. 1955. GR. & PAST.
100 C. SELLOANA (SCHULT.) ASCHERS. & GRAEBN. *

9902130 -ARUNDO L.
1. CHIPPINDALL. 1955. GR. & PAST.
100 A. DONAX L. *

9902140 -PHRAGMITES TRIN.
1. CLAYTON. 1970. FTEA.
100 P. AUSTRALIS (CAV.) STEUD.
(=P. communis Trin.) 1
P. communis Trin. = P. AUSTRALIS
200 P. MAURITIANUS KUNTH

9902430 -AGROSTIS L.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON. 1970. FTEA.
3. SMOOK & STIRTON. 1979. BOTHALIA 12: 637.
50 A. AVENACEA GMEL. *
100 A. BARBULIGERA STAFF VAR. BARBULIGERA
200 A. BARBULIGERA STAFF VAR. LONGIPILOSA GOOSSENS & PAPENDORF
300 A. BERGIANA TRIN. VAR. BERGIANA
400 A. BERGIANA TRIN. VAR. LAEVIUSCULA STAFF
450 A. CONTINUATA STAFF
(=A. natalensis Staff) 2
500 A. ERIANTHA HACK. VAR. ERIANTHA
600 A. ERIANTHA HACK. VAR. PLANIFOLIA GOOSSENS & PAPENDORF
650 A. GIGANTEA ROTH
700 A. GRIQUENSIS STAFF
A. huttoniae (Hack.) C.E. Hubb. = A. LACHNANTHA VAR. LACHNANTHA
900 A. LACHNANTHA NEES VAR. LACHNANTHA
(=A. huttoniae (Hack.) C.E. Hubb.) 2
1000 A. LACHNANTHA NEES VAR. GLABRA GOOSSENS & PAPENDORF
1050 A. MONTEVIDENSIS SPRENG. EX NEES *
A. natalensis Staff = A. CONTINUATA
1200 A. POLYPOGONOIDES STAFF
1300 A. SCHLECHTERI RENDLE
A. semiverticillata (Forssk.) C. Christ = POLYPOGON VIRIDIS
1400 A. SUBULIFOLIA STAFF

9902440 -POLYPOGON DESF.
1. CHIPPINDALL. 1955. GR. & PAST.
2. LAUNERT. 1970. FSWA.
3. TUTIN. 1980. FL. EUROP. 5.
300 P. MINUTIFLORUS PILG.

- 400 P. MONSPELIENSIS (L.) DESF. *
P. semiverticillatus (Forssk.) Hyl. = P. VIRIDIS
- 600 P. STRICTUS NEES
- 700 P. VIRIDIS (GOUAN.) BREISTR.
(=Agrostis semiverticillata (Forssk.) C. Christ.) 4
(=P. semiverticillatus (Forssk.) Hyl.) 4
- 9902460 -CALAMAGROSTIS ADANS.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON. 1970. FTEA.
- 100 C. EPIGEIOS (L.) ROTH VAR. CAPENSIS STAFF
- 9902480 -GASTRIDIVM BEAUV.
1. CHIPPINDALL. 1955. GR. & PAST.
- 100 G. PHLEOIDES (NEES & MEYEN) C.E. HUBB. *
- 9902560 -AMMOPHILA HOST.
1. CHIPPINDALL. 1955. GR. & PAST.
- 100 A. ARENARIA (L.) LINK *
- 9902590 -Trisetaria Forssk. = LOPHOCHLOA
T. pumila (Desf.) Maire = LOPHOCHLOA PUMILA
- 9902610 -LAGURUS L.
1. CHIPPINDALL. 1955. GR. & PAST.
- 100 L. OVATUS L. *
- 9902600 -STIPAGROSTIS NEES
1. DE WINTER. 1965. BOTHALIA 8: 199.
2. KERS. 1971. SVENSK. BOT. TIDSKR. 65: 199.
- 100 S. AMABILIS (SCHWEICK.) DE WINTER
(=Aristida amabilis Schweick.) 1
- 200 S. ANOMALA DE WINTER
(=Stipa namaquensis Pilg., non Stipagrostis namaquensis (Nees) De Winter) 1
- 300 S. BREVIFOLIA (NEES) DE WINTER
(=Aristida brevifolia (Nees) Steud.) 1
- 400 S. CILIATA (DESF.) DE WINTER VAR. CAPENSIS (TRIN. & RUPR.) DE WINTER
(=Aristida ciliata sensu Desf., non Steud & Hochst. ex Steud.) 1
(=Aristida ciliata Desf. var. capensis Trin. & Rupr.) 1
(=Aristida ciliata Desf. var. pectinata Henr.) 1
(=Aristida ciliata Desf. var. tricholaena Hack.) 1
(=Aristida ciliata Desf. var. villosa Hack.) 1
- 500 S. DAMARENSIS (MEZ) DE WINTER
(=Aristida damarensis Mez) 1
- 600 S. DINTERI (HACK.) DE WINTER
(=Aristida dinteri Hack.) 1
- 700 S. DREGEANA NEES
(=Aristida dregeana (Nees) Trin. & Rupr.) 1
- 800 S. FASTIGIATA (HACK.) DE WINTER
(=D. littoralis sensu Stent, non Salisb.) 2
(=Aristida fastigiata Hack.) 1
- 900 S. GARUBENSIS (PILG.) DE WINTER
(=Aristida garubensis Pilg.) 1
- 1000 S. GEMINIFOLIA NEES
(=Aristida geminifolia (Nees) Trin. & Rupr.) 1
- 1100 S. GIESSII KERS
- 1200 S. GONATOSTACHYS (PILG.) DE WINTER
(=Aristida gonatostachys Pilg.) 1
- 1300 S. HERMANNII (MEZ.) DE WINTER
(=Aristida hermannii Mez) 1
- 1400 S. HIRTIGLUMA (TRIN. & RUPR.) DE WINTER SUBSP. HIRTIGLUMA
(=Aristida hirtigluma Steud. ex Trin. & Rupr.) 1
- 1500 S. HIRTIGLUMA (TRIN. & RUPR.) DE WINTER SUBSP. PATULA (HACK.) DE WINTER
(=Aristida gracilior Pilg. var. gracilior) 1
- 1600 S. HIRTIGLUMA (TRIN. & RUPR.) DE WINTER SUBSP. PEARSONII (HENR.) DE WINTER
(=Aristida gracilior Pilg. var. pearsonii Henr.) 1
- 1700 S. HOCHSTETTERANA (BOECK. EX HACK.) DE WINTER VAR. HOCHSTETTERANA
(=Aristida hochstetterana Boeck. ex Hack.) 1
- 1800 S. HOCHSTETTERANA (BOECK. EX HACK.) DE WINTER VAR. SECALINA (HENR.) DE WINTER
(=Aristida secalina Henr.) 1
- 1900 S. LANIPES (MEZ) DE WINTER
(=Aristida lanipes Mez) 1
- 2000 S. LUTESCENS (NEES) DE WINTER VAR. LUTESCENS
(=Aristida lutescens (Nees) Trin. & Rupr.) 1
- 2100 S. LUTESCENS (NEES) DE WINTER VAR. MARLOTHII (HACK.) DE WINTER
(=Aristida marlothii Hack.) 1
- 2200 S. NAMAQUENSIS (NEES) DE WINTER
(=Aristida namaquensis (Nees) Trin. & Rupr.) 1
- 2300 S. NAMIBENSIS DE WINTER
- 2400 S. OBTUSA (DEL.) NEES
(=Aristida obtusa Del.) 1
- 2500 S. PROXIMA (STEUD.) DE WINTER
(=Aristida proxima Steud.) 1
- 2600 S. RAMULOSA DE WINTER
- 2700 S. SABULICOLA (PILG.) DE WINTER
(=Aristida sabulicola Pilg.) 1
- 2800 S. SCHAEFERI (MEZ.) DE WINTER
(=Aristida schaeferi Mez var. biseriata Henr.) 1
(=Aristida schaeferi Mez var. schaeferi) 1
- 2900 S. SUBACALIS (NEES) DE WINTER
(=Aristida subacaulis Nees ex Steud.) 1
- 3000 S. UNPLUMIS (LICHT.) DE WINTER VAR. INTERMEDIA (SCHWEICK.) DE WINTER
(=Aristida gracilior Pilg. var. intermedia Schweick.) 1
- 3100 S. UNPLUMIS (LICHT.) DE WINTER VAR. NEESII (TRIN. & RUPR.) DE WINTER
(=Aristida uniplumis Licht. var. neesii Trin. & Rupr.) 1
- 3200 S. UNPLUMIS (LICHT.) DE WINTER VAR. UNIPLUMIS
(=Aristida uniplumis Licht. var. pearsonii Henr.) 1
(=Aristida uniplumis Licht. var. uniplumis) 1

- 3300 S. ZEYHERI (NEES) DE WINTER SUBSP. BARBATA (STAPP) DE WINTER
(=Aristida capensis Thunb. var. barbata Stapf) 1
- 3400 S. ZEYHERI (NEES) DE WINTER SUBSP. MACROPUS (NEES) DE WINTER
(=Aristida capensis Thunb. var. genuina Henr.) 1
(=Aristida capensis Thunb. var. macropus (Nees) Trin. & Rupr.) 1
(=Aristida capensis) Thunb., non Stipagrostis capensis) 1
- 3500 S. ZEYHERI (NEES) DE WINTER SUBSP. SERICANS (HACK.) DE WINTER
(=Aristida capensis Thunb. var. dieterleniana Schweick.) 1
(=Aristida sericans Hack. apud Schinz.) 1
- 3600 S. ZEYHERI (NEES) DE WINTER SUBSP. ZEYHERI
(=Aristida capensis Thunb. var. canescens Trin. & Rupr.) 1
- 9902620 -ARISTIDA L.
1. DE WINTER. 1965. BOTHALIA 8: 199.
2. MELDERIS. 1971. FZ.
3. GIESS. 1971. BOTHALIA 10: 365.
- 50 A. ADSCENSIONIS L. SUBSP. ADSCENSIONIS
(=A. curvata (Nees) Dur. & Schinz.) 1
(=A. submucronata Schumach.) 1
- 100 A. ADSCENSIONIS L. SUBSP. GUINEENSIS (TRIN. & RUPR.) HENR.
- 200 A. AEGUIGLUMIS HACK.
A. alopecuroides Hack. = ARISTIDA CONGESTA SUBSP. CONGESTA
A. amabilis = STIPAGROSTIS AMABILIS
A. andoniensis Henr. = A. RHINIOCHLOA
A. angolensis C.E. Hubb. = SARTIDIA ANGOLENSIS
A. argentea Schweick. = A. MOLLISSIMA SUBSP. ARGENTEA
A. barbicollis Trin. & Rupr. = A. CONGESTA SUBSP. BARBICOLLIS
- 400 A. BIPARTITA (NEES) TRIN. & RUPR.
A. brevifolia (Nees) Steud. = STIPAGROSTIS BREVIFOLIA
- 500 A. CANESCENS HENR. SUBSP. CANESCENS
- 550 A. CANESCENS HENR. SUBSP. RAMOSA DE WINTER
A. capensis Thunb. var. barbata Stapf = STIPAGROSTIS ZEYHERI SUBSP. BARBATA
A. capensis Thunb. var. canescens Trin. & Rupr. = STIPAGROSTIS ZEYHERI SUBSP. ZEYHERI
A. capensis Thunb. var. dieterleniana Schweick. = STIPAGROSTIS ZEYHERI SUBSP. SERICANS
A. capensis Thunb. var. genuina Henr. = STIPAGROSTIS ZEYHERI SUBSP. MACROPUS
A. capensis Thunb. var. macropus (Nees) Trin. & Rupr. = STIPAGROSTIS ZEYHERI SUBSP. MACROPUS
A. capensis Thunb., non Stipagrostis capensis = STIPAGROSTIS ZEYHERI SUBSP. MACROPUS
A. ciliata Desf. var. capensis Trin. & Rupr. = STIPAGROSTIS CILIATA VAR. CAPENSIS
A. ciliata Desf. var. pectinata Henr. = STIPAGROSTIS CILIATA VAR. CAPENSIS
A. ciliata Desf. var. tricholaena Hack. = STIPAGROSTIS CILIATA VAR. CAPENSIS
A. ciliata Desf. var. villosa Hack. = STIPAGROSTIS CILIATA VAR. CAPENSIS
A. ciliata sensu Desf., non Steud. & Hochst. ex Steud. = STIPAGROSTIS CILIATA VAR. CAPENSIS
- 800 A. CONGESTA RDEM. & SCHULT. SUBSP. BARBICOLLIS (TRIN. & RUPR.) DE WINTER
(=A. barbicollis Trin. & Rupr.) 1
- 850 A. CONGESTA RDEM. & SCHULT. SUBSP. CONGESTA
(=A. alopecuroides Hack.) 1
(=A. longicauda Hack. & Henriques) 1
A. curvata (Nees) Dur. & Schinz. = A. ADSCENSIONIS SUBSP. ADSCENSIONIS
A. damarensis Mez = STIPAGROSTIS DAMARENSIS
- 1000 A. DASYDESMIS (PILG.) MEZ
- 1100 A. DEWINTERI GIESS
- 1200 A. DIFFUSA TRIN. SUBSP. BURKEI (STAPP) MELD.
(=A. diffusa Trin. var. burkei (Stapp) Schweick.) 2
- 1300 A. DIFFUSA TRIN. SUBSP. DIFFUSA
(=A. diffusa Trin. var. genuina Henr.) 1
(=A. diffusa Trin. var. pseudo-hystrix (Trin. & Rupr.) Henr.) 1
A. diffusa Trin. var. burkei (Stapp) Schweick. = A. DIFFUSA SUBSP. BURKEI
A. diffusa Trin. var. genuina Henr. = A. DIFFUSA SUBSP. DIFFUSA
A. diffusa Trin. var. pseudo-hystrix (Trin. & Rupr.) Henr. = A. DIFFUSA SUBSP. DIFFUSA
A. dinteri Hack. = STIPAGROSTIS DINTERI
A. dregeana (Nees) Trin. & Rupr. = STIPAGROSTIS DREGEANA
- 1400 A. EFFUSA HENR.
- 1500 A. ENGLERI MEZ VAR. ENGLERI
- 1600 A. ENGLERI MEZ VAR. RAMOSISSIMA DE WINTER
A. fastigiata Hack. = STIPAGROSTIS FASTIGIATA
A. fontismagni Schweick. = A. STIPOIDES
A. galpinii Stapf = A. JUNCIFORMIS SUBSP. GALPINII
A. garubensis Pilg. = STIPAGROSTIS GARUBENSIS
A. geminifolia (Nees) Trin. & Rupr. = STIPAGROSTIS GEMINIFOLIA
A. gonatostachys Pilg. = STIPAGROSTIS GONATOSTACHYS
A. graciliflora Pilg. = A. STIPITATA SUBSP. GRACILIFLORA
A. gracilior Pilg. var. gracilior = STIPAGROSTIS HIRTIGLUMA SUBSP. PATULA
A. gracilior Pilg. var. intermedia Schweick. = STIPAGROSTIS UNIPLUMIS VAR. INTERMEDIA
A. gracilior Pilg. var. pearsonii Henr. = STIPAGROSTIS HIRTIGLUMA SUBSP. PEARSONII
A. hermannii Mez = STIPAGROSTIS HERMANNII
A. hirtigluma Steud. ex Trin. & Rupr. = STIPAGROSTIS HIRTIGLUMA SUBSP. HIRTIGLUMA
A. hochstetterana Boeck. ex Hack. = STIPAGROSTIS HOCHSTETTERANA VAR. HOCHSTETTERANA
- 1700 A. HORDEACEA KUNTH
- 1800 A. HUBBARDIANA SCHWEICK.
A. jucunda Schweick. = SARTIDIA JUCUNDA
- 1900 A. JUNCIFORMIS TRIN. & RUPR. SUBSP. GALPINII (STAPP) DE WINTER
(=A. galpinii Stapf) 1
- 2000 A. JUNCIFORMIS TRIN. & RUPR. SUBSP. JUNCIFORMIS
A. lanipes Mez = STIPAGROSTIS LANIPES
A. longicauda Hack. & Henriques = A. CONGESTA SUBSP. CONGESTA
A. lutescens (Nees) Trin. & Rupr. = STIPAGROSTIS LUTESCENS VAR. LUTESCENS
A. marlothii Hack. = STIPAGROSTIS LUTESCENS VAR. MARLOTHII
- 2100 A. MERIDIONALIS HENR.
- 2150 A. MOLLISSIMA PILG. SUBSP. ARGENTEA (SCHWEICK.) MELD.
(=A. argentea Schweick.) 1
- 2200 A. MOLLISSIMA PILG. SUBSP. MOLLISSIMA
- 2300 A. MONTICOLA HENR.
A. namaquensis (Nees) Trin. & Rupr. = STIPAGROSTIS NAMAQUENSIS
A. obtusa Del. = STIPAGROSTIS OBTUSA
- 2400 A. PARVULA (NEES) DE WINTER
(Stipa parvula Nees) 1

- 2500 A. PILGERI HENR.
A. proxima Steud. = STIPAGROSTIS PROXIMA
- 2600 A. RECTA FRANCH.
- 2700 A. RHINIOCHLOA HOCHST.
(=A. andoniensis Henr.) 1
A. sabulicola Pilg. = STIPAGROSTIS SABULICOLA
- 2750 A. SCABRIVALVIS HACK. SUBSP. BORUMENSIS HENR.
- 2800 A. SCABRIVALVIS HACK. SUBSP. CONTRACTA MELD.
- 2900 A. SCABRIVALVIS HACK. SUBSP. SCABRIVALVIS
A. schaeferi Mez. var. biseriata Henr. = STIPAGROSTIS SCHAEFERI
A. schaeferi Mez. var. schaeferi = STIPAGROSTIS SCHAEFERI
A. schlechteri Henr. = A. ZEYHERI VAR. MACROPUS X A. CILIATA 1
- 3000 A. SCIURUS STAFF
A. secalina Henr. = STIPAGROSTIS HOCHSTETTERANA VAR. SECALINA
A. sericans Hack. apud Schinz. = STIPAGROSTIS ZEYHERI SUBSP. SERICANS
- 3100 A. SPECTABILIS HACK.
- 3200 A. STIPITATA HACK. SUBSP. STIPITATA
- 3300 A. STIPITATA HACK. SUBSP. GRACILIFLORA (PILG.) MELD.
(=A. graciliflora Pilg.) 1
(=A. stipitata Hack. var. graciliflora (Pilg.) De Winter) 2
- 3400 A. STIPITATA HACK. SUBSP. ROBUSTA (STENT & RATTRAY) MELD.
- 3500 A. STIPITATA HACK. SUBSP. SPICATA (DE WINTER) MELD.
- A. stipitata Hack. var. graciliflora (Pilg.) De Winter = ARISTIDA STIPITATA SUBSP. GRACILIFLORA
- 3600 A. STIPOIDES LAM.
(=A. fontismagni Schweick.) 1
A. subacaulis Nees ex Steud. = STIPAGROSTIS SUBACALIS
A. submucronata Schumach. = A. ADSCENSIONIS SUBSP. ADSCENSIONIS
- 3700 A. TRANSVAALENSIS HENR.
A. uniplumis Licht. var. neesii Trin. & Rupr. = STIPAGROSTIS UNIPLUMIS VAR. NEESII
A. uniplumis Licht. var. pearsonii Henr. = STIPAGROSTIS UNIPLUMIS VAR. UNIPLUMIS
A. uniplumis Licht. var. uniplumis = STIPAGROSTIS UNIPLUMIS VAR. UNIPLUMIS
- 3800 A. VESTITA THUNB.
- 3900 A. WILDII MELD.
- 9902622 -SARTIDIA DE WINTER
1. DE WINTER. 1965. BOTHALIA 8: 381.
- 100 S. ANGOLENSIS (C.E. HUBB.) DE WINTER
(=Aristida angolensis C.E. Hubb.) 1
- 200 S. JUCUNDA (SCHWEICK.) DE WINTER
(=Aristida jucunda Schweick.) 1
- 9902630 -STIPA L.
1. DE WINTER. 1965. BOTHALIA 8: 242.
2. CARD. 1966. KURTZIANA 3: 79.
3. CLAYTON. 1970. FTEA.
- 100 S. CAPENSIS THUNB.
(=S. tortilis Desf.) 1
- 150 S. CLANDESTINA HACK. *
- 200 S. DREGEANA STEUD. VAR. DREGEANA
- 300 S. DREGEANA STEUD. VAR. ELONGATA (NEES) STAFF
- S. namaquensis Pilg. = STIPAGROSTIS ANOMALA
- 400 S. NEESIANA TRIN. & RUPR. *
- 450 S. PAPPOSA NEES *
- S. parvula Nees = ARISTIDA PARVULA
- 500 S. TENUISSIMA TRIN. *
- S. tortilis Desf. = STIPA CAPENSIS
- 600 S. TRICHOTOMA NEES *
(=Nasella trichotoma (Nees) Hack. ex Arech.) 2
- 9902631 -Nasella E. Desv. = STIPA
N. trichotoma (Nees) Hack. ex Arech.) = STIPA TRICHOTOMA
- 9902740 -TRAGUS HALLER
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON ET AL. 1974. FTEA.
- 100 T. BERTERONIANUS SCHULT.
- 200 T. KOELEROIDES ASCHERS.
- 300 T. PEDUNCULATUS PILG.
- 400 T. RACEMOSUS (L.) ALL.
- 9902741 -MOSDENIA STENT
1. CLAYTON. 1971. KEW BULL. 25: 250.
- 100 M. LEPTOSTACHYS (FICAL. & HIERN) CLAYTON
(=M. phleoides (Hack.) Stent) 1
M. phleoides (Hack.) Stent = M. LEPTOSTACHYS
- 9902750 -MONELYTRUM HACK.
1. LAUNERT. 1970. FSWA.
- M. annuum Goossens = M. LUEDERITZIANUM HACK.
- 200 M. LUEDERITZIANUM HACK.
(=M. annuum Goossens) 1
- 9902800 -PEROTIS AITON
1. CLAYTON. 1971. KEW BULL. 25: 250.
2. CLAYTON ET AL. 1974. FTEA.
- 100 P. LEPTOPUS PILG.
- 200 P. PATENS GAND.
- 300 P. VAGINATA HACK.
- 9902830 -SPOROBOLUS R. BR.
1. CHIPPINDALL. 1955. GR. & PAST.
2. CLAYTON ET AL. 1974. FTEA.
3. DE WINTER & VORSTER. 1974. BOTHALIA 11: 295.
- 100 S. ACINIFOLIUS STAFF
- 200 S. AFRICANUS (POIR.) ROBYNS & TOURNAY
(=S. capensis (Willd.) Kunth) 2
- 300 S. ALBICANS NEES
S. argutus (Nees) Kunth = S. CORDMANDELIANUS
S. artus Stent = S. MAURITIANUS
S. baumianus Pilg. = S. WELWITSCHII

- 500 S. BECHUANICUS GOOSSENS
S. capensis (Willd.) Kunth = S. AFRICANUS
600 S. CENTRIFUGUS (TRIN.) NEES
(=S. schlechteri Schweick.) 2
650 S. CONGOENSIS FRANCH.
(=S. eylesii Stent & Ratray) 2
700 S. CONRATHII CHIOV.
800 S. CONSIMILIS FRESEN.
(=S. robustus sensu Chippind., non Kunth) 2
850 S. CORDOFANUS (STEUD.) COSS.
900 S. COROMANDELIANUS (RETZ.) KUNTH
(=S. argutus (Nees) Kunth) 2
(=S. pyramidatus sensu Chippind., non (Lam.) Hitchc.) 2
1000 S. DISCOSPORUS NEES
1100 S. ENGLERI PILG.
S. eylesii Stent & Ratray = S. CONGOENSIS
1300 S. FESTIVUS A. RICH.
(=S. festivus A. Rich. var. fibrosus Stent) 2
S. festivus A. Rich. var. fibrosus Stent = S. FESTIVUS
1400 S. FIMBRIATUS (TRIN.) NEES VAR. FIMBRIATUS
1500 S. FIMBRIATUS (TRIN.) NEES VAR. LATIFOLIUS STENT
1600 S. FOURCADII STENT
1700 S. IOCLADOS (TRIN.) NEES
(=S. ioclados (Trin.) Nees var. usitatus (Stent) Chippind.) 2
(=S. marginatus Hochst. ex A. Rich.) 2
(=S. usitatus Stent) 2
S. ioclados (Trin.) Nees. var. usitatus (Stent) Chippind. = S. IOCLADOS
1800 S. KENTROPHYLLUS (K. SCHUM) CLAYTON
S. lampranthus Pilg. = S. NERVOSUS
2000 S. LUDWIGII HOCHST.
2050 S. MACRANTHELIUS CHIOV.
S. macrothrix Pilg. = S. WELWITSCHII
S. marginatus Hochst. ex A. Rich. = S. IOCLADOS
2150 S. MAURITIANUS (STEUD.) DUR. & SCHINZ
(=S. artus Stent) 2
2160 S. MOLLERI HACK.
2170 S. NATALENSIS (STEUD.) DUR. & SCHINZ
2200 S. NEBULOSUS HACK.
2250 S. NERVOSUS HOCHST.
(=S. lampranthus Pilg.) 2
(=S. sladenianus Bol. f.) 2
2300 S. NITENS STENT
2400 S. PANICOIDES A. RICH.
2500 S. PECTINATUS HACK.
2700 S. PYRIMIDALIS BEAUV.
S. pyramidatus sensu Chippind., non (Lam.) Hitchc. = S. COROMANDELIANUS
2800 S. RANGEI PILG.
S. rhodesiensis Stent & Ratray = S. SANGUINEUS
S. robustus auctt., non Kunth = S. CONSIMILIS
2900 S. SALSUS MEZ
3000 S. SANGUINEUS RENDLE
(=S. rhodesiensis Stent & Ratray) 2
S. schlechteri Schweick. = S. CENTRIFUGUS
S. sladenianus Bol. f. = S. NERVOSUS
3100 S. SMUTSII STENT
3200 S. SPICATUS (VAHL) KUNTH
3300 S. STAFFIANUS GAND.
3350 S. STOLZII MEZ
3400 S. SUBTILIS KUNTH
3500 S. TENELLUS (SPRENG.) KUNTH
3550 S. UNIGLUMIS STENT & RATRAY
S. usitatus Stent = S. IOCLADOS
3600 S. VIRGINICUS (L.) KUNTH
3700 S. WELWITSCHII RENDLE
(=S. macrothrix Pilg.) 2
(=S. baumianus Pilg.) 3
- 9902852 -DIANDROCHLOA DE WINTER
1. DE WINTER. 1960. BOTHALIA 7: 387.
100 D. NAMAQUENSIS (NEES) DE WINTER
(=Eragrostis namaquensis Nees ex Schrad.) 1
200 D. PUSILLA (HACK.) DE WINTER
(=Eragrostis pusilla Hack.) 1
- 9902860 -ERAGROSTIS BEAUV.
1. DE WINTER IN CHIPPINDALL. 1955. GR. & PAST.
2. DE WINTER. 1960. BOTHALIA 7: 387.
3. DE WINTER. 1961. BOTHALIA 7: 467.
4. DE WINTER. 1961. KIRKIA 1: 100.
5. DE WINTER. 1966. BOTHALIA 9: 137.
6. DE WINTER. 1969. BOTHALIA 10: 72.
7. LAUNERT. 1970. FSWA.
8. GORDON-GRAY. 1972. FL. NATAL.
9. CLAYTON ET AL. 1974. FTEA.
10. PHILLIPS. 1982. KEW BULL. 37: 133.
E. abyssinica (Jacq.) Link = E. TEF
100 E. ACRAEA DE WINTER
200 E. AETHIOPICA CHIOV.
300 E. ANNULATA RENDLE EX S. ELLIOT
400 E. ARENICOLA C.E. HUBB.
500 E. ARISTATA DE WINTER
600 E. ASPERA (JACQ.) NEES
E. atherstonei Stapf = E. TRICHOPHORA
E. atrovirens auctt. non (Desf.) Trin. ex Steud. = E. INAMOGENA
800 E. BARBINODIS HACK.
900 E. BARRELIERI DAV. *
1000 E. BERGIANA (KUNTH) TRIN.
1100 E. BICOLOR NEES
1200 E. BIFLORA HACK. EX SCHINZ

1300 E. BRIZANTHA NEES
1400 E. CAESIA STAFF
1500 E. CAPENSIS (THUNB.) TRIN.
E. chalcantha Trin. = E. RACEMOSA
1600 E. CHAPELIERI (KUNTH) NEES
1700 E. CHLOROMELAS STEUD.
1800 E. CILIANENSIS (ALL.) F.T. HUBB.
1900 E. CILIARIS (L.) R. BR.
2000 E. CIMICINA LAUNERT
2100 E. CONGESTA OLIV.
2200 E. CRASSINERVIS HACK.
2300 E. CURVULA (SCHRAD.) NEES
(=E. robusta Stent) 8
2400 E. CYLINDRIFLORA HOCHST.
(=E. horizontalis Peter) 9
E. cyperoides (Thunb.) Beauv. = CLADORAPHIS CYPEROIDES
E. denudata Hack. ex Schinz = E. NINDENSIS
2600 E. DESOLATA LAUNERT
2700 E. DINTERI STAFF
2800 E. ECHINCHLOIDEA STAFF
2900 E. ELATIOR STAFF
3000 E. GANGETICA (ROXB.) STEUD.
3100 E. GLANDULOSIPEDATA DE WINTER
3200 E. GUMMIFLUA NEES
3300 E. HABRANTHA RENDLE
E. hennardii Jansen = E. TRICHOPHORA
3400 E. HETEROMERA STAFF
3450 E. HIERNIANA RENDLE
(=E. uniglumis Hack.) 9
3500 E. HOMOMALLA NEES
(=E. hygrophila C.E. Hubb. & Schweick.) 1
E. horizontalis Peter = E. CYLINDRIFLORA
E. hygrophila C.E. Hubb. & Schweick. = E. HOMOMALLA
3550 E. INAMDENA K. SCHUM.
(=E. atrovirens auctt., non Trin. ex Steud.)
3570 E. JEFFREYSII HACK.
3600 E. KINGESII DE WINTER
3700 E. LAEVISSIMA HACK.
3800 E. LAMPROSPICULA DE WINTER
3900 E. LAPPULA NEES VAR. DIVARICATA STAFF
4000 E. LAPPULA NEES VAR. LAPPULA
4100 E. LEERSIIFORMIS LAUNERT
4200 E. LEHMANNIANA NEES VAR. CHAUNANTHA (PILG.) DE WINTER
4300 E. LEHMANNIANA NEES VAR. LEHMANNIANA
4400 E. MACROCHLAMYS PILG. VAR. MACROCHLAMYS
4500 E. MACROCHLAMYS PILG. VAR. WILMANIAE (C.E. HUBB. & SCHWEICK.) DE WINTER
E. margaritacea Stapf = E. ROTIFER
4600 E. MEMBRANACEA HACK. EX SCHINZ
4700 E. MICRANTHA HACK.
4750 E. MINOR HOST *
(=E. poaeoides Beauv. ex Roem. & Schult.) 1
4800 E. MOGGII DE WINTER VAR. CONTRACTA DE WINTER
4900 E. MOGGII DE WINTER VAR. MOGGII
E. namaquensis Nees ex Schrad. = DIANDROCHLOA NAMAQUENSIS
E. nebulosa Stapf = E. PLANICULMIS
5000 E. NINDENSIS FICAL. & HIERN
(=E. denudata Hack. ex Schinz) 1
5100 E. OBTUSA MUNRO EX FICAL. & HIERN
5200 E. OMAHEKENSIS DE WINTER
5300 E. PALLENS HACK.
5400 E. PATENS OLIV.
5500 E. PATENTISSIMA HACK.
5600 E. PILGERANA DINTER EX PILG.
5700 E. PILOSA (L.) BEAUV. *
5800 E. PLANA NEES
5900 E. PLANICULMIS NEES
(=E. nebulosa Stapf) 1
E. poaeoides Beauv. ex Roem. & Schult. = E. MINOR
6200 E. POROSA NEES
6300 E. PROCUMBENS NEES
6400 E. X PSEUD-OBTUSA DE WINTER
6500 E. PSEUDOSCLERANTHA CHIOV.
E. pusilla Hack. = DIANDROCHLOA PUSILLA
6600 E. PYGMAEA DE WINTER
6700 E. RACEMOSA (THUNB.) STEUD.
(=E. chalcantha Trin.) 1
6800 E. REMOTIFLORA DE WINTER
6900 E. RIGIDIOR PILG.
E. robusta Stent = E. CURVULA
7000 E. ROGERSII C.E. HUBB.
7100 E. ROTIFER RENDLE
(=E. margaritacea Stapf) 1
7200 E. SABINAE LAUNERT
7300 E. SABULOSA (STEUD.) SCHWEICK.
7400 E. SARMENTOSA (THUNB.) TRIN.
7500 E. SCLERANTHA NEES SUBSP. SCLERANTHA
7600 E. SCLERANTHA NEES SUBSP. VILLOSIPES (JEDW.) LAUNERT
(=E. sclerantha Nees var. villosipes (Jedw.) De Winter) 7
E. sclerantha Nees var. villosipes (Jedw.) De Winter = E. SCLERANTHA SUBSP. VILLOSIPES
7700 E. SCOPELOPHILA PILG.
E. spinosa (L. f.) Trin. = CLADORAPHIS SPINOSA
7900 E. STAPFII DE WINTER
8000 E. STENOXYRSA PILG.
8100 E. SUPERBA PEYR.
8200 E. TEF (ZUCC.) TROTTER *
(=E. abyssinica (Jacq.) Link) 9
8300 E. TENELLA (L.) ROEM. & SCHULT.
8400 E. TENUIFOLIA (A. RICH.) STEUD.

- 8500 E. TRICHOPIPHORA COSS. & DUR.
 (=E. atherstonei Stapf) 7
 (=E. henrardii Jansen) 7
- 8600 E. TRUNCATA HACK.
 E. uniglumis Hack. = E. HIERNIANA
- 8800 E. VIRESCENS PRESL *
- 8900 E. VISCOSA (RETZ.) TRIN.
- 9000 E. VOLKENSII PILG.
- 9100 E. WALTERI PILG.
- 9902861 -Heterocarpha Stapf & C.E. Hubb. = BRACHYCHLOA
 H. schiemaniana Schweick. = BRACHYCHLOA SCHIEMANNIANA
- 9902864 -BRACHYCHLOA S.M. PHILLIPS
 1. PHILLIPS. 1982. KEW BULL. 37: 133.
 100 B. FRAGILIS S.M. PHILLIPS
 200 B. SCHIEMANNIANA (SCHWEICK.) S.M. PHILLIPS
 (=Heterocarpha schiemaniana Schweick.) 1
- 9902865 -CLADORAPHIS FRANCH.
 1. PHILLIPS. 1982. KEW BULL. 37: 133.
 100 C. CYPEROIDES (THUNB.) S.M. PHILLIPS
 (=Eragrostis cyperoides (Thunb.) Beauv.) 1
 200 C. SPINDSA (L. F.) S.M. PHILLIPS
 (=Eragrostis spinosa (L. f.) Trin.) 1
- 9902930 -SPARTINA SCHREB.
 1. LAUNERT. 1970. FSWA.
 S. capensis Nees ex Trin. = S. MARITIMA
 200 S. MARITIMA (CURTIS) FERNALD
 (=S. capensis Nees ex Trin.) 1
- 9902940 -MICROCHLOA R. BR.
 1. CLAYTON ET AL. 1974. FTEA.
 100 M. CAFFRA NEES
 200 M. INDICA (L. F.) BEAUV.
 (=M. setacea R. Br.) 1
 300 M. KUNTHII DESV.
 M. setacea R. Br. = M. INDICA
- 9902941 -RENDLIA CHIOV.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON ET AL. 1974. FTEA.
 100 R. ALTERA (RENDLE) CHIOV.
 (=R. nelsonii (Stapf) Chiov.) 1
 R. nelsonii (Stapf) Chiov. = R. ALTERA
- 9902942 -CATALEPIS STAPF & STENT
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 C. GRACILIS STAPF & STENT
- 9902950 -SCHONEFELDIA KUNTH
 1. CLAYTON ET AL. 1974. FTEA.
 100 S. TRANSIENS (PILG.) CHIOV.
- 9902960 -CYNODON RICH. EX PERS.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON ET AL. 1974. FTEA.
 100 C. AETHIOPICUS CLAYTON & HARLAN *
 200 C. BRADLEYI STENT
 300 C. DACTYLON (L.) PERS.
 400 C. HIRSUTUS STENT
 500 C. INCOMPLETUS NEES
 550 C. NLEMFUENSIS VANDERYST *
 600 C. PLECTOSTACHYUS (K. SCHUM.) PILG. *
 650 C. POLEVANSII STENT
 700 C. TRANSVAALENSIS BURTT DAVY
- 9902970 -BRACHYACHNE (BENTH.) STAPF
 1. CLAYTON ET AL. 1974. FTEA.
 200 B. PATENTIFLORA (STENT & RATTRAY) C.E. HUBB.
- 9902980 -HARPOCHLOA KUNTH
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 H. FALX (L. F.) KUNTZE
- 9902990 -CTENIUM PANZ.
 1. CLAYTON ET AL. 1974. FTEA.
 100 C. CONCIINUM NEES
- 9903000 -ENTEROPOGON NEES
 1. CLAYTON ET AL. 1974. FTEA.
 2. CLAYTON. KEW BULL. 1982. 37: 419.
 100 E. MACROSTACHYUS (A. RICH.) BENTH.
 (=E. simplex (Schumach. & Thonn.) A. Chev.) 1
 200 E. MONOSTACHYUS (VAHL) K. SCHUM. SUBSP. AFRICANUS CLAYTON
 300 E. PRIEURII (KUNTH) CLAYTON
 (=Chloris prieurii Kunth) 2
 400 E. RUPESTRIS (J.A. SCHMIDT) A. CHEV.
 E. simplex (Schumach. & Thonn.) A. Chev. = E. MACROSTACHYUS
- 9903010 -CHLORIS SWARTZ
 1. CLAYTON ET AL. 1974. FTEA.
 2. RENVOIZE. 1977. KEW BULL. 31: 844.
 3. CLAYTON. 1982. KEW BULL. 37: 419.
 50 C. DILUTA RENV.
 100 C. FLABELLATA (HACK.) LAUNERT
 200 C. GAYANA KUNTH

- 250 C. MOSSAMBICENSIS K. SCHUM.
 (=Tetrapogon mossambicensis (K. Schum.) Chippind. ex B.S. Fisher) 1
 C. myriostachya Hochst. = C. ROXBURGHIANA
 C. prieurii Kunth = ENTEROPOGON PRIEURII
 350 C. PYCNOTHRIX TRIN.
 500 C. ROXBURGHIANA SCHULT.
 (=C. myriostachya Hochst.) 1
 550 C. TRUNCATA R. BR. *
 600 C. VIRGATA SWARTZ
- 9903020 -EUSTACHYS DESV.
 1. CLAYTON ET AL. 1974. FTEA.
 200 E. PASPALOIDES (VAHL) LANZA & MATTEI
 (=E. mutica auctt.) 1
 E. mutica auctt. = E. PASPALOIDES
- 9903090 -CRASPEDORHACHIS BENTH.
 1. LAUNERT. 1970. FSWA.
 2. CLAYTON ET AL. 1974. FTEA.
 100 C. RHODESIANA RENDLE
 200 C. SARMENTOSA (HACK.) PILG.
 (=Wilkomia annua Hack.) 2
 (=Wilkomia sarmentosa Hack.) 2
 C. uniflora (Hochst. ex A. Rich.) Chippind. = LEPTOCHLOA UNIFLORA
- 9903091 -Wilkomia Hack. = CRASPEDORHACHIS
 W. annua Hack. = CRASPEDORHACHIS SARMENTOSA
 W. sarmentosa Hack. = CRASPEDORHACHIS SARMENTOSA
- 9903101 -POLEVANSIA DE WINTER
 1. DE WINTER. 1966. BOTHALIA 9: 130.
 100 P. RIGIDA DE WINTER
- 9903180 -TRIPOGON ROTH EX ROEM. & SCHULT.
 1. CLAYTON. 1970. FTEA.
 1. CLAYTON ET AL. 1974. FTEA.
 T. abyssinicus sensu Chippind., non Nees = T. MINIMUS
 100 T. MINIMUS (A. RICH.) STEUD.
 (=T. abyssinicus sensu Chippind., non Nees) 1
- 9903200 -OROPETIUM TRIN.
 1. CLAYTON ET AL. 1974. FTEA.
 100 O. CAPENSE STAFF
- 9903220 -TETRAPOGON DESF.
 1. CLAYTON ET AL. 1974. FTEA.
 T. mossambicensis (K. Schum.) Chippind. ex B.S. Fisher = CHLORIS MOSSAMBICENSIS
 200 T. TENELLUS (ROXB.) CHIOV.
- 9903270 -TETRACHNE NEES
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 T. DREGEI NEES
- 9903280 -ENTOPLOCAMIA STAFF
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 E. ARISTULATA (HACK. & RENDLE) STAFF
- 9903300 -DINEBRA JACQ.
 1. CLAYTON ET AL. 1974. FTEA.
 100 D. RETROFLEXA (VAHL) PANZ. VAR. CONDENSATA S.M. PHILLIPS
- 9903310 -ELEUSINE GAERTN.
 1. PHILLIPS. 1971. KEW BULL. 27: 252.
 2. CLAYTON ET AL. 1974. FTEA.
 E. africana K.-O'Byrne = E. INDICA SUBSP. AFRICANA
 200 E. INDICA (L.) GAERTN. SUBSP. AFRICANA (K.-O'BYRNE) S.M. PHILLIPS
 (=E. africana K.-O'Byrne) 1
 300 E. INDICA (L.) GAERTN. SUBSP. INDICA
 400 E. MULTIFLORA A. RICH. *
 500 E. TRISTACHYA (LAM.) LAM. *
- 9903311 -ACRACHNE WIGHT & ARNOTT
 1. CHIPPINDALL. 1955. GR. & PAST.
 1. CLAYTON ET AL. 1974. FTEA.
 100 A. RACEMOSA (ROEM. & SCHULT.) OHWI
 (=A. verticillata (Roxb.) Chiov.) 2
 A. verticillata (Roxb.) Chiov. = A. RACEMOSA
- 9903320 -DACTYLOCTENIUM WILLD.
 1. CLAYTON ET AL. 1974. FTEA.
 100 D. AEGYPTIUM (L.) BEAUV.
 200 D. AUSTRALE STEUD.
 300 D. GEMINATUM HACK.
 400 D. GIGANTEUM FISCHER & SCHWEICK.
- 9903330 -LEPTOCHLOA BEAUV.
 1. CLAYTON ET AL. 1974. FTEA.
 2. PHILLIPS. 1982. KEW BULL. 37: 133.
 100 L. CHINENSIS (L.) NEES
 200 L. PANICEA (RETZ.) OHWI
 300 L. UNIFLORA A. RICH.
 (=Craspedorhachis uniflora (Hochst. ex A. Rich.) Chippind.) 1
- 9903331 -Cypholepis Chiov. = COELACHYRUM
 C. yemenica (Schweinf.) Chiov. = COELACHYRUM YEMENICUM

- 9903340 -POGONARTHRIA STAFF
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON ET AL. 1974. FTEA.
 100 P. FLECKII (HACK.) HACK.
 200 P. LEIARTHRA HACK.
 300 P. SQUARROSA (ROEM. & SCHULT.) PILG.
- 9903360 -COELACHYRUM
 1. PHILLIPS. 1982. KEW BULL. 37: 133.
 100 C. YEMENICUM (SCHWEINF.) S.M. PHILLIPS
 (=Cypholepis yemenica (Schweinf.) Chiov.) 1
- 9903430 -LEPTOCARYDION HOCHST. EX STAFF
 1. CLAYTON ET AL. 1974. FTEA.
 100 L. VULPIASTRUM (DE NOT.) STAFF
- 9903442 -BEWSIA GOOSSENS
 1. CLAYTON. 1970. FWA.
 2. CLAYTON ET AL. 1974. FTEA.
 100 B. BIFLORA (HACK.) GOOSSENS
 (=Diplachne biflora Hack. ex Schinz) 1
- 9903450 -DIPLACHNE BEAUV.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. LAUNERT. 1970. FSWA.
 3. LAUNERT. 1974. BOL. SOC. BROT. SER. 2. 47: 349.
 4. CLAYTON ET AL. 1974. FTEA.
 D. biflora Hack. ex Schinz = BEWSIA BIFLORA
 D. cinerea Hack. = ODYSSEA PAUCINERVIS
 200 D. CUSPIDATA LAUNERT
 300 D. ELEUSINE NEES
 400 D. FUSCA (L.) BEAUV. EX ROEM. & SCHULT.
 (=D. malabarica (L.) Merr. sensu Adamson) 4
 D. malabarica (L.) Merr. sensu Adamson = D. FUSCA
 500 D. GIGANTEA LAUNERT
- 9903451 -ODYSSEA STAFF
 1. CLAYTON ET AL. 1974. FTEA.
 100 O. PAUCINERVIS (NEES) STAFF
 (=Diplachne cinerea Hack.) 1
- 9903500 -TRIRAPHIS R. BR.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON. 1970. FTEA.
 3. LAUNERT. 1970. FSWA.
 100 T. ANDROPOGONOIDES (STEUD.) PHILL.
 T. elliotii Rendle = T. RAMOSISSIMA
 T. fleckii Hack. = T. PURPUREA
 400 T. PUMILIO R. BR.
 500 T. PURPUREA HACK.
 (=T. fleckii Hack.) 2
 T. schlechteri Pilg. ex Stent = T. SCHINZII
 600 T. RAMOSISSIMA HACK.
 (=T. elliotii Rendle) 2
 700 T. SCHINZII HACK.
 (=T. schlechteri Pilg. ex Stent) 2
- 9903504 -STYPPEIOCHLOA DE WINTER
 1. DE WINTER. 1966. BOTHALIA 9: 134.
 100 S. GYNOGLOSSA (GOOSSENS) DE WINTER
 (=Crinipes gynoglossa Goossens) 1
- 9903505 -Crinipes Hochst.
 C. gynoglossa Goossens = STYPPEIOCHLOA GYNOGLOSSA
- 9903520 -LOPHACHME STAFF
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 L. DIGITATA STAFF
- 9903530 -TRICHONEURA N. J. ANDERSS.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 T. ELEUSINOIDES (RENDLE) EKMAN
 200 T. GRANDIGLUMIS (NEES) EKMAN VAR. GRANDIGLUMIS
 300 T. GRANDIGLUMIS (NEES) EKMAN VAR. MINOR RENDLE
 400 T. SCHLECHTERI (PILG.) EKMAN
- 9903570 -ENNEAPOGON DESV. EX BEAUV.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON. 1970. FTEA.
 E. brachystachyum (Jaub. & Spach.) Stapf = E. DESVAUXII
 100 E. CENCHROIDES (ROEM. & SCHULT.) C.E. HUBB.
 200 E. DESVAUXII BEAUV.
 (=E. brachystachyum (Jaub. & Spach.) Stapf) 2
 E. filifolius (Pilg.) Stapf ex Garabedian = E. SCOPARIUS
 300 E. PRETORIENSIS STENT
 400 E. SCABER LEHM.
 500 E. SCOPARIUS STAFF
 (=E. filifolius (Pilg.) Stapf ex Garabedian) 2
 600 E. SPATHACEUS GOOSSENS
- 9903610 -SCHMIDTIA STEUD.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON. 1970. FTEA.
 S. bulbosa Stapf = S. PAPPOPHOROIDES
 100 S. KALIHARIENSIS STENT
 200 S. PAPPOPHOROIDES STEUD.
 (=S. bulbosa Stapf) 2

- 9903611 -KAKOCHLOA DE WINTER
1. DE WINTER. 1961. BOTHALIA 7: 479.
100 K. NIGRIROSTRIS DE WINTER
- 9903680 -UROCHLAENA NEES
1. CHIPPINDALL. 1955. GR. & PAST.
100 U. PUSILLA NEES
- 9903700 -ELYTROPHORUS BEAUV.
1. CLAYTON. 1970. FTEA.
100 E. GLOBULARIS HACK.
200 E. SPICATUS (WILLD.) A. CAMUS
- 9903710 -FINGERHUTHIA NEES
1. CHIPPINDALL. 1955. GR. & PAST.
100 F. AFRICANA LEHM.
200 F. SESLERIIFORMIS NEES
- 9903720 -LAMARCKIA MOENCH.
1. CHIPPINDALL. 1955. GR. & PAST.
100 L. AUREA (L.) MOENCH *
- 9903730 -CYNOSURUS L.
1. CHIPPINDALL. 1955. GR. & PAST.
100 C. ECHINATUS L. *
- 9903740 -KOELERIA PERS.
1. CLAYTON. 1970. FTEA.
50 K. CAPENSIS (STEUD.) NEES
(=K. cristata auctt., non (L.) Pers. var. cristata) 1
(=K. cristata var. brevifolia (Nees) C.E. Hubb.) 1
(=K. cristata var. convoluta (Steud.) C.E. Hubb.) 1
K. cristata auctt., non (L.) Pers. var. cristata = K. CAPENSIS
K. cristata var. brevifolia (Nees) C.E. Hubb. = K. CAPENSIS
K. cristata var. convoluta (Steud.) C.E. Hubb. = K. CAPENSIS
K. phleoides (Vill.) Pers. * = LOPHOCHLOA CRISTATA
- 9903741 -LOPHOCHLOA REICHENB.
1. GONSELL. 1980. FL. EUROP. 5.
#. PRE HERBARIUM PRACTICE, FOLLOWING SMOOK & GIBBS RUSSELL.
100 L. CRISTATA (L.) HYL.
(=Koeleria phleoides (Vill.) Pers.) 1
200 L. PUMILA (DESF.) BOR
(=Trisetaria pumila (Desf.) Maire) #
(=Trisetum pumilum (Desf. Kunth) 1
- 9903790 -SPHENOPUS TRIN.
100 S. DIVARICATUS (GOUAN) REICHB. *
- 9903800 -Catabrosia Beauv. = COLPODIUM
C. aquatica auctt., non (L.) Beauv. = COLPODIUM HEDBERGII
- 9903860 -MELICA L.
1. GIBBS RUSSELL. 1982. BOTHALIA 14: 41.
M. bolusii = M. RACEMOSA
M. brevifolia = M. RACEMOSA
M. decumbens sensu Gordon-Gray, non Thunb. = M. RACEMOSA
300 M. DECUMBENS THUNB.
(=M. neesii Stapf) 1
M. neesii Stapf = M. DECUMBENS
M. ovalis Nees = M. RACEMOSA
M. pumila Stapf = M. RACEMOSA
700 M. RACEMOSA THUNB.
(=M. bolusii Stapf) 1
(=M. brevifolia Stapf) 1
(=M. decumbens sensu Gordon-Gray, non Thunb.) 1
(=M. ovalis Nees) 1
(=M. pumila Stapf) 1
- 9903880 -DACTYLIS L.
1. CHIPPINDALL. 1955. GR. & PAST.
100 D. GLOMERATA L. *
- 9903881 -MEGASTACHYA BEAUV.
1. CLAYTON. 1970. FTEA.
100 M. MUCRONATA (POIR.) BEAUV.
- 9903990 -LASIOCHLOA KUNTH
1. CHIPPINDALL. 1955. GR. & PAST.
100 L. ECHINATA (THUNB.) ADAMSON
200 L. LONGIFOLIA (SCHRAD.) KUNTH
300 L. OBTUSIFOLIA NEES
400 L. UTRICULOSA NEES
- 9904000 -STIBURUS STAFF
1. CHIPPINDALL. 1955. GR. & PAST.
2. PHILLIPS. 1982. KEW BULL. 37: 133.
100 S. ALOPECUROIDES (HACK.) STAFF
200 S. CONRATHII HACK.
- 9904010 -DESMAZERIA DUMORT.
1. STACE. 1980. FL. EUROP. 5.
100 D. RIGIDA (L.) TUTIN *
(=Catapodium rigidum (L.) C.E. Hubb.) 1
(=Scleropoa rigida (L.) Griseb.) 1

- 9904020 -PLAGIOCHLOA ADAMSON & SPRAGUE
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 P. ACUTIFLORA (NEES) ADAMSON & SPRAGUE
 200 P. ALTERNANS (NEES) ADAMSON & SPRAGUE
 300 P. BRACHYSTACHYA (NEES) ADAMSON & SPRAGUE
 400 P. OBLITERA (HEMSL.) ADAMSON & SPRAGUE
 500 P. UNIOLOAE (L. F.) ADAMSON & SPRAGUE VAR. UNIOLOAE
 550 P. UNIOLOAE (L. F.) ADAMSON & SPRAGUE VAR. VILLOSA (STAFF) ADAMSON
- 9904040 -BRIZA L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. LAUNERT. 1971. FZ.
 100 B. MAXIMA L. *
 200 B. MINOR L. *
 300 B. TRILOBA NEES *
- 9904050 -SCHISMUS BEAUV.
 1. CONERT. & TURPE. 1974. ABHANT. SENCK. NATURF. GESELL. 32: 532.
 100 S. BARBATUS (LOEFL. EX L.) THELL.
 200 S. INERMIS (STAFF) C.E. HUBB.
 300 S. PLEUROPOGON STAFF
 400 S. SCABERRIMUS NEES
- 9904070 -POA L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. EDMONSON. 1980. FL. EUROP. 5.
 100 P. ANNUA L. *
 200 P. ATHERSTONEI STAFF
 300 P. BIDENTATA STAFF
 400 P. BINATA NEES
 500 P. HETEROGAMA HACK.
 600 P. PRATENSIS L. *
 700 P. VIVIPARA (L.) WILLD.
- 9904100 -COLPODIUM TRIN.
 1. CLAYTON. 1970. FTEA.
 100 C. HEDBERGII (MELD.) TZVEL.
 (=Catabrosia aquatica auctt., non (L.) Beauv.) 1
- 9904150 -PUCCINELLIA PARL.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 P. ACROXANTHA SMITH & C.E. HUBB.
 200 P. ANGUSTA (NEES) SMITH & C.E. HUBB.
 300 P. FASCICULATA (TORR.) BICKN. VAR. CAESPITOSA ALLEN & JANSEN
- 9904170 -FESTUCA L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 50 F. ABYSSINICA A. RICH. VAR. ABYSSINICA
 100 F. ARUNDINACEA SCHREB. *
 200 F. CAPRINA NEES VAR. CAPRINA
 300 F. CAPRINA NEES VAR. IRRASA STAFF
 400 F. CAPRINA NEES VAR. MACRA STAFF
 500 F. COSTATA NEES VAR. COSTATA
 600 F. COSTATA NEES VAR. LONGILIGULATA J.G. ANDERS.
 700 F. COSTATA NEES VAR. LONGISETA NEES
 800 F. KILLICKII K. -O'BYRNE
 900 F. LONGIPES STAFF
 1000 F. SCARRA VAHL
- 9904180 -VULPIA GMEL.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 V. BROMOIDES (L.) S.F. GRAY *
 150 V. FASCICULATA (FORSSK.) SAMP. *
 200 V. MURALIS (KUNTH) NEES *
 300 V. NYUROS (L.) C.C. GMEL. *
- 9904190 -Scleropoa Griseb. = DESMAZERIA
 S. rigida (L.) Griseb. = DESMAZERIA RIGIDA
- 9904200 -Catapodium Link = DESMAZERIA
 C. rigidum (L.) C.E. Hubb. = DESMAZERIA RIGIDA
- 9904250 -PSEUDORRHOMUS K. SCHUM.
 1. CLAYTON. 1970. FTEA.
 P. africanus (Hack.) Stapf = P. SILVATICUS
 100 P. SILVATICUS K. SCHUM.
 (=P. africanus (Hack.) Stapf) 1
- 9904280 -BROMUS L. Revision: H.P. Linder (PRE, K).
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON. 1970. FTEA.
 B. catharticus Vahl = B. UNIOLOIDES
 100 B. COMMUTATUS SCHRAD. *
 200 B. DIANDRUS ROTH *
 B. firmior (Nees) Stapf var. firmior = B. SPECIOSUS
 B. firmior (Nees) Stapf var. leiorhachis Stapf = B. SPECIOSUS
 500 B. INERMIS LEYSS. *
 600 B. JAPONICUS THUNB. VAR. JAPONICUS *
 700 B. JAPONICUS THUNB. VAR. VELUTINUS (NOCC.) ASCHERS. & GRAEBN. *
 800 B. LEPTOCLADOS NEES
 850 B. MADRITENSIS L.
 900 B. MOLLIFORMIS LLOYD *
 1000 B. NATALENSIS STAFF VAR. NATALENSIS
 1100 B. NATALENSIS STAFF VAR. LASIOPHILUS STAFF
 1150 B. RUBENS L. *
 1200 B. SPECIOSUS NEES
 (=B. firmior (Nees) Stapf var. firmior) 2
 (=B. firmior (Nees) Stapf var. leiorhachis Stapf) 2

- 1350 B. UNIOLOIDES H. B. K. *
 (=B. catharticus Vahl) 2
 (=B. willdenowii Kunth) 2
 B. willdenowii Kunth = B. UNIOLOIDES
- 9904320 -BRACHYPODIUM BEAUV.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. CLAYTON. 1970. FTEA.
 100 B. BOLUSII STAFF
 200 B. DISTACHYON (L.) BEAUV. *
 300 B. FLEXUM NEES
- 9904330 -LOLIUM L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 L. LOLIACEUM (BORY & CHAUP.) HAND.-MAZZ *
 200 L. MULTIFLORUM LAM.
 300 L. PERENNE L. *
 400 L. TEMULENTUM L. *
- 9904340 -AGROPYRON GAERTN.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 A. DISTICHUM (THUNB.) BEAUV.
 200 A. REPENS (L.) BEAUV. *
- 9904390 -SECALE L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 S. AFRICANUM STAFF
- 9904420 -LEPTURUS R. BR.
 1. CLAYTON ET AL. 1974. FTEA.
 100 L. REPENS (G. FORST.) R. BR.
- 9904422 -MONERMA BEAUV.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 M. CYLINDRICA (WILLD.) COSS. & DUR. *
- 9904431 -PARAPHOLIS C. E. HUBB.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 P. INCURVA (L.) C. E. HUBB. *
- 9904510 -HORDEUM L.
 1. CHIPPINDALL. 1955. GR. & PAST.
 2. BOTHMER ET AL. 1980. BOT. NOTISER 133: 539.
 3. HUMPHRIES. 1980. FL. EUROP. 5.
 100 H. CAPENSE THUNB.
 (=H. nodosum auctt., non L.) 1
 H. compressum Griseb. = H. STENGSTACHYS
 250 H. MARINUM HUDS. SUBSP. GUSSONEANUM (PARL.) THELL. *
 320 H. MURINUM L. SUBSP. MURINUM *
 325 H. MURINUM L. SUBSP. GLAUCUM (STEUD.) TZVEL *
 380 H. MURINUM L. SUBSP. LEPORINUM (LINK) ARCANGELI *
 H. nodosum auctt., non L. = H. CAPENSE
 385 H. STENGSTACHYS GODR.
 (=H. compressum Griseb.) 2
 400 H. VULGARE L. SUBSP. VULGARE *
- 9904550 -Arundinaria Michx. = THAMNOCALAMUS
 A. tessellata (Nees) Munro = THAMNOCALAMUS TESSELLATUS
- 9904570 -THAMNOCALAMUS MUNRO
 1. SODERSTROM & ELLIS. 1982. BOTHALIA 14: 53.
 100 T. TESSELLATUS (NEES) SODERSTROM & ELLIS
 (Arundinaria tessellata (Nees) Munro) 1
- 9904710 -BAMBUSA SCHREB.
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 B. BALCOOA ROXB. EX ROXB. *
- 9904770 -OXYTENANTHERA HENKEL
 1. CLAYTON. 1970. FTEA.
 100 O. ABYSSINICA (A. RICH.) MUNRO
- 9904780 -DENDROCALAMUS NEES
 1. CHIPPINDALL. 1955. GR. & PAST.
 100 D. STRICTUS (ROXB.) NEES *

CYPERACEAE

452000

- 0452000 -LIPOCARPHA R. BR.
 1. CLARKE. 1898. FC.
 2. HOOPER. 1972. FWTA.
 L. argentea (Vahl) R. Br. = L. CHINENSIS
 100 L. ATRA RIDLEY
 150 L. CHINENSIS (OSB.) KERN
 (=L. argentea (Vahl) R. Br.) 2
 (=L. senegalensis (Lam.) Th. & H. Dur.) 2
 L. isolepis (Nees) R. Haines = HEMICARPHA ISOLEPIS
 170 L. NANA (A. RICH.) CHERM.
 (=L. pulcherrima Ridley) 2
 L. pulcherrima Ridley = L. NANA
 L. senegalensis (Lam.) Th. & H. Dur. = L. CHINENSIS
- 0452010 -VOLKIELLA MERXM. & CZECH.
 1. PODLECH. 1967. FSWA.
 100 V. DISTICHA MERXM. & CZECH

Crymon

- 0453000 -HEMICARPHA NEES & ARN.
 1. PODLECH. 1967. FSWA.
 2. HAINES. 1971. BOT. NOTISER 124: 476.
 #. PRE HERBARIUM PRACTICE, FOLLOWING ARNOLD.
 100 H. ISOLEPIS NEES
 (=Lipocarpus isolepis (Nees) R. Haines) 2, #
 200 H. MICRANTHA VAHL
- 0454000 -ASCOLEPIS NEES EX STEUD.
 1. CLARKE. 1898. FC.
 2. CLARKE. 1902. FTEA.
 100 A. CAPENSIS (KUNTH) RIDLEY
 200 A. PUSILLA RIDLEY
- 0454010 -RIKLIELLA J. RAYNAL
 1. RAYNAL. 1976. ADANSONIA SER. 2, 16: 219.
 2. RAYNAL. 1977. ADANSONIA SER. 2, 17: 56.
 100 R. REHMANNII (RIDLEY) J. RAYNAL
 (=Scirpus hystrix Thunb., p. p.) 1
 (=Scirpus hystericoides B. Nord.) 2
- 0456000 -CARPHA BANKS & SOLAND.
 1. CLARKE. 1898. FC.
 2. LEVYNS. 1950. FL. CAP. PENINS.
 #. PRE HERBARIUM PRACTICE, FOLLOWING ARNOLD.
 100 C. BRACTEOSA C.B. CL.
 (=Asterochaete capitellata Nees, p. p.) 2
 200 C. CAPITELLATA (NEES) BOECK.
 (=Asterochaete capitellata Nees, p. p.) 2
 300 C. GLOMERATA (THUNB.) NEES
 (=Asterochaete glomerata (Thunb.) Nees) 2
 400 C. SCHLECHTERI C.B. CL.
- 0458000 -WEBSTERIA S. H. WRIGHT
 1. HOOPER. 1972. KEW BULL. 26: 582.
 100 W. CONFERVOIDES (POIR.) HOOPER
- 0459000 -CYPERUS L.
 1. CLARKE. 1898. FC.
 2. CLARKE. 1902. FTA.
 3. NAPPER. 1966. J. L. E. AFR. NAT. HIST. SOC. 26: 16.
 4. PODLECH. 1967. FSWA.
 5. HOOPER. 1972. FWA.
 6. RAYNAL. 1977. ADANSONIA SER 2, 17: 43.
 7. LYE. 1981. NORD. J. BOT. 1: 88.
 8. HAINES & LYE. 1983. SEDGES & RUSHES E. AFR.
 #. PRE HERBARIUM PRACTICE, FOLLOWING BAIJNATH.
 ##. PRE HERBARIUM PRACTICE, FOLLOWING ARNOLD.
 100 C. ALBOSTRIATUS SCHRAD.
 200 C. ALOPECUROIDES ROTTB.
 (=Juncellus alopecuroides (Rottb.) C.B. Cl.) 5
 300 C. AMABILIS VAHL
 350 C. ANGOLENSIS BOECK.
 400 C. ARTICULATUS L.
 600 C. BELLUS KUNTH
 (=C. remotiflorus Kuekenh.) ##
 650 C. BREVIS BOECK.
 700 C. CASTANEUS WILLD.
 750 C. CLAVINUS C.B. CL.
 C. compactus Lam. = C. OBTUSIFLORUS VAR. OBTUSIFLORUS
 800 C. COMPRESSUS L.
 900 C. CORYMBOSUS ROTTB.
 950 C. CRASSIPES VAHL
 (=C. maritimus Poir.) 6
 1000 C. CUSPIDATUS H.B.K.
 1200 C. DENUDATUS L. F.
 C. denudatus L. f. var. sphaerospermus Schrad. = C. SPHAEROSPERMUS
 1300 C. DICHRODOSTACHYUS HOCHST. EX A. RICH.
 1400 C. DIFFORMIS L.
 1450 C. DIGITATUS ROXB. SUBSP. AURICOMUS (SIEBER EX SPRENG.) KUEKENH.
 1700 C. DISTANS L. F.
 1800 C. DIVES DEL.
 1820 C. ELEPHANTINUS (C.B. CL.) C.B. CL. EX KUEKENH.
 1850 C. ERAGROSTIS LAM. *
 (=C. vegetus Willd.) ##
 1900 C. ESCULENTUS L.
 2000 C. FASTIGIATUS ROTTB.
 2100 C. FENZELIANUS STEUD.
 2350 C. FULGENS C.B. CL. VAR. CONTRACTUS KUEKENH.
 2400 C. FULGENS C.B. CL. VAR. FULGENS
 2500 C. HAEMATOCEPHALUS BOECK. EX C.B. CL.
 2600 C. HALPAN L.
 (=C. haspan L.) 8
 C. haspan L. = C. HALPAN
 C. holostigma Schweinf. = S. SCHINZII
 2800 C. IMBRICATUS RETZ.
 (=C. radiatus Vahl) 5
 2900 C. IMMENSUS C.B. CL.
 3000 C. IRIA L.
 3200 C. LAEVIGATUS L.
 (=Juncellus laevigatus (L.) C.B. Cl.) 5
 3300 C. LATIFOLIUS POIR.
 3400 C. LEPTOCLADUS KUNTH
 (=C. prasinus Kunth) ##
 (=C. smithii Maclean) #
 3450 C. LEUCOLOMA NEES
 3500 C. LONGUS L. VAR. LONGUS
 3600 C. LONGUS L. VAR. TENUIFLORUS (ROTTB.) KUEKENH.

3700 C. MACULATUS BOECK.
 3900 C. MARGARITACEUS VAHL.
 4000 C. MARGINATUS THUNB.
 C. maritimus Poir. = C. CRASSIPES
 4150 C. MEYERIANUS KUNTH
 4250 C. MWINILUNGENSIS PODLECH
 4300 C. NATALENSIS HOCHST.
 4400 C. NERVOSO-STRIATUS TURRILL
 C. nudicaulis Poir. = C. PECTINATUS
 4600 C. OBTUSIFLORUS VAHL. VAR. FLAVISSIMUS BOECK.
 4700 C. OBTUSIFLORUS VAHL. VAR. OBTUSIFLORUS
 (=C. compactus Lam.) 3
 5000 C. PAPYRUS L.
 5150 C. PECTINATUS VAHL
 (=Anosporum pectinatus (Vahl) K. Lye) 7
 (=C. nudicaulis Poir.) 6
 5200 C. PLATYCAULIS BAK.
 C. prasinus Kunth = C. LATIFOLIUS
 5500 C. PROCERUS ROTTB.
 5550 C. PROLIFER LAM. VAR. ISOCLADUS (KUNTH) KUEKENTH.
 5600 C. PSEUDOLEPTOCLADUS KUEKENTH.
 5700 C. FULCHER THUNB.
 5750 C. PYGMAEUS ROTTB.
 C. radiatus Vahl = C. IMBRICATUS
 5900 C. REHMII MERXM.
 C. remotiflorus Kuekenth. = C. BELLUS
 6100 C. RIGIDIFOLIUS STEUD.
 6300 C. ROTUNDUS L. SUBSP. ROTUNDUS VAR. ROTUNDUS
 6320 C. ROTUNDUS L. SUBSP. ROTUNDUS VAR. PLATYSTACHYS BOJ. EX C.B. CL.
 6330 C. ROTUNDUS L. SUBSP. TUBEROSUS (ROTTB.) KUEKENTH. VAR. TUBEROSUS
 6350 C. RUBICUNDUS VAHL
 (=C. teneriffae Poir.) 6
 6370 C. RUPESTRIS KUNTH VAR. AMNICOLA (KUNTH) KUEKENTH.
 6380 C. RUPESTRIS KUNTH VAR. PARVINUX (C.B. CL.) KUEKENTH.
 6400 C. RUPESTRIS KUNTH VAR. RUPESTRIS
 6450 C. SCHINZII BOECK.
 (=C. holostigma Schweinf.) 4
 6500 C. SCHLECHTERI C.B. CL.
 6550 C. SEMITRIFIDUS SCHRAD. VAR. MULTIGLUMIS (TURRILL) KUEKENTH.
 6600 C. SEMITRIFIDUS SCHRAD. VAR. SEMITRIFIDUS
 6650 C. SENSILIS BAIJNATH
 6700 C. SEXANGULARIS NEES
 C. smithii Maclean = C. LEPTOCLADUS
 C. sphacelatus Rottb. var. tenuior C.B. Cl. = C. ZOLLINGERI
 7000 C. SPHAEROSPERMUS SCHRAD.
 (=C. denudatus L. f. var. sphaerospermus Schrad.) ##
 7350 C. SUBPARADOXUS KUEKENTH.
 7400 C. TENAX BOECK.
 7500 C. TENELLUS L. F. VAR. GRACILIS (R. BR.) NEES
 7600 C. TENELLUS L. F. VAR. MICROMEAS (NEES) F. MUELL.
 7700 C. TENELLUS L. F. VAR. TENELLUS
 C. teneriffae Poir. = C. RUBICUNDUS
 8000 C. TENUISPICA STEUD.
 8100 C. TEXTILIS THUNB.
 8200 C. THORNCROFTII MCCLEAN
 8250 C. X TURBATUS BAIJNATH
 8350 C. UNCINATUS POIR.
 8380 C. USITATUS BURCH. VAR. MACROBULBUS KUEKENTH.
 8400 C. USITATUS BURCH. VAR. USITATUS
 C. vegetus Willd. = C. ERAGROSTIS *
 8500 C. ZOLLINGERI STEUD.
 (=C. sphacelatus Rottb. var. tenuior C.B. Cl.) 5
 0459005 -Anosporum Nees = CYPERUS
 A. pectinatus (Vahl) K. Lye = CYPERUS PECTINATUS
 0459010 -PYCREUS BEAUV.
 1. CLARKE. 1897. FC.
 2. CLARKE. 1902. FTA.
 3. PFEIFFER. 1930. FEDDES REPRIM 28: 17.
 4. PODLECH. 1967. FSWA.
 5. HOOPER. 1972. FWA.
 6. RAYNAL. 1977. ADANSONIA SER. 2: 17: 43.
 50 P. AETHIOPS C.B. CL.
 P. albomarginatus Nees = P. MACROSTACHYOS
 P. angulatus Nees = P. UNIOLOIDES
 250 P. ATRIBULBUS KUEKENTH.
 300 P. BETSCHUANUS (BOECK.) C.B. CL.
 P. chorisanthus C.B. Cl. = P. PELOPHILUS
 400 P. CHRYSANTHUS (BOECK.) C.B. CL.
 450 P. CIMICINUS (PRESL) PFEIFFER
 (=P. elegantulus C.B. Cl.) 3
 470 P. COOPERI C.B. CL.
 P. elegantulus C.B. Cl. = P. CIMICINUS
 P. ferrugineus C.B. Cl. = P. INTACTUS
 700 P. FLAVESCENS (L.) REICHB.
 800 P. GLOBOSUS (ALL.) REICHB.
 950 P. INTACTUS (VAHL) J. RAYNAL
 (=P. ferrugineus C.B. Cl.) 6
 P. lanceus Turrrill = P. NITIDUS
 1100 P. MACRANTHUS C.B. CL.
 1200 P. MACROSTACHYOS (LAM.) J. RAYNAL
 (=P. albomarginatus Nees) 5
 (=P. tremulus (Poir.) C.B. Cl.) 5
 1250 P. MUCRONATUS (BOECK.) C.B. CL. VAR. ANGUSTIFOLIUS (RIDLEY) KUEKENTH.
 1300 P. MUNDTII NEES
 1400 P. NITIDUS (LAM.) J. RAYNAL
 (=P. lanceus Turrrill) 5
 (=P. umbrosus Nees) 5

- 1500 P. OAKFORTENSIS C.B. CL.
 1600 P. OKAVANGENSIS PODLECH
 1700 P. PELOPHILUS (RIDLEY) C.B. CL.
 (=P. chorisanthus C.B. Cl.) 4
 1850 P. POLYSTACHYDUS (ROTTB.) BEAUV. VAR. LAXIFLORUS BENTH.
 1900 P. POLYSTACHYDUS (ROTTB.) BEAUV. VAR. POLYSTACHYDUS
 2000 P. PUMILUS (L.) DOMIN SUBSP. PATENS (VAHL) PODLECH
 2100 P. REHMANNIANUS C.B. CL.
 P. tremulus (Poir.) C.B. Cl. = P. MACROSTACHYDUS
 P. umbrosus Nees = P. NITIDUS
 2300 P. UNIOLOIDES (R. BR.) URB.
 (=P. angulatus Nees) 5
- 0459020 -Juncellus C.B. Cl. = CYPERUS
 1. CLARKE. 1897. FC.
 J. alopecuroides (Rottb.) C.B. Cl. = CYPERUS ALOPECUROIDES
 J. laevigatus (L.) C.B. Cl. = CYPERUS LAEVIGATUS
- 0459030 -MARISCUS GAERTN. Revision: P.J. Vorster (STE-U).
 1. CLARKE. 1897. FC.
 2. PODLECH. 1967. FSWA.
 3. HOOPER. 1972. FWA.
 4. RAYNAL. 1975. ADANSONIA SER. 2, 15: 110.
 5. RAYNAL. 1978. ADANSONIA SER. 2, 17: 274
 #. PRE HERBARIUM PRACTICE, FOLLOWING P.J. VORSTER.
- 100 M. ALBOMARGINATUS C.B. CL.
 280 M. ARISTATUS (ROTTB.) CHERM. VAR. ATRICEPS (KUEKENTH.) PODLECH
 M. bullatus (Kuekenh.) Podlech = M. CHERSINUS
 300 M. CAPENSIS (STEUD.) SCHRAD.
 350 M. CHERSINUS N.E. BR.
 (=M. bullatus (Kuekenh.) Podlech) #
 500 M. CONGESTUS (VAHL) C.B. CL.
 650 M. CYLINDRISTACHYDUS STEUD.
 (=M. umbellatus sensu Podlech, non (Rottb.) Vahl) 5
 700 M. CYPEROIDES (ROXB.) A. DIETR. SUBSP. AFRICANUS (C.B. CL. EX KUEKENTH.) PODLECH
 800 M. DECIDUUS C.B. CL.
 900 M. DREGEANUS KUNTH
 1000 M. DUBIUS (ROTTB.) KUEKENTH. EX G.E.C. FISCHER
 1100 M. DURUS (KUNTH) C.B. CL.
 1400 M. GRANTII C.B. CL.
 1550 M. HAMULOSUS (M. BIEB.) HOOPER
 (=Scirpus lugardii C.B. Cl.) 3
 1600 M. INDECORUS (KUNTH) PODLECH
 1650 M. INDECORUS (KUNTH) PODLECH VAR. NAMAQUENSIS (KUEKENTH.) PODLECH
 1700 M. INVOLUTUS C.B. CL.
 1750 M. KENIENSIS (KUEKENTH.) HOOPER
 1800 M. LAXIFLORUS TURRILL
 1900 M. MACER KUNTH SUBSP. MACER
 1950 M. MACROCARPUS KUNTH
 2000 M. MACROPUS (KUNTH) C.B. CL.
 2100 M. MARLOTHII (BOECK.) C.B. CL.
 2400 M. PARADOXUS (CHERM.) CHERM.
 2500 M. PSEUDO-VESTITUS C.B. CL.
 2600 M. REHMANNIANUS C.B. CL.
 M. riparius Schrad. = M. THUNBERGII
 M. sieberanus Nees = M. SUMATRENSIS
 2900 M. SQUARROSUS (L.) C.B. CL.
 2910 M. SUBLIMIS C.B. CL.
 2920 M. SUMATRENSIS (RETZ.) J. RAYNAL
 (=M. sieberanus Nees) 4
 2940 M. TABULARIS (SCHRAD.) C.B. CL. SUBSP. TABULARIS
 2950 M. THUNBERGII (VAHL) SCHRAD.
 (=M. riparius Schrad.) #
 2980 M. UITENHAGENSIS STEUD.
 M. umbellatus (Rottb.) Vahl = M. CYLINDRISTACHYDUS
 3200 M. VESTITUS (HOCHST. EX KRAUSS) C.B. CL.
- 0461000 -COURTOISIA NEES
 1. CLARKE. 1902. FTA.
 100 C. ASSIMILIS (STEUD.) C.B. CL.
- 0462000 -KYLINGA ROTTB.
 1. GETLIFFE NORRIS. 1982. J.L.S. AFR. BOT. 49: 261.
- 100 K. ALATA NEES
 (=K. alba Nees var. alata (Nees) C.B. Cl.) 1
 200 K. ALBA NEES
 K. alba Nees var. alata (Nees) C.B. Cl. = K. ALATA
 300 K. ALBICEPS (RIDLEY) RENDLE
 (=K. merxmuellerei Podlech) 1
 320 K. BREVIFOLIA ROTTB.
 K. cylindrica Nees = K. ODORATA
 500 K. ELATIOR KUNTH
 550 K. ERECTA SCHUMACH.
 K. erecta Schumach. var. intricata C.B. Cl. = K. INTRICATA
 700 K. INTRICATA CHERM.
 (=K. erecta Schumach. var. intricata C.B. Cl.) 1
 800 K. MELANOSPERMA NEES
 K. merxmuellerei Podlech = K. ALBICEPS
 1000 K. NEMORALIS (J.R. & G. FORST.) DANDY
 1050 K. ODORATA VAHL
 (=K. cylindrica Nees) 1
 1100 K. PAUCIFLORA RIDLEY
 1150 K. POLYPHYLLA WILLD. EX KUNTH

1200 K. PULCHELLA KUNTH
K. *triceps* Rottb. var. *ciliata* Boeck. = K. WELWITSCHII
1500 K. WELWITSCHII RIDLEY
(=K. *triceps* Rottb. var. *ciliata* Boeck.) 1

0465000 -FICINIA SCHRAD. Revision: T. H. Arnold & C. Reid (PRE).
1. PFEIFFER. 1920. REVIS. GATTUNG FICINIA.
2. LEVYNS. 1950. FL. CAP. PENINS.
3. RAYNAL. 1974. ADANSONIA SER. 2, 14: 211.
4. ARNOLD & GORDON-GRAY. 1978. BOTHALIA 12: 405.
5. ARNOLD. 1978. FLOWER PL. AFR. 45: T 1784.
#. PRE HERBARIUM PRACTICE, FOLLOWING GOLDBLATT.

100 F. ACROSTACHYS C.B. CL.
200 F. ACUMINATA (STEUD.) NEES
(=F. *elongata* Boeck.) #
300 F. ALBICANS NEES
400 F. ANCEPS NEES
F. *angustifolia* C.B. CL. = F. POLYSTACHYA
450 F. ANGUSTIFOLIA (SCHRAD.) LEVYNS
(=F. *longifolia* C.B. CL.) 2
500 F. ANOMALA SCHONL.
F. *aphylla* Nees = F. LATERALIS
550 F. ARENICOLA ARNOLD & GORDON-GRAY VAR. ARENICOLA
570 F. ARENICOLA ARNOLD & GORDON-GRAY VAR. ERECTA ARNOLD & GORDON-GRAY
600 F. ARGYROPA NEES
700 F. ATRA TURRILL
800 F. BERGIANA KUNTH
F. *bracteata* Boeck. = F. NIGRESCENS
950 F. BREVIFOLIA NEES EX KUNTH
(=F. *composita* (Nees) Nees) 3
1000 F. BULBOSA (L.) NEES
F. *canaliculata* Pfeiffer = HELLMUTHIA MEMBRANACEA
F. *capillaris* (Nees) Levyns = F. FILIFORMIS
1250 F. CAPILLIFOLIA (SCHRAD.) C.B. CL.
1300 F. CAPITELATUM NEES
1400 F. CAPITELLA (THUNB.) NEES
1450 F. CEDARBERGENSIS ARNOLD & GORDON-GRAY
1500 F. CINNAMOMEA C.B. CL.
1600 F. COMPASBERGENSIS DREGE
F. *composita* (Nees) Nees = F. BREVIFOLIA
1800 F. DASYSTACHYS C.B. CL.
1900 F. DEUSTA (BERG.) LEVYNS
2000 F. DIABOLICUS STEUD.
F. *dispar* (Spreng.) Fourc. = F. SECUNDA
2100 F. DUNENSIS LEVYNS
2150 F. DURA TURRILL
2200 F. ECKLONEA (STEUD.) NEES
(=Scirpus *eckloneus* Steud.) 3
2300 F. ELATIOR LEVYNS
F. *elongata* Boeck. = F. ACUMINATA
2500 F. FASCICULARIS NEES
2600 F. FASTIGIATA (THUNB.) NEES
2700 F. FILIFORMIS (LAM.) SCHRAD.
(=F. *capillaris* (Nees) Levyns) 3
2800 F. GRACILIS (POIR.) SCHRAD.
2840 F. GRANDIFLORA ARNOLD & GORDON-GRAY
2860 F. GYDDMONTANA ARNOLD
2900 F. INDICA (LAM.) PFEIFFER VAR. INDICA
(=F. *setiformis* Schrad.) 1
(=F. *striata* (Thunb.) Kunth) 1
3000 F. INVOLUTA NEES
3050 F. IXIODES NEES SUBSP. GLABRA ARNOLD & GORDON-GRAY
3100 F. IXIODES NEES SUBSP. IXIODES
3300 F. LACINIATA (THUNB.) NEES
3400 F. LAEVIS (VAHL) NEES
3500 F. LATERALIS (VAHL) KUNTH
(=F. *aphylla* Nees) 1
3530 F. LATIFOLIA ARNOLD & GORDON-GRAY
3540 F. LEIOCARPA NEES
3550 F. LEVYNSIAE ARNOLD & GORDON-GRAY
F. *limosa* Levyns = F. PYGMAEA
F. *longifolia* C.B. CL. = F. ANGUSTIFOLIA (SCHRAD.) LEVYNS
3650 F. X LUCIDA C.B. CL.
3680 F. MACDOWANII C.B. CL.
3700 F. MINUTIFLORA C.B. CL.
3800 F. MONTICOLA KUNTH
3900 F. MUCRONATA C.B. CL.
3950 F. NIGRESCENS (SCHRAD.) J. RAYNAL
(=F. *bracteata* Boeck.) 3
4000 F. OBTUSIFOLIA KUNTH
4020 F. OLIGANTHA (STEUD.) J. RAYNAL
4050 F. PALLENS (SCHRAD.) NEES VAR. LITHOSPERMA (BOECK.) ARNOLD & GORDON-GRAY
4100 F. PALLENS NEES VAR. PALLENS
4200 F. PARADOXA (SCHRAD.) NEES
4250 F. PETROPHYLLA ARNOLD & GORDON-GRAY
4300 F. PINGUIOR C.B. CL.
4350 F. POLYSTACHYA LEVYNS
(=F. *angustifolia* C.B. CL.) 2
4400 F. PRAEMORSA NEES
4500 F. PUSILLA C.B. CL.
4600 F. PYGMAEA BOECK.
(=F. *limosa* Levyns) 4
4700 F. QUINGUANGULARIS BOECK.
4800 F. RADIATA (L. f.) KUNTH
(=Sickmannia *radiata* (L. f.) Nees) 1, 5
4850 F. RAMOSISSIMA KUNTH
4900 F. REPENS (NEES) KUNTH
5000 F. RIGIDA LEVYNS

- 5100 F. SCARIOSA NEES
5200 F. SECUNDA (VAHL) KUNTH
 (=F. dispar (Spreng.) Fourc.) 3
5300 F. setiformis Schrad. = F. INDICA VAR. INDICA
 F. STOLONIFERA BOECK.
 F. striata (Thunb.) Kunth = F. INDICA VAR. INDICA
5500 F. SYLVATICA KUNTH
5600 F. TENUIFOLIA KUNTH
5700 F. TRICHODES (SCHRAD.) BENTH. & HOOK. F.
5800 F. TRISTACHYA (ROTTB.) NEES
5900 F. TRUNCATA (THUNB.) SCHRAD.
6000 F. ZEYHERI BOECK.
- 0465010 -Sickmannia Nees = FICINIA
 S. radiata (L. f.) Nees = FICINIA RADIATA
- 0467000 -FUIRENA ROTTB.
 1. CLARKE. 1898. FC.
 2. FORBES. 1949. J.L.S. AFR. BOT. 35:2.
 #. PRE HERBARIUM PRACTICE, FOLLOWING FORBES.
50 F. BULLIFERA J. RAYNAL & ROESSL.
200 F. chlorocarpa Ridley = F. STRICTA
300 F. CILIARIS (L.) ROXB. VAR. CILIARIS
 F. COERULESCENS STEUD.
 (=F. reticulata Kuekenh.) #
400 F. ECKLONII NEES
450 F. ENODIS C.B. CL.
 F. glabra Kunth = F. HIRSUTA
600 F. GRACILIS KUNTH
800 F. HIRSUTA (BERG.) P.L. FORBES
 (=F. glabra Kunth) 2
 (=F. hirta Vahl) 2
 (=F. hottentotta (L.) Druce) 2
 F. hirta Vahl = F. HIRSUTA
 F. hottentotta (L.) Druce = F. HIRSUTA
820 F. LEPTOSTACHYA OLIV. VAR. LEPTOSTACHYA
850 F. LEPTOSTACHYA OLIV. VAR. NUDIFLORA C.B. CL.
900 F. MICROLEPIS KUNTH
1000 F. PACHYRRHIZA RIDLEY VAR. PACHYRRHIZA
1100 F. PUBESCENS (POIR.) KUNTH
 F. reticulata Kuekenh. = F. COERULESCENS
1200 F. STRICTA STEUD.
 (=F. chlorocarpa Ridley) #
1300 F. UMBELLATA ROTTB.
- 0468000 -SCIRPUS L.
 1. CLARKE. 1898. FC.
 2. LEVYNS. 1944. J.L.S. AFR. BOT. 10: 28.
 3. PODLECH. 1967. FSWA.
 4. LYE. 1971. BOT. NOTISER 124: 282.
 5. HAINES & LYE. 1978. BOT. NOTISER 131: 175.
 #. PRE HERBARIUM PRACTICE, FOLLOWING ARNOLD & REID.
S. aciformis (B. Nord.) J. Raynal = ISOLEPIS HEMIUNCIALIS
S. antarcticus L. = ISOLEPIS ANTARCTICA
S. articulatus L. = SCHOENOPLECTUS ARTICULATUS
S. brevicaulis Levyns = ISOLEPIS BREVICAULIS
300 S. BURKEI C.B. CL.
 S. cartilagineus (R. Br.) Poir. = ISOLEPIS MARGINATA
 S. cernuus Vahl = ISOLEPIS CERNUA
 S. costatus Boeck. = ISOLEPIS COSTATA
800 S. CUBENSIS POEPPIG & KUNTH EX KUNTH
 (=Oryzarium cubense (Poeppig & Kunth) K. Lye) 4, #
900 S. DELICATULUS (NEES) LEVYNS
1000 S. DIABOLICUS (SCHRAD.) STEUD.
 S. digitatus (Schr.) Boeck. = ISOLEPIS DIGITATA
1100 S. DIOECUS (KUNTH) BOECK.
1400 S. FALSUS C.B. CL.
 S. eckloneus Steud. = FICINIA ECKLONEA
 S. erectus Poir. = SCHOENOPLECTUS ERECTUS
1500 S. FICINIOIDES KUNTH
 S. flaccifolius Steud. = ISOLEPIS DIGITATA
 S. fluitans L. = ISOLEPIS FLUITANS
1800 S. GLOBICEPS C.B. CL.
 S. griquensium C.B. CL. = ISOLEPIS SEPULCRALIS
 S. hemiuncialis = ISOLEPIS HEMIUNCIALIS
 S. holoschoenus L. var. thunbergii C.B. CL. = S. THUNBERGIANUS
 S. hystrix Thunb., p. p. = RIKLIELLA REHMANNII
 S. hystrix Thunb., p. p. = ISOLEPIS HYSTRIX
 S. hystrioides B. Nord. = RIKLIELLA REHMANNII
2300 S. INANIS (THUNB.) STEUD.
 (=S. spathaceus Hochst.) 3
 S. inclinatus (Del.) Aschers & Schweinf. = SCHOENOPLECTUS CORYMBOSUS
 S. inconstus Boeck. = ISOLEPIS INCONSTULA
 S. inconspicuus Levyns = ISOLEPIS INCONSPICUA
 S. jacobi G.E.C. Fischer = SCHOENOPLECTUS SENEGALENSIS
 S. karrooicus C.B. CL. = ISOLEPIS KARROICA
 S. lacustris L. = SCHOENOPLECTUS LACUSTRIS
2900 S. LAETEFLORENS C.B. CL.
 S. lateriflorus J.F. Gmel. = SCHOENOPLECTUS LATERIFLORUS
 S. leucanthus Boeck. = SCHOENOPLECTUS LEUCANTHUS
 S. littoralis Schrad. = SCHOENOPLECTUS LITTORALIS
 S. ludwigii Boeck. = ISOLEPIS LUDWIGII
 S. lugardii C.B. CL. = MARISCUS HAMULOSUS
 S. macer Boeck. = ISOLEPIS COSTATA
3700 S. MARITIMUS L.
 S. membranaceus Thunb. = HELLMUTHIA MEMBRANACEA
4000 S. MICROCEPHALUS (STEUD.) DANDY
 (=Kyllingiella microcephala (Steud.) R. Haines & K. Lye) 5, #

- S. minutus Turrill = ISOLEPIS MINUTA
 S. muricinix C.B. Cl. = SCHOENOPLECTUS MURICINIX
 S. nanodes Levyns = ISOLEPIS PUSILLA
 4500 S. NODOSUS ROTTB.
 S. paludicola Kunth = SCHOENOPLECTUS PALUDICOLA
 S. paludicola Kunth forma decipiens (Nees) C.B. Cl. = SCHOENOPLECTUS DECIPIENS
 4650 S. PINGUICULUS C.B. CL.
 S. praelongatus Poir. = SCHOENOPLECTUS PRAELONGATUS
 S. prolifer Rottb. = ISOLEPIS PROLIFER
 S. pulchellus (Kunth) Boeck. = SCHOENOPLECTUS PULCHELLUS
 S. rivularis (Schrad.) Boeck. = ISOLEPIS NATANS
 S. roylei (Nees) Parker = SCHOENOPLECTUS ROYLEI
 S. rubicundus (Nees) Levyns = ISOLEPIS RUBICUNDA
 S. setaceus L. = ISOLEPIS SETACEA
 S. sororius (Kunth) C.B. Cl. = ISOLEPIS SORORIA
 S. spathaceus Hochst. = S. INANIS
 S. striatus (Nees) Fourc. = ISOLEPIS STRIATA
 S. tenuis Spreng. non Willd. = ISOLEPIS PUSILLA
 S. tenuissimus Boeck. = ISOLEPIS TENUISSIMA
 6200 S. THUNBERGIANUS (NEES) LEVYNS
 (=S. holoschoenus L. var. thunbergii C.B. Cl.) 2
 S. triqueter L. = SCHOENOPLECTUS TRIQUETER
 6500 S. VARIUS C.B. CL.
 6600 S. VENUSTULUS BOECK.
 S. verrucosulus Steud. = ISOLEPIS VERRUCOSULA

 0468005 -Oxycaryum Nees = SCIRPUS
 O. cubense (Poeppig & Kunth) K. Lye = SCIRPUS CUBENSIS

 0468008 -Kyllingiella R. Haines & K. Lye = SCIRPUS
 K. microcephala (Steud.) R. Haines & K. Lye = SCIRPUS MICROCEPHALUS

 0468010 -SCHOENOPLECTUS PALLA
 1. CLARKE. 1898. FC.
 2. LYE. 1971. BOT. NOTISER 124: 287.
 3. RAYNAL. 1976. ADANSONIA SER. 2, 15: 537; 16: 119.
 4. KODAMA. 1978. FL. TAIWAN.
 100 S. ARTICULATUS (L.) PALLA VAR. ARTICULATUS
 (=Scirpus articulatus L.) 3
 200 S. ARTICULATUS (L.) PALLA VAR. B
 300 S. CORYMBOSUS (ROTH. EX ROEM. & SCHULT.) J. RAYNAL
 (=Scirpus inclinatus (Del.) Aschers. & Schweinf.) 3
 400 S. DECIPIENS (NEES) J. RAYNAL
 (=Scirpus paludicola Kunth forma decipiens (Nees) C.B. Cl.) 3
 500 S. ERECTUS (POIR.) PALLA EX J. RAYNAL
 (=Scirpus erectus Poir.) 3
 550 S. LACUSTRIS (L.) PALLA
 (=Scirpus lacustris L.) 2
 600 S. LATERIFLORUS (J.F. Gmel.) K. LYE
 (=Scirpus lateriflorus J.F. Gmel.) 3
 700 S. LEUCANTHUS (BOECK.) J. RAYNAL
 (=Scirpus leucanthus Boeck.) 3
 750 S. LITTORALIS (SCHRAD.) PALLA
 (=Scirpus littoralis Schrad.) 2
 800 S. MURICINIX (C.B. CL.) J. RAYNAL
 (=Scirpus muricinix C.B. Cl.) 3
 900 S. PALUDICOLA (KUNTH) PALLA EX J. RAYNAL
 (=Scirpus paludicola Kunth) 3
 1000 S. PRAELONGATUS (POIR.) J. RAYNAL
 (=Scirpus praelongatus Poir.) 3
 1100 S. PULCHELLUS (KUNTH) J. RAYNAL
 (=Scirpus pulchellus Kunth) 3
 1200 S. ROYLEI (NEES) OVCZINN. & CZUKAV.
 (=Scirpus roylei (Nees) Parker) 3
 1300 S. SENEGALENSIS (HOCHST. EX STEUD.) PALLA EX J. RAYNAL
 (=Scirpus jacobii G.E.C. Fischer) 3
 1400 S. TRIQUETER (L.) PALLA
 (=Scirpus triqueter L.) 4

 0468020 -ISOLEPIS R. BR.
 1. CLARKE. 1898. FC.
 2. LEVYNS. 1944. J.L.S. AFR. BOT. 10: 29.
 3. RAYNAL. 1974. ADANSONIA SER. 2, 14: 212.
 4. RAYNAL. 1976. ADANSONIA SER. 2, 16: 219.
 5. RAYNAL. 1977. ADANSONIA SER. 2, 17: 49.
 #. PRE HERBARIUM PRACTICE, FOLLOWING REID & ARNOLD.
 50 I. ANTARCTICA NEES
 (=Scirpus antarcticus L.) #
 100 I. BREVICAULIS (LEVYNS) J. RAYNAL
 (=Scirpus brevicaulis Levyns) #
 I. cartilaginea R. Br. = I. MARGINATA
 200 I. CERNUA (VAHL) ROEM. & SCHULT.
 (=Scirpus cernuus Vahl) #
 220 I. COSTATA (BOECK.) A. RICH.
 (=Scirpus costatus Boeck.) #
 (=Scirpus macer Boeck.) #
 240 I. DIGITATA SCHRAD.
 (=Scirpus digitatus (Schrad.) Boeck.) #
 (=Scirpus flaccifolius Steud.) 2
 300 I. FLUITANS (L.) R. BR.
 (=Scirpus fluitans L.) #
 400 I. HEMIUNCIALIS (C.B. CL.) J. RAYNAL
 (=Scirpus aciformis (B. Nord.) J. Raynal) #
 (=Scirpus hemiuncialis C.B. Cl.) 5
 440 I. HYSTRIX (THUNB.) NEES
 (=Scirpus hystrix Thunb. p. p.) 4
 460 I. INCOMTULA NEES
 (=Scirpus incomtus Boeck.) #

- 500 I. INCONSPICUA (LEVYNS) J. RAYNAL
 (=Sclirpus inconspicuus Levyns) 5
 600 I. KARRODICA (C.B. CL.) J. RAYNAL
 (=Sclirpus karroicus C.B. Cl.) 5
 650 I. LUDWIGII KUNTH
 (=Sclirpus ludwigii Kunth) #
 670 I. MARGINATA (THUNB.) DIETR.
 (=I. cartilaginea R. Br.) 1, #
 (=Sclirpus cartilagineus (R. Br.) Poir.) 3
 700 I. MINUTA (TURRILL) J. RAYNAL
 (=Sclirpus minutus Turrrill) 5
 720 I. NATANS (THUNB.) DIETR.
 (=Sclirpus rivularis (Schrad.) Boeck.) 5
 740 I. PROLIFER R. BR.
 (=Sclirpus prolifer Rottb.) #
 750 I. PUSILLA KUNTH
 (=Sclirpus nanodes Levyns) 5
 (=Sclirpus tenuis Spreng. non Willd.) 2
 780 I. RUBICUNDA KUNTH
 (=Sclirpus rubicundus (Nees) Levyns) #
 800 I. SEPULCRALIS STEUD.
 (=Sclirpus griquensium C.B. Cl.) 5
 900 I. SETACEA (L.) R. BR.
 (=Sclirpus setaceus L.) #
 1000 I. SORDRIA KUNTH
 (=Sclirpus sororius (Kunth) C.B. Cl.) #
 1050 I. STRIATA (NEES) KUNTH
 (=Sclirpus striatus (Nees) Fourc.) #
 1100 I. TENUISSIMA NEES
 (=Sclirpus tenuissimus Boeck.) #
 1200 I. VERRUCOSULA NEES
 (=Sclirpus verrucosulus Steud.) #

0469010 -ELEOCHARIS R. BR.

1. SVENSON. 1929. RHODORA 31:1.
 2. SVENSON. 1932. RHODORA 34:193.
 3. SVENSON. 1934. RHODORA 36:377.
 4. SVENSON. 1937. RHODORA 39:210.
 5. SVENSON. 1939. RHODORA 41:1; 90.
 6. PODLECH. 1967. FSWA.
 7. HAINES & LYE. 1983. SEDGES & RUSHES E. AFR.
 #. PRE HERBARIUM PRACTICE, FOLLOWING ARNOLD.
 200 E. ACUTANGULA (ROXB.) SCHULT.
 (=E. fistulosa Link) 7
 300 E. ATROPURPUREA (RETZ.) LINK
 E. capitata R. Br. = E. GENICULATA
 E. caribaea (Rottb.) Blake = E. GENICULATA
 500 E. CUBANGENSIS H. HESS
 600 E. DREGEANA STEUD.
 700 E. DULCIS (BURM. F.) HENSCH.
 (=E. plantaginea R. Br.) 7
 E. fistulosa Link = E. ACUTANGULA
 850 E. GENICULATA (L.) ROEM. & SCHULT.
 (=E. capitata R. Br.) 7
 (=E. caribaea (Rottb.) Blake) 7
 900 E. INTRICATA KUEKENTH.
 950 E. LEPTA C.B. CL.
 1000 E. LIMOSA (SCHRAD.) SCHULT.
 1050 E. NAUMANNIANA BOECK.
 1100 E. ONTHITENSIS H. HESS
 1150 E. PALUSTRIS R. BR.
 E. plantaginea R. Br. = E. DULCIS
 1300 E. PSEUDOFISTULOSA H. HESS
 1400 E. SCHLECHTERI C.B. CL.
 (=E. seydeliana Podlech) #
 E. seydeliana Podlech = E. SCHLECHTERI
 1600 E. VARIEGATA (POIR.) KUNTH
 1700 E. WELWITSCHII NERMES

0471000 -FIMBRISTYLIS VAHL

1. CLARKE. 1898. FC.
 2. GORDON-GRAY. 1971. MITT. BOT. STSAMML. MUNCH. 10: 568.
 100 F. APHYLLA STEUD.
 200 F. BISUMBELLATA (FORSSK.) BUB.
 400 F. COMPLANATA (RETZ.) LINK
 500 F. DICHOTOMA (L.) VAHL
 (=F. diphylla (Retz.) Vahl) 2
 F. diphylla (Retz.) Vahl = F. DICHOTOMA
 F. exilis (H.B.K.) Roem. & Schult. = F. HISPIDULA
 600 F. FERRUGINEA (L.) VAHL
 (=F. sieberana Kunth) 2
 700 F. HISPIDULA (VAHL) KUNTH
 (=F. exilis (H.B.K.) Roem. & Schult.) 2
 F. hygrophila Gordon-Gray = ABILDGAARDIA HYGROPHILA
 720 F. LONGICULMIS STEUD.
 750 F. MICROCARPA F. MUELL.
 F. monostachya Hassk. = ABILDGAARDIA OVATA
 800 F. OBTUSIFOLIA (LAM.) KUNTH
 F. sieberana Kunth = F. FERRUGINEA
 F. triflora (L.) K. Schum. = ABILDGAARDIA TRIFLORA
 1200 F. SQUARROSA VAHL
 F. variegata Gordon-Gray = ABILDGAARDIA VARIEGATA

- 0471010 -BULBOSTYLIS KUNTH
 1. CLARKE. 1898. FC.
 2. PODLECH. 1967. FSWA.
 3. GORDON-GRAY. 1971. MITT. BOT. STSAMML. MUNCH. 10: 572.
- 100 B. BARBATA KUNTH
 200 B. BOECKELERIANA (SCHWEINF.) BEETLE
 B. breviculmis Kunth = B. HUMILIS
 400 B. BURCHELLII (FICAL. & HIERN) C.B. CL.
 B. capillaris (L.) C.B. CL. var. trifida (Nees) C.B. CL. = B. DENSA
 B. cardiocarpa (Ridley) C.B. CL. var. holubii C.B. CL. = B. SCABRICAULIS
 B. collina (Kunth) C.B. CL. = B. CONTEXTA
 700 B. CONTEXTA (NEES) BODARD
 (=B. collina (Kunth) C.B. CL.) 3
 (=B. kirkii C.B. CL.) 3
 (=B. zeyheri C.B. CL.) 3
 730 B. DENSA (WALL.) HAND.-MAZZ.
 (=B. capillaris (L.) C.B. CL. var. trifida (Nees) C.B. CL.) 3
 750 B. FILAMENTOSA (VAHL) C.B. CL.
 800 B. HUMILIS (KUNTH) C.B. CL.
 (=B. breviculmis Kunth) 3
 (=B. striatella C.B. CL.) 3
 B. kirkii C.B. CL. = B. CONTEXTA
 920 B. MACRA (RIDLEY) C.B. CL.
 950 B. MELANOCEPHALA (RIDLEY) C.B. CL.
 970 B. MUCRONATA C.B. CL.
 1000 B. ORITREPHESES (RIDLEY) C.B. CL.
 B. parvinox C.B. CL. = ABILDGAARDIA PARVINUX
 1060 B. SCABRICAULIS CHERM.
 (=B. cardiocarpa (Ridley) C.B. CL. var. holubii C.B. CL.) 3
 1070 B. SCHLECHTERI C.B. CL.
 1100 B. SCHOENOIDES (KUNTH) C.B. CL.
 (=B. scleropus C.B. CL.) 3
 B. scleropus C.B. CL. = B. SCHOENOIDES
 B. striatella C.B. CL. = B. HUMILIS
 1200 B. TRABECULATA C.B. CL.
 B. zeyheri C.B. CL. = B. CONTEXTA
- 0471020 -ABILDGAARDIA VAHL
 1. GORDON-GRAY. 1966. JL. S. AFR. BOT. 32: 129.
 2. LYE. 1971. MITT. BOT. STSAMML. MUNCH. 10: 547.
- 100 A. HYGROPHILA (GORDON-GRAY) K. LYE
 (=Fimbristylis hygrophila Gordon-Gray) 2
 150 A. OVATA (BURM. F.) KRAL
 (=Fimbristylis monostachya Hassk.) 2
 170 A. PARVINUX (C.B. CL.) K. LYE
 (=Bulbostylis parvinox C.B. CL.) 2
 180 A. TRIFLORA (L.) ABEYWICKER
 (=Fimbristylis triflora (L.) K. Schum.) 2
 200 A. VARIEGATA (GORDON-GRAY) K. LYE
 (=Fimbristylis variegata Gordon-Gray) 2
- 0475000 -TRIANOPTILES FENZL
 1. LEVYNS. 1943. JL. S. AFR. BOT. 9: 21.
- 100 T. CAPENSIS (STEUD.) HARV.
 (=Ecklonia capensis Steud.) 1
 200 T. SOLITARIA (C.B. CL.) LEVYNS
 (=Ecklonia solitaria C.B. CL.) 1
 300 T. STIPITATA LEVYNS
- 0475010 -Ecklonia Steud. = TRIANOPTILES
 E. capensis Steud. = TRIANOPTILES CAPENSIS
 E. solitaria C.B. CL. = TRIANOPTILES SOLITARIA
- 0477000 -SCHOENUS L.
 1. CLARKE. 1898. FC.
 300 S. NIGRICANS L.
- 0477010 -EPISCHOENUS C.B. CL.
 1. LEVYNS. 1959. JL. S. AFR. BOT. 25: 69.
- 100 E. ADNATUS LEVYNS
 200 E. CERNUUS LEVYNS
 300 E. COMPLANATUS LEVYNS
 350 E. DREGEANUS (BOECK.) LEVYNS
 400 E. GRACILIS LEVYNS
 500 E. LUCIDUS (C.B. CL.) LEVYNS
 600 E. QUADRANGULARIS (BOECK.) C.B. CL.
 700 E. VILLOSUS LEVYNS
- 0480000 -Asterochaete Nees = CARPHA
 A. capitellata Nees = CARPHA CAPITELLATA and CARPHA BRACTEOSA
 A. glomerata (Thunb.) Nees = CARPHA GLOMERATA
- 0482000 -Costularia C.B. CL. = TETRARIA
 C. brevicaulis (C.B. CL.) C.B. CL. = TETRARIA BREVICAULIS
 C. natalensis C.B. CL. = TETRARIA NATALENSIS
- 0489000 -CLADIUM P. BR.
 1. PODLECH. 1967. FSWA.
 100 C. MARISCUS (L.) POHL SUBSP. JAMAICENSE (CRANTZ) KUEKENTH.
- 0492000 -RHYNCHOSPORA VAHL
 1. ROBINSON. 1961. KIRKIA 1: 32.
 2. HOOPER. 1972. FWA.
 3. GUAGLIANONE. 1979. DARWINIANA. 22: 255.
 4. PRE HERBARIUM PRACTICE, FOLLOWING VAN LAREN & GORDON-GRAY.
 R. arechavaletae Boeck. = R. HOLOSCHOENOIDES
 R. aurea Vahl = R. CORYMBOSA

- 100 R. BROWNII ROEM. & SCHULT.
 (=R. glauca Vahl) 1
 (=R. rugosa (Vahl) Gale) 3
- 150 R. CANDIDA (NEES) BOECK.
- 180 R. CORYMBOSA (L.) BRITTON
 (=R. aurea Vahl) 1, 2
 R. cyperoides (Swartz) Mart. = R. HOLOSCHOENOIDES
 R. glauca Vahl = R. BROWNII
- 190 R. GRACILLIMA THW. SUBSP. SUBQUADRATA (CHERM.) J. RAYNAL
 (=R. subquadrata Cherm.) 2
- 200 R. HOLOSCHOENOIDES (RICH.) HERTER
 (=R. arechavaletae Boeck.) #
 (=R. cyperoides (Swartz) Mart.) 1
 (=R. mauritii Steud.) 2
 R. mauritii Steud. = R. HOLOSCHOENOIDES
- 300 R. PERRIERI CHERM.
- 350 R. RUBRA (LOUR.) MAKINO SUBSP. AFRICANA J. RAYNAL
 R. rugosa (Vahl) Gale = R. BROWNII
 R. subquadrata Cherm. = R. GRACILLIMA SUBSP. SUBQUADRATA
- 0494000 -TETRARIA BEAUV.
1. CLARKE. 1898. FC.
 2. TURRILL. 1925. KEW BULL. 1925: 72.
 3. LEVYNS. 1947. J.L. S. AFR. BOT. 13: 73.
 4. KODAMA. 1961. J. FAC. SCI. TOKYO. 8: 75.
 5. BURTT. 1976. NOTES R. BOT. GDN EDINB. 34: 282.
 #. PRE HERBARIUM PRACTICE, FOLLOWING REID.
- 100 T. aristata (Boeck.) C.B. CL. = ?T. FLEXUOSA
- 300 T. AUTUMNALIS LEVYNS
- 400 T. BOLUSII C.B. CL.
- 500 T. BRACHYPHYLLA LEVYNS
- 600 T. BREVICAULIS C.B. CL.
 (=Costularia brevicaulis (C.B. CL.) C.B. CL.) 3
- 700 T. BROMOIDES (LAM.) PFEIFFER
 (=T. rottboellii C.B. CL.) 3
 (=T. rottboellioides C.B. CL.) 3
- 800 T. BURMANNII (SCHRAD.) C.B. CL.
- 900 T. CAPILLACEA (THUNB.) C.B. CL.
- 1000 T. circinalis C.B. CL. = T. MICROSTACHYS
- 1100 T. COMPACTA LEVYNS
- 1200 T. COMPAR (L.) LESTIB.
 (=T. thuaris Beauv.) 3
- 1300 T. COMPRESSA TURRILL
- 1400 T. CRASSA LEVYNS
- 1500 T. CRINIFOLIA (NEES) C.B. CL.
- 1600 T. CUSPIDATA (ROTTB.) C.B. CL.
- 1700 T. EXILIS LEVYNS
- 1800 T. EXIMIA C.B. CL.
- 1900 T. FASCIATA (ROTTB.) C.B. CL.
- 2000 T. FERRUGINEA C.B. CL.
- 2100 T. FIMBRIOLATA (NEES) C.B. CL.
- 2200 T. FLEXUOSA (THUNB.) C.B. CL.
 (=T. aristata (Boeck.) C.B. CL.) #
- 2300 T. FOURCADEI TURRILL & SCHONL.
- 2400 T. GALPINII SCHONL. & TURRILL
- 2500 T. GRAMINIFOLIA LEVYNS
- 2600 T. INVOLUCRATA (ROTTB.) C.B. CL.
- 2700 T. LIGULATA C.B. CL.
- 2800 T. MACOWANIANA B.L. BURTT
 (=T. macowanii C.B. CL.) 5
- 2900 T. macowanii C.B. CL. = T. MACOWANIANA
- 3000 T. MACULATA SCHONL. & TURRILL
- 3100 T. MICROSTACHYS (VAHL) PFEIFFER
 (=T. circinalis C.B. CL.) 3
- 3200 T. NATALENSIS (C.B. CL.) KODAMA
 (=Costularia natalensis C.B. CL.) 4
- 3300 T. NIGROVAGINATA (NEES) C.B. CL.
- 3400 T. PALUDOSA LEVYNS
- 3500 T. PICTA (BOECK.) C.B. CL.
- 3600 T. PILLANSII LEVYNS
- 3700 T. PLEOSTICHA C.B. CL.
- 3800 T. PUBESCENS SCHONL. & TURRILL
- 3900 T. punctoria (Vahl) C.B. CL. = NEESENBECKIA PUNCTORIA
- 4000 T. PYGMAEA LEVYNS
- 4100 T. ROBUSTA (KUNTH) C.B. CL.
- 4200 T. rottboellii C.B. CL. = T. BROMOIDES
 T. rottboellioides C.B. CL. = T. BROMOIDES
- 4300 T. SCHONLANDII TURRILL
- 4400 T. SECANS C.B. CL.
- 4500 T. SPIRALIS C.B. CL.
- 4600 T. SYLVATICA (NEES) C.B. CL.
- 4700 T. THERMALIS (L.) C.B. CL.
- 4800 T. thuaris Beauv. = T. COMPAR
 T. thuaris sensu C.B. CL., non Beauv. = MACROCHAETIUM ECKLONII
- 4900 T. TRIANGULARIS (BOECK.) C.B. CL.
- 5000 T. USTULATA (L.) C.B. CL.
- 5100 T. VAGINATA SCHONL. & TURRILL
- 5200 T. VARIABILIS LEVYNS
- 0494010 -MACROCHAETIUM STEUD.
1. CLARKE. 1898. FC.
 2. LEVYNS. 1947. J.L. S. AFR. BOT. 13: 73.
- 300 M. dregei Steud. = M. HEXANDRUM
- 400 M. ECKLONII (NEES) LEVYNS
 (=Tetraharia thuaris sensu C.B. CL., non Beauv.) 2
- 500 M. HEXANDRUM (NEES) PFEIFFER
 (=M. dregei Steud.) 2

- 094030 -NEESENBECKIA LEVYNS
1. LEVYNS. 1947. J. L. S. AFR. BOT. 13: 73.
100 N. PUNCTORIA (VAHL) LEVYNS
(=Tetraria punctoria (Vahl) C. B. Cl.) 1
- 050000 -CHRYSTHRIX L.
1. CLARKE. 1898. FC.
100 C. CAPENSIS L. VAR. CAPENSIS
200 C. CAPENSIS L. VAR. SUBTERES C. B. CL.
300 C. DODII C. B. CL.
400 C. JUNCIFORMIS NEES
- 0503010 -HELLMUTHIA STEUD.
1. HAINES & LYE. 1976. BOT. NOTISER 129: 61.
100 H. MEMBRANACEA (THUNB.) R. HAINES & K. LYE
(=Scirpus membranaceus Thunb.) 1
- 0512000 -COLEOCHLOA GILLY
1. NELMES. 1953. KEW BULL. 1953: 373.
100 C. PALLIDIOR NELMES
C. rehmanniana (C. B. Cl.) Gilly = C. SETIFERA
300 C. SETIFERA (RIDLEY) GILLY
(=C. rehmanniana (C. B. Cl.) Gilly) 1
(=Eriospora rehmanniana C. B. Cl.) 1
- 0512010 -Eriospora Hochst. = COLEOCHLOA
E. rehmanniana C. B. Cl. = COLEOCHLOA SETIFERA
- 0515000 -SCLERIA BERG. Revision: E. F. Hennessy (Durban-Westville).
1. NELMES. 1955. KEW BULL. 10: 415.
2. NELMES. 1956. KEW BULL. 11: 73.
3. ROBINSON. 1966. KEW BULL. 18: 487.
4. NAPPER. 1971. KEW BULL. 25: 443.
5. FRANKLIN. 1983. KEW BULL. 38: 33.
100 S. ACHTENII DE WILD.
300 S. ANGUSTA NEES EX KUNTH
550 S. ATERRIMA (RIDLEY) NAPPER
(=S. catophylla C. B. Cl.) 4
800 S. BULBIFERA HOCHST. EX A. RICH.
S. catophylla C. B. Cl. = S. ATERRIMA
1050 S. DIETERLENII TURRILL
(=S. flexuosa Boeck.) 4
1100 S. DREGEANA KUNTH
(=S. holcoides Kunth) 3
S. flexuosa Boeck. = S. DIETERLENII
1300 S. FOLIOSA HOCHST. EX A. RICH.
1500 S. GREIGIIIFOLIA (RIDLEY) C. B. CL.
S. holcoides Kunth = S. DREGEANA
1650 S. LACUSTRIS C. H. WR. IN SAUV.
1700 S. LAGOENSIS BOECK.
2000 S. LONGISPICULATA NELMES
2200 S. MELANOMPHALA KUNTH
2300 S. NATALENSIS C. B. CL.
2400 S. NUTANS WILLD. EX KUNTH
2700 S. PERGRACILIS (NEES) KUNTH
2800 S. POAEFORMIS RETZ.
3300 S. REHMANNII C. B. CL.
3350 S. SOBOLIFER E. F. FRANKLIN
3450 S. TRANSVAALENSIS E. F. FRANKLIN
3500 S. UNGUICULATA E. A. ROBINSON
3600 S. VESEYFITZGERALDII E. A. ROBINSON
3700 S. WELWITSCHII (RIDLEY) C. B. CL.
3800 S. WOODII C. B. CL.
- 0521000 -SCHOENOXIPHUM
1. KUKKONEN. 1983. BOTHALIA 14. 819.
#. PRE HERBARIUM PRACTICE, FOLLOWING KUKKONEN.
100 S. BASUTORUM TURRILL
(=Kobresia basutorum (Turrrill) Koyama) #
S. buchananii C. B. Cl. = S. RUFUM
S. capense Nees = S. LANCEUM
S. caricoides C. B. Cl. = S. SPARTEUM
135 S. DISTINCTUM KUKKONEN
140 S. DREGEANA KUNTH
160 S. ECKLONII NEES
(=Carex zeyheri C. B. Cl.) 1
(=Kobresia ecklonii (Nees) Koyama var. ecklonii) #
(=Kobresia ecklonii (Nees) Koyama var. unisexualis (Kuekenh.) Koyama) #
200 S. FILIFORME KUEKENH.
(=Kobresia filiforme (Kuekenh.) Koyama) #
S. kunthianum Kuekenh. = S. SPARTEUM
240 S. LANCEUM (THUNB.) KUEKENH.
(=Kobresia lancea (Thunb.) Koyama) #
(=S. capense Nees) 1
(=S. meyerianum Kunth) 1
(=S. sickmannianum Kunth) 1
250 S. LEHMANNII (NEES) STEUD.
(=Carex uhligii K. Schum. ex. C. B. Cl.) 1
(=Kobresia lehmannii (Nees) Koyama var. lehmannii) #
(=Kobresia lehmannii (Nees) Koyama var. schimperiana (Boeck.) Koyama) #
252 S. MADAGASCARIENSE CHERM.
S. meyerianum Kunth = S. LANCEUM
255 S. PERDENSUM KUKKONEN
260 S. RUFUM NEES
(=Kobresia buchananii (C. B. Cl.) Koyama) #
(=Kobresia rufa (Nees) Koyama) #
(=S. buchananii C. B. Cl.) 1
S. schimperianum (Boeck.) C. B. Cl. = S. SPARTEUM

- 300 S. SCHWEICKERTII MERXM. & PODLECH
(=Kobresia schweickertii (Merxm. & Podlech) Koyama) #
- 550 S. sickmannianum Kunth = S. LANCEUM
S. SPARTEUM (WAHLENB.) C.B. CL.
(=Carex bolusii C.B. Cl.) 1
(=Kobresia kunthiana (Kuekenh.) Koyama var. kunthiana) #
(=Kobresia sparteum (Wahlenb.) Koyama) #
(=S. caricoides C.B. Cl.) 1
(=S. kunthianum Kuekenh.) 1
(=S. schimperianum (Boeck.) C.B. Cl.) 1
- 600 S. THUNBERGII NEES
(=Kobresia thunbergii (Nees) Koyama) #
- 0522000 -Kobresia Willd. = SCHOENOXIPHIUM
K. basutorum (Turrill) Koyama = SCHOENOXIPHIUM BASUTORUM
K. buechananii (C.B. Cl.) Koyama = SCHOENOXIPHIUM RUFUM
K. ecklonii (Nees) Koyama var. ecklonii = SCHOENOXIPHIUM ECKLONII
K. ecklonii (Nees) Koyama var. unisexualis (Kuekenh.) Koyama = SCHOENOXIPHIUM ECKLONII
K. filiforme (Kuekenh.) Koyama = SCHOENOXIPHIUM FILIFORME
K. kunthiana (Kuekenh.) Koyama var. kunthiana = SCHOENOXIPHIUM SPARTEUM
K. lancea (Thunb.) Koyama = SCHOENOXIPHIUM LANCEUM
K. lehmannii (Nees) Koyama var. lehmannii = SCHOENOXIPHIUM LEHMANNII
K. lehmannii (Nees) Koyama var. schimperiana (Boeck.) Koyama = SCHOENOXIPHIUM LEHMANNII
K. rufa (Nees) Koyama = SCHOENOXIPHIUM RUFUM
K. schweickertii (Merxm. & Podlech) Koyama = SCHOENOXIPHIUM SCHWEICKERTII
K. sparteum (Wahlenb.) Koyama = SCHOENOXIPHIUM SPARTEUM
K. thunbergii (Nees) Koyama = SCHOENOXIPHIUM THUNBERGII
- 0525000 -CAREX L. Crymon
1. CLARKE. 1898. FC.
2. CLARKE. 1908. KEW BULL. ADD. SER. B 74.
3. NELMES. 1940. KEW BULL. 1940: 269.
4. NELMES. 1955. KEW BULL. 1955: 86.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 C. ACUTIFORMIS EHRLH.
200 C. AETHIOPICA SCHKUHR
C. bolusii C.B. Cl. = SCHOENOXIPHIUM SPARTEUM
350 C. BURCHELLIANA BOECK.
400 C. CERNUA BOOTT. VAR. AUSTRALIS KUEKENH.
500 C. CLAVATA THUNB.
600 C. COGNATA KUNTH
(=C. drakensbergensis C.B. Cl.) #
C. condensata Nees = C. ZULUENSIS
700 C. DIVISA HUDS.
C. drakensbergensis C.B. Cl. = C. COGNATA
800 C. ECKLONII NEES
C. flava sensu C.B. Cl., non L. = C. MONOTROPA
900 C. GLOMERABILIS KREZ.
(=C. glomerata Thunb.) 3
C. glomerata Thunb. = C. GLOMERABILIS
1000 C. KILLICKII NELMES
1100 C. LERIBENSIS NELMES
1300 C. MERXMUELLERI PODLECH
1400 C. MONOTROPA NELMES
(=C. flava sensu C.B. Cl., non L.) 4
1600 C. PETITIANA A. RICH.
1900 C. SCHLECHTERI NELMES
(=C. vulpina sensu C.B. Cl., non L.) 3
2000 C. SPICATO-PANICULATA C.B. CL.
2100 C. SUBINFLATA NELMES
C. uhligii K. Schum. ex C.B. Cl. = SCHOENOXIPHIUM LEHMANNII
C. vulpina sensu C.B. Cl., non L. = C. SCHLECHTERI
C. wahlenbergiana C.B. Cl. = C. ZULUENSIS
C. zeyheri C.B. Cl. = SCHOENOXIPHIUM ECKLONII
2300 C. ZULUENSIS C.B. CL.
(=C. condensata Nees) 2
(=C. wahlenbergiana C.B. Cl.) 2

-
- AREACEAE 528000
-
- 0528000 -PHOENIX L. Crymon
1. COATES PALGRAVE. 1977. TREES OF S. AFR.
100 P. RECLINATA JACQ.
- 0553000 -HYPHAENE GAERTN.
1. FURTADO. 1967. GARCIA DE ORTA 15: 427.
2. COATES PALGRAVE. 1977. TREES OF S. AFR.
#. PRE HERBARIUM PRACTICE, FOLLOWING MARAIS.
75 H. benguelensis Welw. var. ventricosa (Kirk) Furtado = H. PETERSIANA
H. CORIACEA GAERTN.
(=H. natalensis Kunze) #
H. natalensis Kunze = H. CORIACEA
150 H. PETERSIANA KLOTZSCH
(=H. benguelensis Welw. var. ventricosa (Kirk) Furtado) 3
(=H. ventricosa Kirk) #
H. ventricosa Kirk = H. PETERSIANA
- 0555000 -BORASSUS L.
1. TOMLINSON. 1962. PRINCIPES 6: 96.
2. COATES PALGRAVE. 1977. TREES OF S. AFR.
100 B. AETHIOPUM MART.
(=B. flabellifer L. var. aethiopum (Mart.) Warb.) 1
B. flabellifer L. var. aethiopum (Mart.) Warb. = B. AETHIOPUM
- 0559000 -RAPHIA BEAUV.
1. OBERMEYER & STREY. 1969. BOTHALIA 10: 29.
100 R. AUSTRALIS OBERM. & STREY

0665010 -JUBAEDOPSIS BECC.
1. BECCARI. 1913. WEBBIA 4:169.
100 J. CAFFRA BECC.

ARACEAE		684000
0692000	-ZAMIOGULCAS SCHOTT	
	1. OBERMEYER & STREY. 1969. FLOWER. PL. AFR. 40: T 1562.	
100	Z. ZAMIOFOLIA (LODD.) ENGL.	
0693000	-GONATOPUS HOOK. F. EX ENGL.	
	1. BROWN. 1901. FTA.	
	#. PRE HERBARIUM PRACTICE, FOLLOWING BOGNER.	
50	G. ANGUSTUS N.E. BR.	
	(=G. rhizomatosus Bogner & Oberm.) #	
100	G. BOIVINII (DECNE.) ENGL.	
	G. rhizomatosus Bogner & Oberm. = G. ANGUSTUS	
0694000	-ACORUS L.	
100	A. CALAMUS L. *	
0723000	-AMORPHOPHALLUS BLUME	
	1. BROWN. 1901. FTA.	
100	A. ABYSSINICUS (A. RICH.) N.E. BR.	
0748000	-ZANTEDESCHIA SPRENG.	
	1. LETTY. 1973. BOTHALIA 11: 5.	
100	Z. AETHIOPICA (L.) SPRENG.	
200	Z. ALBOMACULATA (HOOK.) BAILL. SUBSP. ALBOMACULATA	
	(=Z. angustiloba (Schott) Engl.) 1	
	(=Z. hastata (Hook.) Engl.) 1	
	(=Z. melanoaleuca (Hook. f.) Engl.) 1	
	(=Z. oculata (Lindl.) Engl.) 1	
	(=Z. tropicalis (N.E. Br.) Letty) 1	
300	Z. ALBOMACULATA (HOOK.) BAILL. SUBSP. MACROCARPA (ENGL.) LETTY	
400	Z. ALBOMACULATA (HOOK.) BAILL. SUBSP. VALIDA LETTY	
	Z. angustiloba (Schott) Engl. = Z. ALBOMACULATA SUBSP. ALBOMACULATA	
500	Z. ELLIOTTIANA (WATSON) ENGL.	
	Z. hastata (Hook.) Engl. = Z. ALBOMACULATA SUBSP. ALBOMACULATA	
600	Z. JUCUNDA LETTY	
	Z. melanoaleuca (Hook. f.) Engl. = Z. ALBOMACULATA SUBSP. ALBOMACULATA	
	Z. oculata (Lindl.) Engl. = Z. ALBOMACULATA SUBSP. ALBOMACULATA	
700	Z. PENTLANDII (WATSON) WITTM.	
800	Z. REHMANNII ENGL.	
	Z. tropicalis (N.E. Br.) Letty = Z. ALBOMACULATA SUBSP. ALBOMACULATA	
0764000	-STYLOCHITON LEPR.	
	1. BROWN. 1897. FC.	
	2. BROWN. 1901. FTA.	
100	S. NATALENSE SCHOTT	
200	S. OBLIQUINERVIS PETER	
300	S. PUBERULUS N.E. BR.	
400	S. ROGERSII N.E. BR.	
0791000	-PISTIA L.	
	1. BROWN. 1897. FC.	
100	P. STRATIOTES L.	

LEMNACEAE		794000
0794000	-SPIRODELA SCHLEID.	
	1. DEN HARTOG & VAN DER PLAS. 1970. BLUMEA 18: 355.	
	2. LANDOLT. 1980. VEROFF. GEOBOT. INST. ETH. 70.	
100	S. POLYRRHIZA (L.) SCHLEID.	
200	S. PUNCTATA (G.F.W. MEY.) THOMPSON	
0795000	-LEMNA L.	
	1. DEN HARTOG & VAN DER PLAS. 1970. BLUMEA 18: 355.	
	2. LANDOLT. 1980. VEROFF. GEOBOT. INST. ETH. 70.	
50	L. AEGUINDIALIS WELW.	
100	L. GIBBA L.	
200	L. MINOR L.	
0796000	-WOLFFIA HORKEL EX SCHLEID.	
	1. DEN HARTOG & VAN DER PLAS. 1970. BLUMEA 18: 355.	
	2. LANDOLT. 1980. VEROFF. GEOBOT. INST. ETH. 70.	
100	W. ARRHIZA (L.) HORKEL EX WIMM.	
200	W. GLOBOSA (ROXB.) DEN HARTOG & VAN DER PLAS	
0796010	-WOLFFIELLA HEGELM.	
	1. DEN HARTOG & VAN DER PLAS. 1970. BLUMEA 18: 355.	
	2. LANDOLT. 1980. VEROFF. GEOBOT. INST. ETH. 70.	
50	W. HYALINA (DEL.) MONOD	
	(=Pseudowolffia hyalina (Hegelm.) Den Hartog & van der Plas) 2	
100	W. DENTICULATA (HEGELM.) HEGELM.	
200	W. WELWITSCHII (HEGELM.) MONOD	
	(=Wolffiopsis welwitschii (Hegelm.) Den Hartog & van der Plas) 2	
0796020	-Pseudowolffia Den Hartog & van der Plas = WOLFFIELLA	
	P. hyalina (Hegelm.) Den Hartog & van der Plas = WOLFFIELLA HYALINA	
0796030	-Wolffiopsis Den Hartog & van der Plas = WOLFFIELLA	
	W. welwitschii (Hegelm.) Den Hartog & van der Plas = WOLFFIELLA WELWITSCHII	

Crymon

FLAGELLARIACEAE

797000

0798000 -FLAGELLARIA L. Revision: H.P. Linder (PRE, K).
 1. BROWN. 1897. FC.
 100 F. GUINEENSIS SCHUMACH.

Crymon

RESTIONACEAE

804000

0804000 -RESTIO L. Revision: H.P. Linder (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
 2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
 3. PILLANS. 1943. TRANS. R. SOC. S. AFR. 30: 245.
 4. PILLANS. 1952. J.L. S. AFR. BOT. 18: 101.
 #. PRE HERBARIUM PRACTICE, FOLLOWING ESTERHUYSEN.
 20 R. ACOCKII PILLANS
 50 R. ALTICOLUS PILLANS
 70 R. AMBIGUUS MAST.
 80 R. ANCEPS (MAST.) PILLANS
 (=Hypolaena anceps (Kuntze) Mast.) 4
 (=R. aspericaulis Pillans) 4
 100 R. ARIDUS PILLANS
 200 R. ARCUATUS MAST.
 R. aspericaulis Pillans = R. ANCEPS
 270 R. AUREOLUS PILLANS
 300 R. BIFARIUS MAST.
 400 R. BIFIDUS THUNB.
 500 R. BIFURCUS NEES EX MAST.
 600 R. BOLUSII PILLANS
 700 R. BRACHIATUS (MAST.) PILLANS
 800 R. BRUNNEUS PILLANS
 850 R. BURCHELLI PILLANS
 1600 R. CALLISTACHYUS KUNTH
 1700 R. CAPILLARIS KUNTH
 1750 R. CASCADENSIS PILLANS
 1800 R. CININNATUS MAST.
 1900 R. COACTILIS MAST.
 2000 R. COMMUNIS PILLANS
 2100 R. COMPRESSUS ROTTB.
 2150 R. CONFUSUS PILLANS
 R. crinalis Mast. = HYPOLAENA CRINALIS
 2300 R. CURVIRAMIS KUNTH
 2400 R. CUSPIDATUS THUNB.
 2500 R. CYMOSUS (MAST.) PILLANS
 2510 R. DEBILIS NEES VAR. DEBILIS
 2520 R. DEBILIS NEES VAR. SUBULATUS PILLANS
 2530 R. DEGENERANS PILLANS
 2540 R. DEFAUPERATUS KUNTH
 2550 R. DISPAR MAST.
 2560 R. DISTANS PILLANS
 2570 R. DODII PILLANS VAR. DODII
 2580 R. DODII PILLANS VAR. PURPUREUS PILLANS
 2590 R. DUTHIEAE PILLANS
 2600 R. ECHINATUS KUNTH
 2700 R. EGREGIUS HOCHST.
 2800 R. ELEOCHARIS NEES EX MAST.
 2850 R. ESTERHUYSENAE PILLANS
 2900 R. EXILIS MAST.
 3000 R. FESTUCAEFORMIS NEES EX MAST.
 (=Leptocarpus parkeri Pillans) #
 3050 R. FILICAILIS PILLANS
 3100 R. FILIFORMIS POIR.
 3200 R. FOLIOSUS N.E. BR.
 3300 R. FOURCADEI PILLANS
 3400 R. FRATERNUS KUNTH
 3500 R. FRUTICOSUS THUNB.
 3520 R. FUSCIDULUS PILLANS
 3550 R. FUSIFORMIS PILLANS
 3570 R. GALPINII PILLANS
 3600 R. GAUDICHAUDIANUS KUNTH VAR. GAUDICHAUDIANUS
 3700 R. GAUDICHAUDIANUS KUNTH VAR. LUXURIANS PILLANS
 3800 R. GIGANTEUS (KUNTH) N.E. BR.
 3900 R. GOSSYPINUS MAST.
 4000 R. HARVEYI MAST.
 4100 R. HELENAE MAST.
 4200 R. HYSTRIX MAST.
 4220 R. INSIGNIS PILLANS
 4240 R. INVOLUTUS PILLANS
 4300 R. LANIGER KUNTH VAR. DISTRACTUS (MAST.) PILLANS
 4400 R. LANIGER KUNTH VAR. LANIGER
 4500 R. LEPTOCLADUS MAST.
 4600 R. LEPTOSTACHYUS KUNTH
 4700 R. MACER KUNTH
 4750 R. MAHONI (N.E. BR.) PILLANS
 (=Hypolaena mahoni N.E. Br.) 3
 4800 R. MAJOR PILLANS
 4900 R. MARLOTHII PILLANS VAR. MARLOTHII
 5000 R. MARLOTHII PILLANS VAR. PARVIFLORUS PILLANS
 5100 R. MICANS (KUNTH) NEES
 5200 R. MISER KUNTH
 5300 R. MONANTHUS MAST.
 5400 R. MULTIFLORUS SPRENG.
 5450 R. NODOSUS PILLANS
 5500 R. OBLONGUS MAST.
 5550 R. OBSCURUS PILLANS
 5600 R. OBTUSISSIMUS STEUD.
 5700 R. OCCULTUS (MAST.) PILLANS

Crymon

5800 R. OCREATUS KUNTH
 5900 R. PACHYSTACHYUS KUNTH
 6000 R. PALUDOSUS PILLANS
 6050 R. PAPYRACEUS PILLANS
 6100 R. PATENS MAST.
 6200 R. PEDICELLATUS MAST.
 6300 R. PERPLEXUS KUNTH
 6400 R. PRAEACUTUS MAST.
 6500 R. PURPURASCENS NEES EX MAST.
 6600 R. PUSILLUS PILLANS
 6650 R. PYGMAEUS PILLANS
 6700 R. QUADRATUS MAST.
 6800 R. QUINQUEFARIUS NEES
 6900 R. RHODOCOMA MAST.
 7000 R. ROTTBDELLIODES KUNTH
 7100 R. SABULOSUS PILLANS
 7200 R. SARCOCLADUS MAST.
 7300 R. SCABER MAST.
 7400 R. SCABERULUS N.E. BR.
 7450 R. SCHOENOIDES KUNTH
 7500 R. SEJUNCTUS MAST.
 7600 R. SETIGER KUNTH
 7800 R. SIEBERI KUNTH VAR. SIEBERI
 7900 R. SIEBERI KUNTH VAR. VENUSTULUS (KUNTH) PILLANS
 8000 R. SIMILIS PILLANS
 8100 R. SONDERIANUS MAST.
 8200 R. STEREOCAULIS MAST.
 8300 R. STOKOEI PILLANS
 8400 R. STRICTUS N.E. BR.
 8500 R. STROBILIFER KUNTH
 8600 R. SUBTILIS NEES EX MAST.
 8650 R. SUBCOMPRESSUS PILLANS
 8700 R. SUBVERTICILLATUS (STEUD.) MAST.
 8800 R. TENUISSIMUS KUNTH
 8900 R. TETRAGONUS THUNB.
 9000 R. TRIFLORUS ROTTB.
 9100 R. TRITICEUS ROTTB.
 (=Leptocarpus impolitus (Kunth) Pillans) #
 9200 R. TUBERCULATUS PILLANS
 9300 R. VILIS KUNTH
 9400 R. VIRGEUS MAST.
 9500 R. WALLICHII MAST.
 9600 R. ZWARTBERGENSE PILLANS

0805000 -CHONDROPETALUM ROTTB. Revision: H.P. Linder (PRE, K).

804050

1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
 2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
 3. PILLANS. 1943. TRANS. R. SOC. S. AFR. 30: 243.
 4. PILLANS. 1952. JL S. AFR. BOT. 18: 101.
 50 C. ACOCKII PILLANS
 100 C. AGGREGATUM (MAST.) PILLANS
 150 C. ALBO-ARISTATUM PILLANS
 200 C. ANDREAEANUM PILLANS
 300 C. CAPITATUM (STEUD.) PILLANS
 400 C. CHARTACEUM (PILLANS) PILLANS
 500 C. DEUSTUM (KUNTH) ROTTB.
 600 C. EBRACTEATUM (KUNTH) PILLANS
 650 C. ESTERHUYSENIAE PILLANS
 700 C. HOOKERIANUM (MAST.) PILLANS
 750 C. INSIGNE PILLANS
 780 C. LONGIFLORUM PILLANS
 800 C. MACROCARPUM (KUNTH) PILLANS
 900 C. MARLOTHII (PILLANS) PILLANS
 1000 C. MICROCARPUM (KUNTH) PILLANS
 1100 C. MUCRONATUM (NEES) PILLANS
 1200 C. NITIDUM (MAST.) PILLANS
 1300 C. NUDUM (NEES) ROTTB.
 1400 C. PANICULATUM (MAST.) PILLANS
 1500 C. RECTUM (MAST.) PILLANS
 1600 C. TECTORUM (L.) PILLANS

0807000 -ELEGIA L. Revision: H.P. Linder (PRE, K).

804040

1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
 2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
 3. PILLANS. 1943. TRANS. R. SOC. S. AFR. 30: 243.
 4. SCHELPE. 1967. JL S. AFR. BOT. 33: 155.
 20 E. ALTIGENA PILLANS
 50 E. AMOENA PILLANS
 100 E. ASPERIFLORA (NEES) KUNTH VAR. ASPERIFLORA
 200 E. ASPERIFLORA (NEES) KUNTH VAR. LACERATA (PILLANS) PILLANS
 250 E. BELLA PILLANS
 270 E. CAPENSIS (BURM. F.) SCHELPE
 (=E. verticillaris (L. f.) Kunth) 4
 300 E. COLEURA NEES EX MAST.
 350 E. CUSPIDATA MAST.
 400 E. EQUISETACEA MAST.
 450 E. ESTERHUYSENIAE PILLANS
 480 E. EXTENSA PILLANS
 500 E. FASTIGIATA MAST.
 600 E. FENESTRATA PILLANS
 700 E. FISTULOSA KUNTH VAR. FISTULOSA
 800 E. FISTULOSA KUNTH VAR. PARVIFLORA PILLANS
 850 E. GALPINII N.E. BR.
 900 E. GLAUCA MAST.
 1000 E. GRANDIS (SPRENG. EX NEES) KUNTH
 1050 E. HUTCHINSONII PILLANS
 1100 E. INTERMEDIA (STEUD.) PILLANS
 1200 E. JUNCEA L. VAR. GENICULATA PILLANS

1300 E. JUNCEA L. VAR. JUNCEA
1400 E. MUIRII PILLANS
1500 E. NEESII (MAST.) MAST.
1600 E. PARVIFLORA KUNTH VAR. FILACEA (MAST.) PILLANS
1700 E. PARVIFLORA KUNTH VAR. PARVIFLORA
1800 E. PARVIFLORA KUNTH VAR. RIGIDA (MAST.) PILLANS
1850 E. PERSISTENS MAST.
1900 E. PROMINENS PILLANS
2000 E. RACEMOSA (POIR.) PERS.
2100 E. SPATHACEA MAST. VAR. ATTENUATA PILLANS
2200 E. SPATHACEA MAST. VAR. SPATHACEA
2300 E. SQUAMOSA MAST.
2400 E. STIPULARIS MAST.
2450 E. STOKOEI PILLANS
2500 E. THYRSIFERA (ROTTB.) PERS.
2600 E. THYRSOIDEA (MAST.) PILLANS
2700 E. VAGINULATA MAST.
2800 E. VERREAUXII MAST.
E. verticillaris (L. f.) Kunth = E. CAPENSIS

0808000 -LEPTOCARPUS R. BR. Revision: H.P. Linder (PRE, K).
804105 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
3. PILLANS. 1943. TRANS. R. SOC. S. AFR. 30: 245.
4. PILLANS. 1952. J.L.S. AFR. BOT. 18: 101.

100 L. ANDREAEANUS PILLANS
200 L. ASPER (MAST.) PILLANS
300 L. BURCHELLII MAST.
400 L. DISTICHUS (ROTTB.) PILLANS
500 L. EJUNCIDUS (MAST.) PILLANS
550 L. ESTERHUYSENIAE PILLANS
600 L. FRUTICOSUS MAST.
700 L. GRACILIS (MAST.) PILLANS
800 L. HYALINUS (MAST.) PILLANS
L. impositus (Kunth) Pillans = RESTIO TRITICEUS
960 L. INTERMEDIUS PILLANS
980 L. LEVYNSIAE PILLANS
1000 L. MARLOTHII PILLANS
1100 L. MEMBRANACEUS PILLANS
1150 L. MONOSTYLUS PILLANS
1200 L. MUIRII PILLANS
1250 L. NUDIFLORUS PILLANS
1300 L. PANICULATUS (ROTTB.) MAST.
L. parkeri Pillans = RESTIO FESTUCAEFORMIS
1360 L. RAMOSISSIMUS PILLANS
1370 L. RATRAYI PILLANS
1400 L. RIGIDUS MAST.
1500 L. RIGORATUS MAST. VAR. RIGORATUS
1600 L. RIGORATUS MAST. VAR. SIMULANS PILLANS
1690 L. STOKOEI PILLANS
1700 L. VIMINEUS (ROTTB.) PILLANS VAR. HIRTELLUS (KUNTH) PILLANS
1800 L. VIMINEUS (ROTTB.) PILLANS VAR. VIMINEUS

0813000 -THAMNOCHORTUS BERG. Revision: H.P. Linder (PRE, K).
804110 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
3. PILLANS. 1943. TRANS. R. SOC. S. AFR. 30: 245.
4. PILLANS. 1952. J.L.S. AFR. BOT. 18: 101.

50 T. ACUMINATUS PILLANS
100 T. ARGENTEUS KUNTH
200 T. BACHMANNII MAST.
250 T. COMPTONII PILLANS
300 T. DICHOTOMUS (ROTTB.) R. BR. VAR. DICHOTOMUS
400 T. DICHOTOMUS (ROTTB.) R. BR. VAR. HYALINUS PILLANS
500 T. DUMOSUS MAST.
600 T. ELLIPTICUS PILLANS
700 T. ERECTUS (THUNB.) MAST.
800 T. FRATERNUS PILLANS
900 T. FRUTICOSUS BERG.
1000 T. GLABER PILLANS
1100 T. GRACILIS (DUR. & SCHINZ) MAST.
1200 T. GUTHRIEAE PILLANS
1300 T. INSIGNIS MAST.
1400 T. LEVYNSIAE PILLANS
1450 T. LEWISIAE PILLANS
1500 T. MUIRII PILLANS
1520 T. MUTICUS PILLANS
1550 T. NERVOSUS PILLANS
1600 T. NUTANS (THUNB.) PILLANS
1650 T. OBTUSUS PILLANS
1700 T. PANICULATUS MAST.
1720 T. PAPILLOSUM PILLANS
1750 T. PAPHRACEUS PILLANS
1770 T. PELLUCIDUS PILLANS
1780 T. PIKETBERGENSIS PILLANS
1800 T. PLATYPTERIS KUNTH
1900 T. PLURISTACHYUS MAST.
2000 T. PUNCTATUS PILLANS
2050 T. PLUMOSUS PILLANS
2070 T. PULCHER PILLANS
2200 T. SCHLECHTERI PILLANS
2250 T. SIMILIS PILLANS
2300 T. SPICIGERUS (THUNB.) R. BR.
2350 T. SPORADICUS PILLANS
2400 T. STOKOEI PILLANS

804020

0814000 -STABEROHA KUNTH Revision: H.P. Linder (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
 2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
 3. PILLANS. 1952. JL S. AFR. BOT. 18: 101.

100 S. AEMULA (KUNTH) PILLANS
 200 S. BANKSII PILLANS
 300 S. CERNUA (L. F.) DUR. & SCHINZ
 400 S. DISTACHYA (ROTTB.) KUNTH
 420 S. MULTISPICULA PILLANS
 450 S. REMOTA PILLANS
 480 S. STOKOEI PILLANS
 500 S. VAGINATA (THUNB.) PILLANS

0815000 -HYPOLAENA R. BR. Revision: H.P. Linder (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
 2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
 3. PILLANS. 1943. TRANS. R. SOC. S. AFR. 30: 245.
 4. PILLANS. 1952. JL S. AFR. BOT. 18: 101.

H. anceps (Kuntze) = RESTIO ANCEPS
 150 H. CRINALIS PILLANS
 (=Restio crinalis Mast.) 4
 (=Hypolaena tabularis Pillans) 4

200 H. DECIPIENS N.E. BR.
 300 H. DIFFUSA MAST.
 400 H. DIGITATA (THUNB.) PILLANS
 500 H. FILIFORMIS (KUNTZE) MAST.
 600 H. GRAMINIFOLIA (KUNTH) PILLANS
 700 H. LAXIFLORA (KUNTZE) NEES
 H. mahoni N.E. Br. = RESTIO MAHONI
 900 H. PURPUREA PILLANS
 930 H. SPATHULATA PILLANS
 970 H. STOEKEI PILLANS
 H. tabularis Pillans = H. CRINALIS

0816000 -HYPODISCUS NEES Revision: H.P. Linder (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
 2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
 3. PILLANS. 1952. JL S. AFR. BOT. 18: 101.

100 H. ALBO-ARISTATUS MAST. VAR. ALBO-ARISTATUS
 200 H. ALBO-ARISTATUS MAST. VAR. OLIVERIANUS PILLANS
 250 H. ALTERNANS PILLANS
 300 H. ARISTATUS (THUNB.) NEES VAR. ARISTATUS
 400 H. ARISTATUS (THUNB.) NEES VAR. PROTRACTUS (MAST.) PILLANS
 500 H. ARGENTUS (THUNB.) MAST.
 600 H. BINATUS (STEUD.) MAST.
 700 H. NEESII MAST.
 720 H. PALUDOSUS PILLANS
 740 H. PARKERI PILLANS
 800 H. STRIATUS (KUNTH) MAST.
 850 H. SULCATUS PILLANS
 900 H. SYNCHRODLEPIS (STEUD.) MAST.
 1000 H. WILLDENOWIA (NEES) MAST.

0817000 -CANNOMIS BEAUV. EX DESV. Revision: H.P. Linder (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.

100 C. ACUMINATA (THUNB.) PILLANS
 200 C. ARISTATA MAST.
 300 C. DREGII PILLANS
 400 C. NITIDA (MAST.) PILLANS
 500 C. PARVIFLORA (THUNB.) PILLANS
 600 C. SCIRPOIDES MAST. VAR. MINOR PILLANS
 700 C. SCIRPOIDES MAST. VAR. PRIMOSII PILLANS
 800 C. SCIRPOIDES MAST. VAR. SCIRPOIDES
 900 C. VIRGATA (ROTTB.) STEUD.

0818000 -WILLDENOWIA THUNB. Revision: H.P. Linde (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.
 2. PILLANS. 1941. TRANS. R. SOC. S. AFR. 29: 339.
 3. PILLANS. 1943. TRANS. R. SOC. S. AFR. 30: 245.
 4. PILLANS. 1952. JL S. AFR. BOT. 18: 101.

100 W. AFFINIS PILLANS
 200 W. ARESCENS KUNTH
 300 W. ARGENTEA (NEES) HIERON.
 400 W. BOLUSII PILLANS
 500 W. HUMILIS MAST.
 550 W. ESTERHUYSENIAE PILLANS
 600 W. FIMBRIATA KUNTH
 700 W. FISTULOSA (MAST.) PILLANS
 800 W. LUCAEANA KUNTH
 900 W. PURPUREA PILLANS
 950 W. STOEKEI PILLANS
 1000 W. STRIATA THUNB.
 1100 W. SULCATA MAST.
 1200 W. TERES THUNB.
 1300 W. XEROPHILA PILLANS

0818010 -ANTHOCHORTUS NEES Revision: H.P. Linder (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.

100 A. ECKLONII NEES

0818020 -PHYLLOCOMOS MAST. Revision: H.P. Linder (PRE, K).
 1. PILLANS. 1928. TRANS. R. SOC. S. AFR. 16: 207.

100 P. INSIGNIS MAST.

XYRIDACEAE		826000
0826000	-XYRIS L.	
	1. BROWN. 1897. FC.	
	#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.	
100	X. ANCEPS LAM.	
200	X. CAPENSIS THUNB.	
	(=X. rubella Malme) #	
300	X. CONGENSIS BUETTNI.	
	(=X. umbilonis Nilss.) #	
400	X. GERRARDII N.E. BR.	
500	X. NATALENSIS NILSS.	
550	X. NIVEA WELW. EX RENDLE	
	(=X. obscura N.E. Br.) #	
	X. obscura N.E. Br. = X. NIVEA	
700	X. REHMANNII NILSS.	
	X. rubella Malme = X. CAPENSIS	
	X. umbilonis Nilss. = X. CONGENSIS	

Crymon

ERIOCAULACEAE		828000
0828000	-ERIOCAULON L.	
	1. BROWN. 1897. FC.	
	2. OBERMEYER. 1981. BOTHALIA 13: 450.	
	#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.	
100	E. ABYSSINICUM HOCHST.	
200	E. AFRICANUM HOCHST.	
	(=E. natalensis Schinz) #	
	(=E. woodii N.E. Br.) #	
	E. amboense Schinz = E. CINEREUM	
350	E. ANGUSTISEPALUM H. HESS	
	E. aristatum H. Hess = E. WELWITSCHII	
	E. baurii N.E. Br. = E. DREGEI VAR. SONDERANUM	
450	E. CINEREUM R. BR.	
	(=E. amboense Schinz) #	
500	E. DREGEI HOCHST. VAR. DREGEI	
550	E. DREGEI HOCHST. VAR. SONDERANUM (KOERN.) OBERM.	
	(=E. baurii N.E. Br.) #	
	(=E. sonderanum Koern.) 2	
620	E. GILGIANUM RUHL.	
640	E. HYDROPHILUM MARKOTTER	
660	E. MACULATUM SCHINZ	
	E. natalensis Schinz = E. AFRICANUM	
800	E. RUHLANDII SCHINZ	
850	E. SETACEUM L.	
	E. sonderanum Koern. = E. DREGEI VAR. SONDERANUM	
	E. tofieldiifolium Schinz = E. TRANSVAALICUM	
1100	E. TRANSVAALICUM N.E. BR.	
	(=E. tofieldiifolium Schinz) #	
1250	E. WELWITSCHII RENDLE	
	(=E. aristatum H. Hess) #	
	E. woodii N.E. Br. = E. AFRICANUM	
0830000	-Paepalanthus Mart. = SYNGONANTHUS	
	P. wahlbergii Koern. = SYNGONANTHUS WAHLBERGII	
0832010	-SYNGONANTHUS RUHL.	
	1. BROWN. 1897. FC.	
	2. MEIKLE. 1968. FWTA.	
100	S. WAHLBERGII (KOERN.) RUHL.	
	(=Paepalanthus wahlbergii Koern.) 2	

Crymon

COMMELINACEAE		893000
0896000	-COMMELINA L. Revision: A. A. Obermeyer (PRE).	
	1. CLARKE. 1897. FC.	
	2. SCHREIBER. 1969. FSWA.	
	3. OBERMEYER. 1981. BOTHALIA 13: 437.	
	#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.	
100	C. AFRICANA L. VAR. AFRICANA	
110	C. AFRICANA L. VAR. BARBERAE (C.B. CL.) C.B. CL.	
	(=C. karooica C.B. Cl.) 2	
	C. africana L. var. boehmiana (K. Schum.) Brenan = C. AFRICANA VAR. KREBSIANA	
	C. africana L. var. brevipila Brenan = C. AFRICANA VAR. KREBSIANA	
	C. africana L. var. glabriuscula (T. Norl.) Brenan = C. AFRICANA VAR. LANCISPATHA	
160	C. AFRICANA L. VAR. KREBSIANA (KUNTH) C.B. CL.	
	(=C. africana L. var. boehmiana (K. Schum.) Brenan) #	
	(=C. africana L. var. brevipila Brenan) #	
	(=C. africana L. var. milleri Brenan) #	
	(=C. africana L. var. villosior (C.B. Cl.) Brenan) #	
170	C. AFRICANA L. VAR. LANCISPATHA C.B. CL.	
	(=C. africana L. var. glabriuscula (T. Norl.) Brenan) #	
	C. africana L. var. milleri Brenan = C. AFRICANA VAR. KREBSIANA	
	C. africana L. var. villosior (C.B. Cl.) Brenan = C. AFRICANA VAR. KREBSIANA	
	C. albescens sensu C.B. Cl., non Hassk. = C. LIVINGSTONII	
200	C. ASPERA BENTH.	
250	C. BELLA OBERM.	
300	C. BENGHALENSIS L.	
	C. bracteosa Hassk. = C. ERECTA	
500	C. DIFFUSA BURM. F. SUBSP. DIFFUSA	
550	C. DIFFUSA BURM. F. SUBSP. SCANDENS (C.B. CL.) OBERM.	
	(=C. scandens Welw. ex. C.B. Cl.) 3	
600	C. ECKLONIANA KUNTH	

Petmon

- 700 C. ERECTA L.
 (=C. bracteosa Hassk.) #
 (=C. gerrardii C.B. Cl.) #
 (=C. undulata R. Br.) #
- 900 C. FLUVIATILIS BRENAN
- 1000 C. FORSKALAEI VAHL
 C. gerrardii C.B. Cl. = C. ERECTA
 C. karooica C.B. Cl. = C. AFRICANA VAR. BARBERAE
- 1100 C. KOTSCHYI HASSK.
- 1140 C. LIVINGSTONII C.B. CL.
 (=C. albescens sensu C.B. Cl., non Hassk.) #
- 1170 C. MODESTA OBERM.
- 1180 C. PETERSII HASSK.
- 1270 C. ROGERSII BURTT DAVY
 C. scandens Welw. ex C.B. Cl. = C. DIFFUSA SUBSP. SCANDENS
- 1300 C. SUBULATA ROTH
 C. undulata R. Br. = C. ERECTA
- 1400 C. ZAMBESICA C.B. CL.
- 0899000 -ANEILEMA R. BR. Revision: R.B. Faden (US).
 1. CLARKE. 1897. FC.
 100 A. AEGUINDCTIALE (BEAUV.) KUNTH
 200 A. DREGEANUM KUNTH
 300 A. HOCKII DE WILD.
 350 A. JOHNSTONII K. SCHUM.
 370 A. LONGIRRHZUM FADEN
 380 A. NICHOLSONII C.B. CL.
 400 A. SCHLECHTERI K. SCHUM.
 500 A. ZEBRINA CHIOV.
- 0899010 -MURDANNIA ROYLE Revision: A.A. Obermeyer (PRE).
 1. CLARKE. 1897. FC.
 2. BRENAN. 1953. KEW BULL. 7: 186.
 100 M. SIMPLEX (VAHL) BRENAN
 (=M. sinicum (Ker-Gawl.) Bruckn.) 2
 M. sinicum (Ker-Gawl.) Bruckn. = M. SIMPLEX
- 0899020 -BALLYA BRENAN Revision: A.A. Obermeyer (PRE).
 1. BRENAN. 1964. KEW BULL. 19: 63.
 100 B. ZEBRINA (CHIOV.) BRENAN
- 0903000 -COLEOTRYPE C.B. CL. Revision: A.A. Obermeyer (PRE).
 1. CLARKE. 1897. FC.
 100 C. NATALENSIS C.B. CL.
- 0904000 -CYANTOTIS D. DON Revision: A.A. Obermeyer (PRE).
 1. HASSKARL. 1870. COMMLIN. INDIA. 108.
 2. CLARKE. 1897. FC.
 100 C. FOECUNDA HASSK.
 200 C. LANATA BENTH.
 300 C. LAPIDOSA PHILL.
 400 C. LONGIFOLIA BENTH.
 C. nodiflora Kunth = C. SPECIOSA
 450 C. PACHYRRHIZA OBERM.
 480 C. ROBUSTA OBERM.
 500 C. SPECIOSA (L. F.) HASSK.
 (=C. nodiflora Kunth) 1
- 0908000 -FLOSCOPA LOUR. Revision: A.A. Obermeyer (PRE).
 1. CLARKE. 1897. FC.
 2. BRENAN. 1968. FWTA.
 100 F. FLAVIDA C.B. CL.
 200 F. GLOMERATA (WILLD. EX SCHULT. & SCHULT. F.) HASSK.
 (=F. rivularis (A. Rich.) C.B. Cl.) 2
 250 F. LEIOTHYRSA BRENAN
 F. rivularis (A. Rich.) C.B. Cl. = F. GLOMERATA
- 0911000 -TRADESCANTIA L. Revision: A.A. Obermeyer (PRE).
 100 T. FLUMINENSIS VELL. *

PONTERIERACEAE

920000

- 0920000 -MONOCHORIA PRESL Revision: A.A. Obermeyer (PRE).
 1. BROWN. 1902. FTA.
 100 M. AFRICANA N.E. BR.
- 0921000 -EICHHORNIA KUNTH Revision: A.A. Obermeyer (PRE).
 1. BROWN. 1902. FTA.
 2. WILD. 1961. KIRKIA 2: 9.
 100 E. CRASSIPES (MART.) SOLMS-LAUB. *
 200 E. NATANS (BEAUV.) SOLMS-LAUB.
- 0922000 -PONTEDERIA L. Revision: A.A. Obermeyer (PRE).
 100 P. CORDATA L. VAR. OVALIS SOLMS-LAUB. *
- 0924000 -HETERANTHERA RUIZ & PAV. Revision: A.A. Obermeyer (PRE).
 1. HEPPER. 1968. FWTA.
 100 H. CALLIFOLIA REICHB. EX KUNTH
 (=H. kotschyana Fenzl ex Solms-Laub.) 1
 H. kotschyana Fenzl ex Solms-Laub. = H. CALLIFOLIA

JUNCACEAE

930000

- 0930000 -PRIONIUM E. MEY. Revision: A.A. Obermeyer (PRE).
 1. BROWN. 1897. FC.
 2. ADAMSON. 1950. FL. CAP. PENINS.
 P. palmata E. Mey. = P. SERRATUM

Petmon

Petmon

- 100 P. SERRATUM (L. F.) DREGE EX E. MEY.
(=P. palmata E. Mey.) 2
- 0936000 -JUNCUS L. Revision: A. A. Obermeyer (PRE).
1. BROWN. 1897. FC.
2. ADAMSON. 1935. J. LINN. SOC. 50: 1.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 200 J. acutissimus (Buchen.) Adamson = J. INFLEXUS
J. ACUTUS L. SUBSP. LEOPOLDII (PARL.) SNOG.
J. anonymus Steud. = J. CAPENSIS
J. apiculatus Adamson = J. CAPENSIS
J. arabicus (Aschers. & Buchen.) Adamson = J. RIGIDUS
J. atropurpureus Adamson = J. CAPENSIS
J. brevistilus Buchen. = J. OXYCARPUS
- 600 J. BUFONIUS L. *
(=J. dinteri V. Poelln.) #
- 700 J. CAPENSIS THUNB.
(=J. anonymus Steud.) #
(=J. apiculatus Adamson) #
(=J. atropurpureus Adamson) #
(=J. delicatulus Steud.) #
(=J. sphagnetorum (Buchen.) Adamson) #
(=J. umbellatus Adamson) #
- 750 J. CAPILLACEUS LAM.
800 J. CAPITATUS WEIGEL *
900 J. CEPHALOTES THUNB.
(=J. filifolius Adamson) #
(=J. inaequalis Buchen.) #
J. chamissonis Kunth = J. IMBRICATUS
J. cymosus Lam. = J. LOMATOPHYLLUS
J. delicatulus Steud. = J. CAPENSIS
J. dinteri V. Poelln. = J. BUFONIUS
- 1100 J. DREGEANUS KUNTH.
(=J. sonderanus Buchen.) #
(=J. subcuneatus Adamson) #
(=J. subglobosus Adamson) #
(=J. submonocephalus Steud.) #
- 1200 J. EFFUSUS L.
1300 J. EXSERTUS BUCHEN.
(=J. rostratus Buchen.) #
J. fasciculiflorus Adamson = J. KRAUSSII
J. filifolius Adamson = J. CEPHALOTES
J. gentilis N.E. Br. = J. OXYCARPUS
- 1450 J. IMBRICATUS LA HARPE
(=J. chamissonis Kunth) #
J. inaequalis Buchen. = J. CEPHALOTES
- 1700 J. INFLEXUS L.
(=J. acutissimus (Buchen.) Adamson) #
- 1800 J. KRAUSSII HOCHST.
(=J. fasciculiflorus Adamson) #
(=J. spretus Schult. & Schult. f.) #
- 1900 J. LOMATOPHYLLUS SPRENG.
(=J. cymosus Lam.) #
(=J. viridifolius Adamson) #
J. maritimus sensu Bak., non Lam. = J. RIGIDUS
- 2100 J. OBLIGUUS ADAMSON
2300 J. OXYCARPUS E. MEY. EX KUNTH
(=J. brevistilus Buchen.) #
(=J. gentilis N.E. Br.) #
(=J. suboxycarpus Adamson) #
- 2700 J. PUNCTORIUS L. F.
2750 J. RIGIDUS DESF.
(=J. arabicus (Aschers. & Buchen.) Adamson) #
(=J. maritimus sensu Bak., non Lam.) #
J. rostratus Buchen. = J. EXSERTUS
- 2900 J. RUPESTRIS KUNTH
3000 J. SCABRIUSCULUS KUNTH
(=J. subglandulosus Steud.) #
J. sonderanus Buchen. = J. DREGEANUS
J. sphagnetorum (Buchen.) Adamson = J. CAPENSIS
J. spretus Schult. & Schult. f. = J. KRAUSSII
- 3250 J. STENOPETALUS ADAMSON
J. subcuneatus Adamson = J. DREGEANUS
J. subglandulosus Steud. = J. SCABRIUSCULUS
J. subglobosus Adamson = J. DREGEANUS
J. submonocephalus Steud. = J. DREGEANUS
J. suboxycarpus Adamson = J. OXYCARPUS
- 3450 J. TENUIS WILLD.
J. umbellatus Adamson = J. CAPENSIS
J. viridifolius Adamson = J. LOMATOPHYLLUS
- 0937000 -LUZULA DC. Revision: A. A. Obermeyer (PRE).
1. BROWN. 1897. FC.
- 100 L. AFRICANA DREGE EX STEUD.

LILIACEAE

942000

Dahlgren & Clifford in The Monocotyledons (1982), divide the Liliaceae into a number of smaller families:

ALLIACEAE

Agapanthus, Allium, Nothoscordum, Tulbaghia.

ASPARAGACEAE

Myrsiphyllum, Protasparagus.

ASPHODELACEAE

Aloe, Anthericum, Bulbine, Bulbinella, Caesia, Chlorophytum, Gasteria, Haworthia, Kniphofia, Trachyandra.

COLCHICACEAE

Androcymbium, Baeometra, Camptorrhiza, Gloriosa, Hexacyrtis, Iphigenia, Littonia, Neodregea, Onixotis, Ornithoglossum, Sandersonia, Wurmbia.

DRACAENACEAE

Dracaena, Sansevieria.

ERIOSPERMACEAE

Eriospermum.

HYACINTHACEAE

Aibuca, Amphisiphon, Androsiphon, Bowiea, Daubnya, Dipcadi, Drimia, Drimiopsis, Eucomis, Galtonia, Lachenalia, Ledebouria, Litanthus, Massonia, Neobakeria, Neopatersonia, Ornithogalum, Polyxena, Pseudogaltonia, Rhadamanthus, Schizobasis, Scilla, Tenicra, Thuranthos, Urginea, Veltheimia, Whiteheadia.

LILIACEAE

Lilium *.

PHILESIACEAE

Behnia.

SMILACACEAE

Smilax.

The following treatment follows Dyer (1976), Gen. S.A. Fl. Pl.

0963000 -GLORIOSA L.

1. BAKER. 1897. FC.
2. FIELD. 1971. KEW BULL. 25: 243.

100 G. SUPERBA L.

- (=G. virescens Lindl.) 2
G. virescens Lindl. = G. SUPERBA

0964000 -LITTONIA HOOK.

1. BAKER. 1897. FC.
2. DYER. 1976. GEN. S.A. FL. PL.

100 L. MODESTA HOOK.

- (=L. rigidifolia Bred.) 2
L. rigidifolia Bred. = L. MODESTA

0965000 -SANDERSONIA HOOK.

1. BAKER. 1897. FC.

100 S. AURANTIACA HOOK.

0965010 -HEXACYRTIS DINTER

1. SOLCH ET AL. 1970. FSWA.

100 H. DICKIANA DINTER

0969000 -ANDROCYMBIUM WILLD.

Revision: U. & D. Muller-Doblies (Herb. M-D).

1. KRAUSE. 1921. NOTIZBL. BOT. GART. BERL. 7: 512.
- #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.

##. PRE HERBARIUM PRACTICE, FOLLOWING MULLER-DOBLIES.

100 A. ALBANENSE SCHONL.

200 A. ALBOMARGINATUM SCHINZ

300 A. BELLUM SCHLTR. & KRAUSE

400 A. BURCHELLII BAK.

500 A. BURKEI BAK.

600 A. CAPENSE (L.) KRAUSE

700 A. CILIOLATUM SCHLTR. & KRAUSE

(=A. fenestratum Schltr. & Krause) ##

800 A. CRISPUM SCHINZ

(=A. pritzelianum Diels) #

900 A. CUSPIDATUM BAK.

1000 A. DREGEI PRESL

(=A. exiguum Roessl.) ##

1100 A. EUCOMOIDES (JACQ.) WILLD.

A. exiguum Roessl. = A. DREGEI

A. fenestratum Schltr. & Krause = A. CILIOLATUM

1250 A. GRAMINEUM (CAV.) MACBRIDE

(=A. roseum Engl.) #

1300 A. GUTTATUM SCHLTR. & KRAUSE

1400 A. HANTAMENSE ENGL.

1500 A. IRRORATUM SCHLTR. & KRAUSE

1600 A. LATIFOLIUM SCHINZ

1700 A. LONGIPES BAK.

1800 A. MELANTHIOIDES WILLD. VAR. MELANTHIOIDES

1820 A. MELANTHIOIDES WILLD. VAR. STRIATUM BAK.

1850 A. MELANTHIOIDES WILLD. VAR. SUBULATUM BAK.

2000 A. PULCHRUM SCHLTR. & KRAUSE

A. pritzelianum Diels = A. CRISPUM

A. roseum Engl. = E. GRAMINEUM

2200 A. SCABROMARGINATUM SCHLTR. & KRAUSE

2300 A. SCHLECHTERI KRAUSE

2500 A. VOLUTARE BURCH.

0970000 -BAEOMETRA SALISB.

1. ADAMSON. 1950. FL. CAP. PENINS.

B. columellaris Salisb. = B. UNIFLORA

100 B. UNIFLORA (JACQ.) G. J. LEWIS

(=B. columellaris Salisb.) 1

Peterson

- 0971000 -ONIXOTIS RAF.
 1. ADAMSON. 1950. FL. CAP. PENINS.
 2. MABBERLEY. 1980. TAXON 29: 600.
- 100 O. PUNCTATA (L.) MABBERLEY
 (=Dipidax ciliata (L. f.) Bak.) 1
 (=Dipidax punctata (L.) Hutch.) 2
- 200 O. TRIQUETRA (L. F.) MABBERLEY
 (=Dipidax triquetra (L. f.) Bak.) 2
- 0971005 -Dipidax Laws. = ONIXOTIS
 D. ciliata (L. f.) Bak. = ONIXOTIS PUNCTATA
 D. punctata (L.) Hutch. = ONIXOTIS PUNCTATA
 D. triquetra (L. f.) Bak. = ONIXOTIS TRIQUETRA
- 0971010 -NEODREGEA C. H. WRIGHT
 1. WRIGHT. 1909. KEW BULL. 1909: 308.
 2. GARSIDE. 1935. KEW BULL. 1935: 292.
- 100 N. GLASSII C. H. WR.
- 0972000 -WURMBEA THUNB. Revision: B. Nordenstam (S).
 1. BAKER. 1897. FC.
 2. NORDENSTAM. 1964. BOT. NOTISER 117: 173.
 3. NORDENSTAM. 1978. NOTES R. BOT. GDN EDINB. 36: 211.
- 100 W. ANGUSTIFOLIA B. NORD.
 150 W. BURTTII B. NORD.
 170 W. CAPENSIS THUNB.
 200 W. COMPACTA B. NORD.
 300 W. CONFERTA N. E. BR.
 400 W. ELATIOR B. NORD.
 500 W. ELONGATA B. NORD.
 700 W. KRAUSSII BAK.
 900 W. LONGIFLORA WILLD.
 1100 W. MINIMA B. NORD.
 1200 W. PURPUREA DRYAND.
 1250 W. PUSILLA PHILL.
 1450 W. SPICATA (BURM. F.) DUR. & SCHINZ
 1600 W. USTULATA B. NORD.
- 0973000 -ORNITHOGLOSSUM SALISB.
 1. NORDENSTAM. 1982. OPERA BOTANICA 64: 1.
- 100 O. CALCICOLA KRAUSE & DINTER
 300 O. DINTERI KRAUSE
 O. glaucum sensu Bak., non Salisb. = O. VULGARE
 O. GRACILE B. NORD.
 350 O. PARVIFLORUM B. NORD. VAR. NAMAQUENSE B. NORD.
 400 O. PARVIFLORUM B. NORD. VAR. PARVIFLORUM
 500 O. UNDULATUM SWEET
 550 O. VIRIDE (L. F.) AIT.
 600 O. VULGARE B. NORD.
 (=O. glaucum sensu Bak., non Salisb.) 1
 700 O. ZEYHERI (BAK.) B. NORD.
- 0975000 -IPHIGENIA KUNTH
 1. OBERMEYER. 1961. KIRKIA 1: 84.
- 100 I. BECHUANICA BAK.
- 0975010 -CAMPTORRHIZA PHILL.
 1. OBERMEYER. 1961. KIRKIA 1: 86
- 100 C. STRUMOSA (BAK.) OBERM.
- 0984000 -BULBINELLA KUNTH
 1. BAKER. 1896. FC.
 2. LEIGHTON. 1950. FL. CAP. PENINS.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 B. CAUDA-FELIS (L. F.) DUR. & SCHINZ
 (=B. caudata Kunth) #
 B. caudata Kunth = B. CAUDA-FELIS
 200 B. FLORIBUNDA (AIT.) DUR. & SCHINZ
 (=B. robusta Kunth) 2
 300 B. GRACILIS KUNTH
 B. peronata Kunth = B. TRIQUETRA
 B. robusta Kunth = B. FLORIBUNDA
 400 B. TRIQUETRA (L. F.) KUNTH
 (=B. peronata Kunth) #
- 0985000 -BULBINE WILLD.
 1. BAKER. 1896. FC.
 2. OBERMEYER. 1976. BOTHALIA 12: 62.
 3. HILLIARD & BURTT. 1982. NOTES R. BOT. GND EDINB. 40: 282.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 B. ABYSSINICA A. RICH.
 200 B. ALOOIDES (L.) WILLD.
 250 B. ANGUSTIFOLIA V. POELLN.
 (=B. tortifolia Verdoorn) #
 300 B. ANNUA (L.) WILLD.
 350 B. ASPHODELOIDES (L.) WILLD.
 400 B. BACHMANNIANA SCHINZ
 B. brunsvigiaefolia Bak. = B. LATIFOLIA
 B. caespitosa Bak. = B. LAGOPUS
 550 B. CAPITATA V. POELLN.
 (=B. stenophylla Verdoorn) #
 570 B. CATAPHYLLATA V. POELLN.
 B. caulescens L. = B. FRUTESCENS
 600 B. COETZEEI OBERM.
 700 B. CROCEA GUTH.
 800 B. DENSIFLORA BAK.
 900 B. DIPHYLLA SCHLTR. EX V. POELLN.
 950 B. ENSIFOLIA BAK.
 1000 B. FAVOSA (THUNB.) ROEM. & SCHULT.

1100 B. FILIFOLIA BAK.
 (=B. trichophylla Bak.) 3
 1200 B. FLEXICAULIS BAK.
 1300 B. FLEXUOSA SCHLTR.
 1400 B. FRUTESCENS (L.) WILLD.
 (=B. caulescens L.) #
 (=B. rostrata Willd.) #
 1500 B. HAWORTHIOIDES B. NORD.
 1600 B. INFLATA OBERM.
 1680 B. LAGOPUS (THUNB.) N.E. BR.
 (=B. caespitosa Bak.) #
 1700 B. LATIFOLIA (L. F.) ROEM. & SCHULT.
 (=B. brunsvigiaefolia Bak.) #
 (=B. natalensis Bak.) #
 1800 B. LAXIFLORA BAK.
 1900 B. LONGIFOLIA SCHINZ.
 2000 B. MESEMBRYANTHEOIDES HAW.
 2100 B. MINIMA BAK.
 2150 B. MONOPHYLLA V. POELLN.
 2200 B. NAMAENSIS SCHINZ.
 2300 B. NARCISSIFOLIA SALM-DYCK
 B. natalensis Bak. = B. LATIFOLIA
 2450 B. NUTANS (JACQ.) ROEM. & SCHULT.
 2550 B. PRAEMORSA (JACQ.) ROEM. & SCHULT.
 B. pugioniformis (Jacq.) Link = B. TUBEROSA
 B. rostrata Willd. = B. FRUTESCENS
 2700 B. SEDIFOLIA SCHLTR. EX V. POELLN.
 B. stenophylla Verdoorn = B. CAPITATA
 2850 B. SUCCULENTA COMPTON
 2900 B. TETRAPHYLLA DINTER
 B. tortifolia Verdoorn = B. ANGUSTIFOLIA
 B. trichophylla Bak. = B. FILIFOLIA
 3200 B. TUBEROSA (MILL.) OBERM.
 (=B. pugioniformis (Jacq.) Link) 2
 3300 B. VESICULARIS DINTER
 3400 B. ZEYHERI BAK.
 0985010 -TRACHYANDRA KUNTH
 1. OBERMEYER. 1962. BOTHALIA 7: 669.
 2. ROESSLER. 1973. MITT. BOT. STSAMML., MUNCH. 11: 90.
 100 T. ACOCKSII OBERM.
 200 T. ADAMSONII (COMPTON) OBERM.
 300 T. AFFINIS KUNTH
 400 T. ARVENSIS (SCHINZ) OBERM.
 500 T. ASPERATA KUNTH VAR. ASPERATA
 600 T. ASPERATA KUNTH VAR. BASUTOENSIS (V. POELLN.) OBERM.
 700 T. ASPERATA KUNTH VAR. CAROLINENSIS OBERM.
 800 T. ASPERATA KUNTH VAR. MACOWANII (BAK.) OBERM.
 900 T. ASPERATA KUNTH VAR. NATAGLENCOENSIS (KUNTZE) OBERM.
 1000 T. ASPERATA KUNTH VAR. STENOPHYLLA (BAK.) OBERM.
 1100 T. ASPERATA KUNTH VAR. SWAZIENSIS OBERM.
 1200 T. BRACHYPODA (BAK.) OBERM.
 1300 T. BULBINIFOLIA (DINTER) OBERM.
 1400 T. BURKEI (BAK.) OBERM.
 1500 T. CAPILLATA (V. POELLN.) OBERM.
 1600 T. CHLAMYDOPHYLLA (BAK.) OBERM.
 1700 T. CILIATA (L. F.) KUNTH
 1800 T. DISSECTA OBERM.
 1900 T. DIVARICATA (JACQ.) KUNTH
 2000 T. ENSIFOLIA (SOELCH) ROESSLER
 2100 T. ERYTHRORRHIZA (CONRATH) OBERM.
 2200 T. ESTERHUYSENAE OBERM.
 2300 T. FALCATA (L. F.) KUNTH
 (=Chlorophytum drepanophyllum Bak.) 1
 2400 T. FILIFORMIS (AIT.) OBERM.
 2500 T. FLEXIFOLIA (L. F.) KUNTH
 2600 T. GERRARDII (BAK.) OBERM.
 2700 T. GIFFENII (LEIGHTON) OBERM.
 2800 T. GLANDULOSA (DINTER) OBERM.
 2900 T. GRACILENTA OBERM.
 3000 T. HIRSUTA (THUNB.) KUNTH
 3100 T. HIRSUTIFLORA (ADAMSON) OBERM.
 3200 T. HISPIDA (L.) KUNTH
 3300 T. INVOLUCRATA (BAK.) OBERM.
 3400 T. JACQUINIANA (ROEM. & SCHULT.) OBERM.
 3500 T. KARRODICA OBERM.
 3600 T. LANATA (DINTER) OBERM.
 T. laxa (N.E. Br.) Oberg. var. erratica (Oberg.) Oberg. = T. LAXA VAR. RIGIDA
 T. LAXA (N.E. BR.) OBERM. VAR. LAXA
 3800 T. LAXA (N.E. BR.) OBERM. VAR. RIGIDA (SUESSING.) ROESSL.
 (=T. laxa (N.E. Br.) Oberg. var. erratica (Oberg.) Oberg.) 2
 3900 T. MARGARETAE OBERM.
 4000 T. MURICATA (L. F.) KUNTH
 4100 T. OLIGOTRICHIA (BAK.) OBERM.
 4200 T. PANICULATA OBERM.
 4300 T. PATENS OBERM.
 4400 T. PECULIARIS (DINTER) OBERM.
 4500 T. REFLEXIPILOSA (KUNTZE) OBERM.
 4600 T. REVOLUTA (L.) KUNTH
 4700 T. SABULOSA (ADAMSON) OBERM.
 4800 T. SALTII (BAK.) OBERM. VAR. SALTII
 4900 T. SALTII (BAK.) OBERM. VAR. OATESII (BAK.) OBERM.
 5000 T. SALTII (BAK.) OBERM. VAR. SECUNDA (KRAUSE & DINTER) OBERM.
 5100 T. SCABRA (L. F.) KUNTH
 5150 T. SMALLIANA HILLIARD & BURTT
 5200 T. TABULARIS (BAK.) OBERM.
 5300 T. THYRSOIDEA (BAK.) OBERM.
 5400 T. TORTILIS (BAK.) OBERM.
 5500 T. ZEBRINA (SCHLTR. EX V. POELLN.) OBERM.

- 0989000 -ANTHERICUM L.
 1. OBERMEYER. 1962. BOTHALIA 7: 669.
 100 A. ACUTUM C. H. WR.
 200 A. ANCEPS BAK.
 300 A. ANGULICAULE BAK.
 400 A. CALYPTROCARPUM BAK.
 500 A. COOPERI BAK.
 600 A. CYPERACEUM KIES EX OBERM.
 700 A. FASCICULATUM BAK.
 800 A. GALPINII BAK. VAR. GALPINII
 900 A. GALPINII BAK. VAR. MATABELENSE (BAK.) OBERM.
 1000 A. GALPINII BAK. VAR. NORLINDII (WEIM.) OBERM.
 1100 A. HAYGARTHII (WOOD & EVANS) KIES EX OBERM.
 1200 A. KRAUSEANUM DINTER
 1300 A. LONGISTYLUM BAK.
 1400 A. RADULA BAK.
 1500 A. RANGEI ENGL. & KRAUSE
 1600 A. SAUNDERSIAE BAK.
 1700 A. TRANSVAALENSE BAK.
 1800 A. TRICHOPHLEBIUM BAK.
 1900 A. WHYTEI BAK.
- 0990000 -CHLOROPHYTUM KER-GAWL.
 1. OBERMEYER. 1962. BOTHALIA 7: 669.
 100 C. ARIDUM OBERM.
 200 C. BOWKERI BAK.
 300 C. CAPENSE (L.) VOSS
 400 C. COMOSUM (THUNB.) JACQ.
 500 C. CRASSINERVE (BAK.) OBERM.
 600 C. CRISPUM (THUNB.) BAK.
 C. drepanophyllum Bak. = TRACHYANDRA FALCATA
 700 C. KROOKIANUM ZAHLBR.
 800 C. LEWISIAE OBERM.
 900 C. MACROSPORUM BAK.
 1000 C. MODESTUM BAK.
 1100 C. MONOPHYLLUM OBERM.
 1200 C. NAMAQUENSE SCHLTR. EX V. POELLN.
 1300 C. PAPILLOSUM RENDLE
 1400 C. PAUCIPHYLLUM OBERM.
 1500 C. RIGIDUM KUNTH
 1600 C. TRACHYCARPUM OBERM.
 1700 C. TRIFLORUM (AIT.) KUNTH
 1800 C. UNDULATUM (JACQ.) OBERM.
 1900 C. VISCOSUM KUNTH
- 1002000 -CAESIA R. BR.
 1. OBERMEYER. 1973. BOTHALIA 11: 122.
 100 C. CAPENSIS (H. BOL.) OBERM.
 (=Nanolirion capense (H. Bol.) Benth. & Hook.) 1
 200 C. CONTORTA (L. F.) DUR. & SCHINZ
 (=C. thunbergii Roem. & Schult. f.) 1
 C. thunbergii Roem. & Schult. = C. CONTORTA
- 1002010 -Nanolirion Benth. = CAESIA
 N. capense (H. Bol.) Benth. & Hook. = CAESIA CAPENSIS
- 1010000 -SCHIZOBASIS BAK.
 1. BAKER. 1896. FC.
 2. DYER. 1976. GEN.
 S. cuscutoides (Burch. ex Bak.) Benth. & Hook.) = S. INTRICATA
 S. flagelliformis (Bak.) Bak. = S. INTRICATA
 300 S. INTRICATA (BAK.) BAK.
 (=S. cuscutoides (Burch. ex Bak.) Benth. & Hook.) 2
 (=S. flagelliformis (Bak.) Bak.) 2
 (=S. macowanii Bak.) 2
 S. macowanii Bak. = S. INTRICATA
- 1011000 -BOWIEA HARV. EX HOOK. F.
 1. BAKER. 1896. FC.
 50 B. GRIEPENSIS V. JAARSVELD
 100 B. VOLUBILIS HARV. EX HOOK. F.
- 1012000 -ERIOSPERMUM JACQ. EX WILLD.
 1. BAKER. 1897. FC.
 2. DUTHIE. 1940. ANN. UNIV. STELL. 18, A2: 1
 3. SALTER. 1950. FL. CAP. PENINS.
 4. ARCHIBALD. 1960. J. L. S. AFR. BOT. 26: 93.
 5. SOLCH ET AL. 1970. FSWA.
 6. HILLIARD & BURTT. 1982. NOTES R. BOT. GDN EDINB. 40: 283.
 100 E. ABYSSINICUM BAK.
 150 E. ALBUCOIDES BAK.
 200 E. ALCICORNE BAK.
 300 E. ALGIFERUM MARLOTH EX DUTHIE
 400 E. APHYLLUM MARLOTH
 500 E. APPENDICULATUM A. V. DUTHIE
 550 E. ARENICOLUM V. POELLN.
 600 E. AVASMONTANUM DINTER
 700 E. BAKERANUM SCHINZ
 900 E. BIFIDUM R. A. DYER
 1000 E. BOWIEANUM BAK.
 1100 E. BRACTEATUM ARCHIB.
 1200 E. BREVIPES BAK.
 1300 E. BURCHELLII BAK.
 1500 E. CERNUUM BAK.
 1600 E. CAPENSE (L.) SALTER
 (=E. latifolium Jacq.) 3
 1700 E. CERVICORNE MARLOTH
 1800 E. COERULESCENS V. POELLN.

1900 E. CONFERTUM BAK.
 2000 E. CONFUSUM V. POELLN.
 2100 E. COOPERI BAK.
 2200 E. CORDIFORME SALTER
 2300 E. DISSITIFLORUM SCHLTR.
 2400 E. DREGEI SCHÖNL.
 2500 E. DUTHIEAE SALTER
 2600 E. DYERII ARCHIB.
 2700 E. FOLIOLIFERUM ANDR.
 2800 E. GALPINII SCHINZ
 2900 E. GRAMINIFOLIUM A. V. DUTHIE
 3000 E. GRANITICOLA DINTER EX V. POELLN.
 3050 E. HALENBERGENSE DINTER
 3100 E. HAYGARTHII BAK.
 3200 E. HERPORRHIZUM SALTER
 3240 E. HYGROPHILUM BAK.
 3250 E. JUTTAE DINTER
 3280 E. KRAUSEANUM V. POELLN.
 3300 E. LANCIFOLIUM JACQ. VAR. LANCIFOLIUM
 3350 E. LANCIFOLIUM JACQ. VAR. ORTHOPHYLLUM ARCHIB.
 E. latifolium Jacq. = E. CAPENSE
 3380 E. LINEARIFOLIUM BAK.
 3400 E. LUTEO-RUBRUM BAK.
 3500 E. MACRUM SCHLTR. EX V. POELLN.
 3600 E. MACKENII (HOOK. F.) BAK.
 E. microphyllum Bak. = E. ORNITHOGALOIDES
 3800 E. MULTIFIDUM MARLOTH
 3900 E. NANUM MARLOTH
 4000 E. NATALENSE BAK.
 4100 E. OCCULTUM ARCHIB.
 4200 E. OMAHEKENSE ENGL. & KRAUSE
 4300 E. ORNITHOGALOIDES BAK.
 (=E. microphyllum Bak.) 6
 4400 E. OVALIFOLIUM SCHLTR. EX V. POELLN.
 4500 E. PAPILLIFERUM A. V. DUTHIE
 4600 E. PARADOXUM (JACQ.) KER-GAWL.
 4700 E. PARVIFOLIUM JACQ.
 4800 E. PATENTIFLORUM SCHLTR.
 4900 E. PILOSUM V. POELLN.
 4950 E. PLATYPHYLLUM BAK.
 5000 E. PORPHYRIUM ARCHIB.
 5100 E. PORPHYROVALVE BAK.
 5200 E. PROLIFERUM BAK.
 5250 E. PUBESCENS JACQ.
 5300 E. PUMILUM SALTER
 5400 E. PUSTULATUM MARLOTH EX A. V. DUTHIE
 5500 E. RAUTANENII SCHINZ
 5600 E. REFLEXUM SCHINZ
 5700 E. ROSEUM SCHINZ
 5900 E. SCHLECHTERII BAK.
 5950 E. SEINERII ENGL. & KRAUSE
 6000 E. SPIRALE (L.) BERG.
 6100 E. STOLONIFERUM MARLOTH
 6200 E. TENELLUM BAK.
 6300 E. THYRSODEUM BAK.
 6400 E. TORTUOSUM DAMM.
 6600 E. VILLOSUM BAK.
 6700 E. ZEYHERI R. A. DYER

 1024000 -KNIPHOFIA MOENCH
 1. CODD, 1968. BOTHALIA 9: 363.
 2. CUFODONTIS. 1971. ANN. NAT. MUS. WIEN 75: 40.
 100 K. ACRAEA CODD
 200 K. ALBESCENS CODD
 300 K. BAURII BAK.
 400 K. BRACHYSTACHYA (ZAHLEBR.) CODD
 500 K. BREVIFLORA HARV. EX BAK.
 600 K. BUCHANANII BAK.
 700 K. CAULESCENS BAK.
 800 K. CITRINA BAK.
 900 K. CODDIANA CUFOD.
 (=K. elegans Codd) 2
 1000 K. CORALLIGEMMA E. A. BRUCE
 1100 K. CRASSIFOLIA BAK.
 1200 K. DREPANOPHYLLA BAK.
 K. elegans Codd = K. CODDIANA CUFOD.
 1300 K. ENSIFOLIA BAK. SUBSP. AUTUMNALIS CODD
 1400 K. ENSIFOLIA BAK. SUBSP. ENSIFOLIA
 1500 K. EVANSII BAK.
 1600 K. FIBROSA BAK.
 1700 K. FLAMMULA CODD
 1800 K. FLUVIATILIS CODD
 1900 K. GALPINII BAK.
 2000 K. GRACILIS HARV. EX BAK.
 2100 K. HIRSUTA CODD
 2200 K. ICHOPENSIS BAK. EX SCHINZ
 2300 K. LATIFOLIA CODD
 2400 K. LAXIFLORA KUNTH
 2500 K. LINEARIFOLIA BAK.
 2600 K. LITTORALIS CODD
 K. macowanii Bak. = K. TRIANGULARIS SUBSP. TRIANGULARIS
 2700 K. MULTIFLORA WOOD & EVANS
 2800 K. NORTHIAE BAK.
 K. obtusiloba Diels ex Berger = K. TRIANGULARIS SUBSP. OBTUSILOBA
 2900 K. PARVIFLORA KUNTH
 3000 K. PAUCIFLORA BAK.
 3100 K. PORPHYRANTHA BAK.
 3200 K. PRAECOX BAK. SUBSP. BRUCEAE CODD
 3300 K. PRAECOX BAK. SUBSP. PRAECOX

3400 K. RIGIDIFOLIA E. A. BRUCE
3500 K. RITUALIS CODD
3600 K. ROOPERI (MOORE) LEM.
3700 K. RUFA BAK.
3800 K. SARMENTOSA (ANDR.) KUNTH
3900 K. SPLENDIDA E. A. BRUCE
4000 K. STRICTA CODD
4100 K. TABULARIS MARLOTH
4200 K. THODEI BAK.
4300 K. TRIANGULARIS KUNTH SUBSP. OBTUSILOBA (BERGER) CODD
(=K. obtusiloba Diels ex Berger) 1
4400 K. TRIANGULARIS KUNTH SUBSP. TRIANGULARIS
(=K. macowanii Bak.) 1
4500 K. TYPHOIDES CODD
(=Notosceptrum natalense Bak.) 1
4600 K. TYSONII BAK. SUBSP. LEBOMBOENSIS CODD
4700 K. TYSONII BAK. SUBSP. TYSONII
4800 K. UMBRINA CODD
4900 K. UVARIA (L.) OKEN

1025000 -Notosceptrum Benth. = KNIPHOFIA
N. natalense Bak. = KNIPHOFIA TYPHOIDES

1026000 -ALOE L. Revision: H. F. Glen & D. S. Hardy (PRE).
1. REYNOLDS. 1982. ALDES S. AFR. ED. 4.
2. VORSTER. 1983. J.L. S. AFR. BOT. 49: 175.
100 A. ACULEATA POLE EVANS
200 A. AFFINIS BERGER
300 A. AFRICANA MILL.
400 A. ALBIDA (STAPP) REYNOLDS
500 A. ALOOIDES (L. BOL.) V. DRUTEN
(=A. recurvifolia Groenewald) 1
600 A. AMMOPHILA REYNOLDS
700 A. ANGELICA POLE EVANS
800 A. ARBORESCENS MILL.
900 A. ARENICOLA REYNOLDS
950 A. ARGENTICAUDA MERXM. & GIESS
1000 A. ARISTATA HAW.
1100 A. ASPERIFOLIA BERGER
1200 A. BAINESII T.-DYER
1300 A. BARBERTONIAE POLE EVANS
1400 A. BOWIEA ROEM. & SCHULT.
1500 A. BOYLEI BAK.
1600 A. BRANDDRAAIENSIS GROENEWALD
1700 A. BREVIFOLIA MILL. VAR. BREVIFOLIA
1800 A. BREVIFOLIA MILL. VAR. DEPRESSA (HAW.) BAK.
1900 A. BREVIFOLIA MILL. VAR. POSTGENITA (ROEM. & SCHULT.) BAK.
2000 A. BROOMII SCHONL. VAR. BROOMII
2100 A. BROOMII SCHONL. VAR. TARKAENSIS REYNOLDS
2200 A. BUETTNERI BERGER
2300 A. BUHRII LAVRANOS
2400 A. BURGERSFORTENSIS REYNOLDS
2500 A. CANDELABRUM BERGER
2600 A. CASTANEA SCHONL.
2700 A. CHABAUDII SCHONL.
A. chimanimaniensis Christian = A. SWYNNERTONI
2800 A. CHLORANTHA LAVRANOS
2900 A. CHORTOLIRIODES BERGER VAR. BOASTII (LETTY) REYNOLDS
3000 A. CHORTOLIRIODES BERGER VAR. CHORTOLIRIODES
3100 A. CHRISTIANII REYNOLDS
3200 A. CILIARIS HAW.
3300 A. CLAVIFLORA BURCH.
3400 A. COMMIXTA BERGER
3500 A. COMOSA MARLOTH & BERGER
3600 A. COMPTONII REYNOLDS
3700 A. COOPERI BAK.
3750 A. CORALLINA VERDOORN
3800 A. CRYPTOPODA BAK.
3850 A. DABENORISANA V. JAARVELD
3900 A. DAVYANA SCHONL. VAR. DAVYANA
4000 A. DAVYANA SCHONL. VAR. SUBOLIFERA GROENEWALD
4100 A. DEWETII REYNOLDS
4200 A. DEWINTERI GIESS
4300 A. DICHOTOMA MASS.
4400 A. DINTERI BERGER
4500 A. DISTANS HAW.
4600 A. DOLOMITICA GROENEWALD
4700 A. DOMINELLA REYNOLDS
4800 A. DYERI SCHONL.
4900 A. ECKLONIS SALM-DYCK
5000 A. ERINACEA HARDY
5100 A. ESCULENTA LEACH
5200 A. EXCELSA BERGER
5300 A. FALCATA BAK.
5400 A. FEROX MILL.
5500 A. FOSTERI PILLANS
5600 A. FRAMESII L. BOL.
5700 A. GARIEPENSIS PILLANS
5800 A. GERSTNERI REYNOLDS
5900 A. GLAUCA MILL. VAR. GLAUCA
6000 A. GLAUCA MILL. VAR. MURICATA (SCHULT.) BAK.
6100 A. GLOBULIGEMMA POLE EVANS
6200 A. GRACILIFLORA GROENEWALD
6300 A. GRACILIS HAW. VAR. DECUMBENS REYNOLDS
6400 A. GRACILIS HAW. VAR. GRACILIS
6500 A. GRANDIDENTATA SALM-DYCK
6600 A. GREATHEADII SCHONL.
6700 A. GREENII BAK.

6800 A. HAEMANTHIFOLIA BERGER & MARLOTH
6900 A. HEREROENSIS ENGL. VAR. HEREROENSIS
7000 A. HEREROENSIS ENGL. VAR. LUTEA BERGER
7100 A. HLANGAPIES GROENEWALD
7200 A. HUMILIS (L.) MILL. VAR. ACUMINATA (HAW.) BAK.
7300 A. HUMILIS (L.) MILL. VAR. ECHINATA (WILLD.) BAK.
7400 A. HUMILIS (L.) MILL. VAR. HUMILIS
7500 A. HUMILIS (L.) MILL. VAR. INCURVA HAW.
7600 A. HUMILIS (L.) MILL. VAR. SUBTUBERCULATA (HAW.) BAK.
7700 A. IMMACULATA PILLANS
7800 A. INTEGRA REYNOLDS
7900 A. KARASBERGENSIS PILLANS
8000 A. KEITHII REYNOLDS
8100 A. KHAMIESENSIS PILLANS
8200 A. KNIPHOFIODES BAK.
8300 A. KOMATIENSIS REYNOLDS
8400 A. KRAPOHLIANA MARLOTH VAR. DUMOULINII LAVRANOS
8500 A. KRAPOHLIANA MARLOTH VAR. KRAPOHLIANA
8600 A. KRAUSSII BAK.
8700 A. LAXISSIMA REYNOLDS
8800 A. LETTYAE REYNOLDS
8900 A. LINEARIFOLIA BERGER
9000 A. LINEATA (AIT.) HAW. VAR. LINEATA
9100 A. LINEATA (AIT.) HAW. VAR. MUIRII (MARLOTH) REYNOLDS
9200 A. LITTORALIS BAK.
(=A. rubrolutea Schinz) 1
9300 A. LONGIBRACTEATA POLE EVANS
9400 A. LONGISTYLA BAK.
9500 A. LUTESCENS GROENEWALD
9550 A. MACULATA ALL.
(=A. saponaria (Ait.) Haw.) 1
9600 A. MARLOTHII BERGER VAR. BICOLOR REYNOLDS
9700 A. MARLOTHII BERGER VAR. MARLOTHII
9750 A. MASSAWANA REYNOLDS
9800 A. MELANACANTHA BERGER
9850 A. MEYERI V. JAARSVELD
(=A. richtersveldensis Venter & Beukes) 2
9900 A. MICROCANtha HAW.
10000 A. MICROSTIGMA SALM-DYCK
10100 A. MINIMA BAK. VAR. BLYDERIVIERENSIS (GROENEWALD) REYNOLDS
10200 A. MINIMA BAK. VAR. MINIMA
(=A. parviflora Bak.) 1
10300 A. MITRIFORMIS MILL.
10400 A. MODESTA REYNOLDS
10500 A. MONOTROPA VERDOORN
10600 A. MUDENENSIS REYNOLDS
10700 A. MUTABILIS PILLANS
10800 A. MUTANS REYNOLDS
10900 A. MYRIACANTHA (HAW.) ROEM. & SCHULT.
11000 A. NAMIBENSIS GIESSE
11100 A. NUBIGENA GROENEWALD
11200 A. PACHYGASTER DINTER
11300 A. PARVIBRACTEATA SCHONL. VAR. PARVIBRACTEATA
11400 A. PARVIBRACTEATA SCHONL. VAR. ZULUENSIS REYNOLDS
A. parviflora Bak. = A. MINIMA VAR. MINIMA
11600 A. PEARSONII SCHONL.
11700 A. PEGLERAE SCHONL.
11800 A. PETRICOLA POLE EVANS
11900 A. PETROPHILA PILLANS
11950 A. PICTIFOLIA HARDY
12000 A. PILLANSII GUTH.
12100 A. PLICATILIS (L.) MILL.
12200 A. PLURIDENS HAW.
12300 A. POLYPHYLLA SCHONL. EX PILLANS
12400 A. PRATENSIS BAK.
12500 A. PRETORIENSIS POLE EVANS
12600 A. PRINSLOOI VERDOORN & HARDY
12700 A. PRUINOSA REYNOLDS
12800 A. RAMOSISSIMA PILLANS
A. recurvifolia Groenewald = A. ALDOIDES
12900 A. REITZII REYNOLDS VAR. REITZII
12950 A. REITZII REYNOLDS VAR. VERNALIS HARDY
13000 A. REYNOLDSII LETTY
A. richtersveldensis Venter & Beukes = A. MEYERI
A. rubrolutea Schinz = A. LITTORALIS
13100 A. RUPESTRIS BAK.
A. saponaria (Ait.) Haw. = A. MACULATA
13400 A. SAUNDERSIAE (REYNOLDS) REYNOLDS
13500 A. SESSILIFLORA POLE EVANS
13600 A. SIMII POLE EVANS
13700 A. SLADENIANA POLE EVANS
13800 A. SOUTPANSBERGENSIS VERDOORN
13900 A. SPECIOSA BAK.
14000 A. SPECTABILIS REYNOLDS
14100 A. STRIATA HAW.
14200 A. STRIATULA HAW. VAR. CAESIA REYNOLDS
14300 A. STRIATULA HAW. VAR. STRIATULA
14400 A. SUCCOTRINA LAM.
14500 A. SUFFULTA REYNOLDS
14600 A. SUPRAFOLIATA POLE EVANS
14700 A. SWYNNERTONI RENDLE
(=A. chimanimaniensis Christian) 1
14800 A. TENUIOR HAW. VAR. DECIDUA REYNOLDS
14900 A. TENUIOR HAW. VAR. DENSIFLORA REYNOLDS
15000 A. TENUIOR HAW. VAR. RUBRIFLORA REYNOLDS
15100 A. TENUIOR HAW. VAR. TENUIOR
15200 A. THOMPSONIAE GROENEWALD
15300 A. THORNCROFTII POLE EVANS

15400	A. THRASKII BAK.
15500	A. TIDMARSHII (SCHONL.) MULLER EX R.A. DYER
15600	A. TRANSVAALENSIS KUNTZE
15700	A. UMFOLOZIENSIS REYNOLDS
15800	A. VANBALENII PILLANS
15900	A. VANDERMERWEI REYNOLDS
16000	A. VARIEGATA L.
16100	A. VERDOORNAE REYNOLDS
16200	A. VERECUNDA POLE EVANS
16300	A. VIRIDIFLORA REYNOLDS
16400	A. VOGTSII REYNOLDS
16500	A. VOSSII REYNOLDS
16600	A. VRYHEIDENSIS GROENEWALD
16700	A. WICKENSII POLE EVANS VAR. LUTEA REYNOLDS
16800	A. WICKENSII POLE EVANS VAR. WICKENSII
16900	A. WOOLLIANA POLE EVANS
17000	A. ZEBRINA BAK.
1027000	-GASTERIA DUVAL Revision: E. van Jaarsveld (NBG).
	1. BAKER. 1896. FC.
	#. PRE HERBARIUM PRACTICE, FOLLOWING GOLDBLATT.
100	G. ACINACIFOLIA (JACQ.) HAW.
	(=G. candicans Haw.) #
200	G. ANGULATA (WILLD.) HAW.
300	G. ANGUSTIARUM V. POELLN.
	G. angustifolia (Ait.) Haw. = G. NIGRICANS
500	G. BATESIANA ROWLEY
550	G. BAYLISSIANA RAUH
600	G. BICOLOR HAW.
	(=G. longibracteata V. Poelln.) #
700	G. BIFORMIS V. POELLN.
800	G. BREVIFOLIA HAW.
900	G. CAESPITOSA V. POELLN.
	G. candicans Haw. = H. ACACINIFOLIA
1100	G. CARINATA (MILL.) HAW.
	(=G. glabra Haw.) #
1200	G. CHAMAEGIGAS V. POELLN.
	G. colubrina N.E. Br. = G. MACULATA
1400	G. CONSPURCATA (SALM-DYCK) HAW.
1500	G. CROUCHERI (HOOK. F.) BAK.
1600	G. DECIPIENS HAW.
1700	G. DICTA N.E. BR.
1800	G. DISTICHA (L.) HAW.
1900	G. ELONGATA BAK.
2000	G. EXCAVATA (WILLD.) HAW.
	G. fasciata (Salm-Dyck) Haw. = G. NIGRICANS
2200	G. FUSCOPUNCTATA BAK.
	G. glabra Haw. = G. CARINATA
2400	G. GRACILIS BAK.
2500	G. HERREANA V. POELLN.
2600	G. HUMILIS V. POELLN.
	G. huttoniae N.E. Br. = G. NITIDA
2800	G. INEXPECTATA V. POELLN.
2900	G. KIRSTEANA V. POELLN.
3000	G. LAETIPUNCTATA HAW.
3100	G. LILIPUTANA V. POELLN.
3200	G. LOERIENSIS V. POELLN.
3300	G. LONGIANA V. POELLN.
	G. longibracteata V. Poelln. = G. BICOLOR
3500	G. LUTZII V. POELLN.
3600	G. MACULATA (THUNB.) HAW.
	(=G. colubrina N.E. Br.) #
	(=G. marmorata Bak.) #
	G. marmorata Bak. = G. MACULATA
3700	G. MINIMA V. POELLN.
3800	G. MOLLIS HAW.
3900	G. MULTIPLEX V. POELLN.
4000	G. NIGRICANS (HAW.) HAW.
	(=G. angustifolia (Ait.) Haw.) #
	(=G. fasciata (Salm-Dyck) Haw.) #
4100	G. NITIDA (SALM-DYCK) HAW.
	(=G. huttoniae N.E. Br.) #
4200	G. OBTUSA (SALM-DYCK) HAW.
4300	G. OBTUSIFOLIA (SALM-DYCK) HAW.
4400	G. PALLESCENS BAK.
4500	G. PARVIFOLIA BAK.
4600	G. PATENTISSIMA V. POELLN.
5000	G. POELLNITZIANA JACOBS.
5100	G. PORPHYROPHYLLA BAK.
5200	G. PROLIFERA LEM.
5300	G. PSEUDONIGRICANS (SALM-DYCK) HAW.
5400	G. PULCHRA (AIT.) HAW.
5500	G. RADULOSA BAK.
5550	G. RAWLINSONII OBERM.
5600	G. REPENS HAW.
5700	G. RETATA HAW.
5800	G. SALMDYCKIANA V. POELLN.
5900	G. SCHWEICKERTIANA V. POELLN.
6000	G. SPIRALIS BAK.
6100	G. SUBCARINATA (SALM-DYCK) HAW.
	G. subverrucosa (Salm-Dyck) Haw. = G. VERRUCOSA
6300	G. SULCATA (SALM-DYCK) HAW.
6400	G. THUNBERGII N.E. BR.
6500	G. TRANSVAALENSIS DE SMET EX BAK.
6600	G. TRIEBNERANA V. POELLN.
6700	G. TRIGONA HAW.
6800	G. VARIOLOSA BAK.

6900 G. VERRUCOSA (MILL.) HAW.
 (=G. subverrucosa (Salm-Dyck) Haw.) #
 7000 G. VLAAKTENSIS V. POELLN.
 7100 G. ZEYHERI (SALM-DYCK) BAK.

1028000 -Apicra Willd. = HAWORTHIA
 A. deltoidea (Hook. f.) Bak. = HAWORTHIA DELTOIDEA VAR. DELTOIDEA
 A. foliosa (Haw.) Willd. = HAWORTHIA FOLIOSA
 A. rubriflora L. Bol. = HAWORTHIA RUBRIFLORA

1029000 -HAWORTHIA DUVAL (includes Astroloba Uitew. and Poellnitzia Uitew.)
 Revision: Bayer (NBG); Pilbeam; Scott.
 1. BAKER. 1896. FC.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.

100 H. ALTILINEA HAW.
 200 H. ANGOLENSIS BAK.
 (=Chortolirion angolense (Bak.) Berger) #
 (=Chortolirion stenophyllum (Bak.) Berger) #
 (=Chortolirion tenuifolium (Engl.) Berger) #
 (=H. tenuifolia Engl.) #

300 H. ANGUSTIFOLIA HAW.
 400 H. ARACHNOIDEA (L.) DUVAL
 420 H. ARANEA (BERGER) M.B. BAYER
 460 H. ARCHERI W.F. BARKER EX M.B. BAYER
 500 H. ARISTATA HAW.
 600 H. ARMSTRONGII V. POELLN.
 700 H. ASPERA HAW. VAR. ASPERA
 800 H. ASPERA HAW. VAR. MAJOR (HAW.) PARR
 1000 H. ASPERULA HAW.
 1100 H. ATRO-FUSCA G.G. SM.
 1200 H. ATTENUATA HAW.
 1300 H. BACCATA G.G. SM.
 1400 H. BADIA V. POELLN.
 1500 H. BATESIANA UITEW.
 1800 H. BEUKMANII V. POELLN.
 1900 H. BICARINATA (HAW.) PARR
 2000 H. BILINEATA BAK.
 2100 H. BLACKBEARDIANA V. POELLN.
 2200 H. BLACKBURNIAE W.F. BARKER
 2300 H. BOLUSII BAK.
 2450 H. BRUYNSII M.B. BAYER
 2500 H. BULLULATA (JACQ.) PARR
 2700 H. CASSYTHA BAK.
 2800 H. CHLORACANTHA HAW.
 2900 H. COARCTATA HAW.
 3000 H. COMPTONIANA G.G. SM.
 3100 H. CONGESTA (SALM-DYCK) PARR
 3200 H. COOPERI BAK.
 3300 H. CORDIFOLIA HAW.
 3500 H. CUSPIDATA HAW.
 3600 H. CYMBIFORMIS (HAW.) DUVAL
 3700 H. DECIPIENS V. POELLN.
 3800 H. DEKENAHII G.G. SM.
 3900 H. DELTOIDEA (HOOK. F.) PARR VAR. DELTOIDEA
 (=Apicra deltoidea (Hook. f.) Bak.) #

4000 H. DELTOIDEA (HOOK. F.) PARR VAR. INTERMEDIA (BERGER) PARR
 4100 H. DELTOIDEA (HOOK. F.) PARR VAR. TURGIDA (BAK.) PARR
 4150 H. DIVERGENS M.B. BAYER
 4200 H. EILYAE V. POELLN. VAR. DODSONIANA (UITEW.) PARR
 4300 H. EILYAE V. POELLN. VAR. EGREGIA (V. POELLN.) PARR
 4400 H. EILYAE V. POELLN. VAR. EILYAE
 4500 H. EILYAE V. POELLN. VAR. FARDENIANA (UITEW.) PARR
 4600 H. EMILYAE V. POELLN.
 4700 H. FASCIATA (WILLD.) HAW.
 4900 H. FLORIBUNDA V. POELLN.
 5000 H. FOLIOSA HAW.
 (=Apicra foliosa (Haw.) Willd.) #

5100 H. FOUCHEI V. POELLN.
 5200 H. FULVA G.G. SM.
 5300 H. GERALDII C.L. SCOTT
 5400 H. GLABRATA (SALM-DYCK) BAK.
 5500 H. GLAUCA BAK.
 5600 H. GLOBOSIFLORA G.G. SM.
 5700 H. GRACILIS V. POELLN.
 5800 H. GRAMINIFOLIA G.G. SM.
 5900 H. GRANULATA MARL.
 6000 H. GREENII BAK.
 6100 H. HAAGEANA V. POELLN.
 6200 H. HABBOMADIS V. POELLN.
 6300 H. HARLANDIANA PARR
 6400 H. HEIDELBERGENSIS G.G. SM.
 6500 H. HELMAE V. POELLN.
 6700 H. HERBACEA (MILL.) STEARN
 6800 H. HERREI V. POELLN.
 6900 H. HILLIANA V. POELLN.
 7000 H. HURLINGII V. POELLN.
 7100 H. HYBRIDA (SALM-DYCK) HAW.
 7200 H. ICOSIPHYLLA BAK.
 7300 H. IMBRICATA HAW.
 7400 H. INCURVULA V. POELLN.
 7500 H. INTEGRA V. POELLN.
 7600 H. ISABELLAE V. POELLN.
 7700 H. JACOBSENIANA V. POELLN.
 7800 H. JANSEANA UITEW.
 7900 H. JONESIAE V. POELLN.
 8000 H. KEWENSIS V. POELLN.
 8050 H. KINGIANA V. POELLN.
 8100 H. KOELMANIORUM OBERM. & HARDY
 8300 H. LATEGANAE V. POELLN.

8400 H. LEIGHTONII G. G. SM.
8600 H. LIMIFOLIA MARLOTH
8800 H. LOCKWOODII ARCHIB.
8900 H. LONGEBRACTEATA G. G. SM.
9000 H. LONGIANA V. POELLN.
9150 H. MACMURTRYI C. L. SCOTT
9200 H. MACULATA (V. POELLN.) M. B. BAYER
9300 H. MAGNIFICA V. POELLN.
9400 H. MARAISII V. POELLN.
9600 H. MARGINATA (LAM.) STEARN
9700 H. MARUMIANA UITEW.
9800 H. MAUGHANII V. POELLN.
9820 H. MINIMA (AIT.) HAW.
9900 H. MIRABILIS (HAW.) HAW.
10100 H. MORRISIAE V. POELLN.
10200 H. MUCRONATA HAW.
10300 H. MUNDULA G. G. SM.
10550 H. MUTICA HAW.
10600 H. NIGRA (HAW.) BAK.
10700 H. NITIDULA V. POELLN.
10800 H. NORTIERI G. G. SM.
10900 H. NOTABILIS V. POELLN.
11100 H. OLIVETTIANA PARR
11300 H. PALLIDA HAW.
11500 H. PARADOXA V. POELLN.
11600 H. PARKSIANA V. POELLN.
11700 H. PARVA HAW.
11800 H. PEACOCKII BAK.
11900 H. PEARSONII C. H. WR.
11950 H. PEHLEMANNIAE C. L. SCOTT
12000 H. PENTAGONA HAW. VAR. PENTAGONA
12100 H. PENTAGONA HAW. VAR. SPIRALIS (SALM-DYCK) PARR
12200 H. PENTAGONA HAW. VAR. SPIRELLA (HAW.) PARR
12300 H. PENTAGONA HAW. VAR. TORULOSA (HAW.) PARR
12400 H. X PERPLEXA V. POELLN.
12700 H. PLANIFOLIA HAW.
12800 H. POELLNITZIANA UITEW.
12900 H. PSEUDOGNANULATA V. POELLN.
13000 H. PUBESCENS M. B. BAYER
13100 H. PULCHELLA M. B. BAYER
13150 H. PUMILA (L.) DUVAL
13200 H. PYGMAEA V. POELLN.
13300 H. RADULA (JACQ.) HAW.
13600 H. REINWARDTII (SALM-DYCK) HAW.
13800 H. RETICULATA HAW.
13900 H. RETUSA (L.) DUVAL
14300 H. RUBRIFLORA (L. BOL.) PARR
(=Apicra rubriflora L. Bol.) #
14500 H. RUGOSA (SALM-DYCK) BAK.
14550 H. RYCROFTIANA M. B. BAYER
14600 H. RYDERIANA V. POELLN.
14800 H. SCABRA HAW.
15000 H. SCHULDITIANA V. POELLN.
15150 H. SEMIVIVA (V. POELLN.) M. B. BAYER
15200 H. SERRATA M. B. BAYER
15300 H. SESSILIFLORA BAK.
15500 H. SHIELDSIANA PARR
15600 H. X SMITII V. POELLN.
15700 H. SORDIDA HAW.
15800 H. SPRINGBOKVLAKENSIS C. L. SCOTT
15900 H. STARKIANA V. POELLN.
16000 H. STIEMIEI V. POELLN.
16100 H. SUBATTENUATA (SALM-DYCK) BAK.
16200 H. SUBFASCIATA (SALM-DYCK) BAK.
16300 H. SUBLIMPIDULA V. POELLN.
16400 H. SUBULATA (SALM-DYCK) BAK.
16500 H. X TAUTEAE ARCHIB.
16600 H. TENERA (BAK.) V. POELLN.
H. tenuifolia Engl. = H. ANGOLENSIS
16700 H. TESSELLATA (SALM-DYCK) BAK.
16800 H. TISLEYI BAK.
16900 H. TORTUOSA HAW.
17000 H. TRANSLUCENS HAW.
17100 H. TRIEBNERANA V. POELLN.
17200 H. TRUNCATA SCHONL.
17400 H. TURGIDA HAW.
17500 H. UBOMBOENSIS VERDOORN
17600 H. UITEWAALIANA V. POELLN.
17700 H. UMBRATICOLA V. POELLN.
17740 H. UNICOLOR V. POELLN.
17800 H. VARIEGATA L. BOL.
17900 H. VENOSA (LAM.) HAW.
18000 H. VENTERI V. POELLN.
18100 H. VISCOSA (L.) HAW.
18300 H. WILLOWMORENSIS V. POELLN.
18400 H. WITTEBERGENSIS W. F. BARKER
18500 H. WOOLLEYI V. POELLN.
18550 H. XIPHIOPHYLLA BAK.
18600 H. ZANTNERANA V. POELLN.

1029010 -Chortolirion Berger = HAWORTHIA
C. angolense (Bak.) Berger = HAWORTHIA ANGOLENSIS
C. stenophyllum (Bak.) Berger = HAWORTHIA ANGOLENSIS
C. tenuifolia Engl. = HAWORTHIA ANGOLENSIS
C. tenuifolium (Engl.) Berger = HAWORTHIA ANGOLENSIS

- 1046000 -AGAPANTHUS L'HERIT.
1. LEIGHTON. 1965. JL S. AFR. BOT. SUPPL. 4.
- 100 A. AFRICANUS (L.) HOFFMG.
- 200 A. CAMPANULATUS LEIGHTON SUBSP. CAMPANULATUS
- 300 A. CAMPANULATUS LEIGHTON SUBSP. PATENS (LEIGHTON) LEIGHTON
- 400 A. CAULESCENS SPRENG. SUBSP. ANGUSTIFOLIUS LEIGHTON
- 500 A. CAULESCENS SPRENG. SUBSP. CAULESCENS
- 650 A. CAULESCENS SPRENG. SUBSP. GRACILIS LEIGHTON
- 700 A. CODDII LEIGHTON
- 800 A. COMPTONII LEIGHTON SUBSP. COMPTONII
- 900 A. COMPTONII LEIGHTON SUBSP. LONGITUBUS LEIGHTON
- 1000 A. DYERI LEIGHTON
- 1100 A. INAPERTUS BEAUV. SUBSP. HOLLANDII (LEIGHTON) LEIGHTON
- 1200 A. INAPERTUS BEAUV. SUBSP. INAPERTUS
- 1300 A. INAPERTUS BEAUV. SUBSP. INTERMEDIUS LEIGHTON
- 1400 A. INAPERTUS BEAUV. SUBSP. PARVIFLORUS LEIGHTON
- 1500 A. INAPERTUS BEAUV. SUBSP. PENDULUS (L. BOL.) LEIGHTON
- 1600 A. NUTANS LEIGHTON
- 1700 A. PRAECOX WILLD. SUBSP. MINIMUS (LINDL.) LEIGHTON
- 1800 A. PRAECOX WILLD. SUBSP. ORIENTALIS (LEIGHTON) LEIGHTON
- 1900 A. PRAECOX WILLD. SUBSP. PRAECOX
- 2000 A. WALSHII L. BOL.
- 1047000 -TULBAGHIA L.
1. VOSA. 1975. ANNALI BOT. 34: 47.
 2. BURBIDGE. 1978. NOTES R. BOT. GDN EDINB. 36: 77.
 3. VOSA. 1980. JL S. AFR. BOT. 46: 109.
 4. VOSA. 1981. JL S. AFR. BOT. 47: 57.
- 100 T. ACUTILOBA HARV.
- 200 T. ALLIACEA L. F.
- 300 T. CALCAREA ENGL. & KRAUSE
- 350 T. CAMERONI BAK.
- T. campanulata N.E. Br. = T. CERNUA
- 500 T. CAPENSIS L.
- T. carnosus Burbidge = T. VERDOORNIA
- T. cepacea L. f. = T. VIOLACEA
- 650 T. CERNUA AVE-LALL.
- (=T. campanulata N.E. Br.) 4
- 670 T. CODDII VOSA & BURBIDGE
- (=T. poetica Burbidge) 2
- 680 T. COMINSII VOSA
- T. dieterlenii Phil. = T. LEUCANTHA
- 800 T. DREGEANA KUNTH
- T. fragrans Verdoorn = T. SIMMLERI
- 1000 T. GALPINII SCHLTR.
- T. karasbergensis P.E. Glover = T. TENUIOR
- 1300 T. LUEBBERTIANA ENGL. & KRAUSE
- 1400 T. LEUCANTHA BAK.
- (=T. dieterlenii Phil.) 1
- 1500 T. LUDWIGIANA HARV.
- 1550 T. MONTANA VOSA
- 1600 T. NATALENSIS BAK.
- 1650 T. NUTANS VOSA
- 1700 T. PAUCIFLORA BAK.
- T. poetica Burbidge = T. CODDII
- 1800 T. SIMMLERI BEAUV.
- (=T. fragrans Verdoorn) 3
- 1900 T. TENUIOR KRAUSE & DINTER
- (=T. karasbergensis P.E. Glover) 1
- 1950 T. TRANSVAALENSIS VOSA
- 1970 T. VERDOORNIA VOSA & BURBIDGE
- (=T. carnosus Burbidge) 2
- 2000 T. VIOLACEA HARV.
- (=T. cepacea L. f.) 3
- 1049000 -ALLIUM L.
1. BAKER. 1897. FC.
- 100 A. DREGEANUM KUNTH
- 1050000 -NOTHOSCORDUM KUNTH
1. ROY. HORT. SOC. DICT. GARD. 1951.
 2. HENDERSON & ANDERSON. 1966. MEM. BOT. SURV. S. AFR. 37: 68.
- N. fragrans (Vent.) Kunth = N. INODORUM
- 100 N. INODORUM (AIT.) NICHOLSON *
- (=N. fragrans (Vent.) Kunth) 1
- 1072000 -LILIUM L.
1. DYER. 1976. GEN.
- 100 L. FORMOSANUM (BAK.) WALLACE *
- 1079000 -ALBUCA L. Revision: U. Muller-Doblies (Herb. M-D).
1. BAKER. 1897. FC.
 2. LEIGHTON. 1948. JL S. AFR. BOT. 14: 83.
 3. SOLCH. ET AL. 1970. FSWA.
 4. OBERMEYER. 1978. BOTHALIA 12: 372.
 5. HILLIARD & BURTT. 1982. NOTES R. BOT. GDN EDINB. 40: 281.
 - #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 A. ACUMINATA BAK.
- 200 A. AFFINIS BAK.
- 300 A. ALTISSIMA DRYAND.
- 350 A. AMBOENSIS (SCHINZ) OBERM.
- (=Ornithogalum amboense Schinz) 4
- 400 A. ANGOLENSIS WELW.
- (=A. bainesii Bak.) #
- (=A. fleckii Schinz) #
- A. aperta Verdoorn = ORNITHOGALUM APERTUM
- 600 A. AUREA JACQ.
- A. bainesii Bak. = A. ANGOLENSIS

700 A. baurii Bak. = A. SETOSA
 800 A. BIFOLIA BAK.
 900 A. BIFOLIATA R.A. DYER
 1000 A. BREVIPES BAK.
 1000 A. CANADENSIS (L.) LEIGHTON
 (=A. major L.) 2
 (=A. minor L.) 2
 1100 A. CAUDATA JACQ.
 1200 A. CIRCINATA BAK.
 1300 A. COLLINA BAK.
 1400 A. CONCORDIANA BAK.
 1500 A. CONVOLUTA PHILL.
 1600 A. COOPERI BAK.
 1700 A. CORYMBOSA BAK.
 1800 A. CRINIFOLIA BAK.
 1900 A. CRUDENII ARCHIB.
 2000 A. DALYAE BAK.
 2100 A. elliotii Bak. = A. SHAWII
 2200 A. ENGLERANA KRAUSE & DINTER
 2300 A. EXUVIATA BAK.
 2400 A. FASTIGIATA (L. F.) DRYAND.
 2500 A. FIBROSA BAK.
 A. FLACCIDA JACQ.
 A. fleckii Schinz = A. ANGOLENSIS
 2700 A. FRAGRANS JACQ.
 2800 A. GLANDULOSA BAK.
 2900 A. GLAUCA BAK.
 3000 A. GRANULATA BAK.
 3100 A. HEREROENSIS SCHINZ
 3200 A. HUMILIS BAK.
 3300 A. IMBRICATA LEIGHTON
 3400 A. JUNCIFOLIA BAK.
 3500 A. KARASBERGENSIS P.E. GLOVER
 3600 A. LONGIFOLIA BAK.
 3700 A. LONGIPES BAK.
 3800 A. MACOWANII BAK.
 A. major L. = A. CANADENSIS
 3900 A. MASSONII BAK.
 4000 A. MELLERI BAK.
 A. minima Bak. = A. SHAWII
 A. minor L. = A. CANADENSIS
 4300 A. NAMAQUENSIS BAK.
 4400 A. NANA SCHONL.
 4500 A. NELSONII N.E. BR.
 A. pachychlamys Bak. = A. SETOSA
 A. POLYPHYLLA BAK.
 4800 A. PROLIFERA WILSON
 4900 A. REFLEXA DINTER & KRAUSE
 5000 A. ROGERSII SCHONL.
 5100 A. SCHONLANDII BAK.
 5200 A. SETOSA JACQ.
 (=A. baurii Bak.) #
 (=A. pachychlamys Bak.) 3
 5300 A. SCHLECHTERI BAK.
 5400 A. SHAWII BAK.
 (=A. elliotii Bak.) 5
 (=A. minima Bak.) 5
 (=A. trichophylla Bak.) 5
 5500 A. SPIRALIS L. F.
 5600 A. TENUIFOLIA BAK.
 5700 A. TORTUOSA BAK.
 A. trichophylla Bak. = A. SHAWII
 5900 A. VISCOSA L. F.
 1079010 -THURANTHOS C.H. WRIGHT
 1. STIRTON. 1976. BOTHALIA 12: 161.
 2. OBERMEYER. 1980. BOTHALIA 13: 139.
 50 T. BASUTICUM (PHILL.) OBERM.
 (=Urginea basutica Phill.) 2
 100 T. MACRANTHUM (BAK.) C.H. WR.
 200 T. NOCTURNALE R.A. DYER
 1080000 -URGINEA STEINH.
 1. BAKER. 1897. FC.
 2. JESSOP. 1977. J.L.S. AFR. BOT. 43: 265.
 3. OBERMEYER. 1980. BOTHALIA. 13: 139.
 # PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 100 U. ALTISSIMA (L. F.) BAK.
 U. amboensis Bak. = U. INDICA
 U. basutica Phill. = THURANTHOS BASUTICUM
 U. burkei Bak. = U. SANGUINEA
 500 U. CAPITATA (HOOK.) BAK.
 550 U. CILIATA (L. F.) BAK.
 570 U. COOPERI (BAK.) OBERM.
 600 U. DELAGDENSIS BAK.
 650 U. DEPRESSA BAK.
 700 U. DREGEI BAK.
 U. echinostachys Bak. = U. KNIPHOFIODES
 1000 U. EPIGEA R.A. DYER
 U. exuviata (Jacq.) Steinh. = TENICROA EXUVIATA
 U. filifolia (Jacq.) Steinh. = TENICROA FILIFOLIA
 U. forsteri Bak. = DRIMIA FORSTERI
 U. fragrans (Jacq.) Steinh. = TENICROA FRAGRANS
 1600 U. INDICA (ROXB.) KUNTH
 (=U. amboensis Bak.) #
 1700 U. KNIPHOFIODES BAK.
 (=U. echinostachys Bak.) #
 U. iliacina Bak. = U. MACROCENTRA

1750 U. LYDENBURGENSIS R. A. DYER
 1800 U. MACROCENTRA BAK.
 (=U. lilacina Bak.) #
 1900 U. MARGINATA (THUNB.) BAK.
 2000 U. MINOR A. V. DUTHIE
 2100 U. MODESTA BAK.
 (=U. natalensis Bak.) #
 (=U. pretoriensis Bak.) #
 2300 U. multifolia G. J. Lewis = TENICROA MULTIFOLIA
 U. MULTISETOSA BAK.
 U. natalensis Bak. = U. MODESTA
 2500 U. PHYSODES (JACQ.) BAK.
 U. pretoriensis Bak. = U. MODESTA
 2600 U. PUSILLA (JACQ.) BAK.
 2900 U. RIGIDIFOLIA BAK.
 2950 U. RUBELLA BAK.
 3100 U. SANGUINEA SCHINZ
 (=U. burkei Bak.) #
 3200 U. TENELLA BAK.
 3400 U. VIRENS SCHLTR.
 3500 U. ZAMBESIACA BAK.

1080005 -Sypharissa Salisb. = TENICROA
 S. exuviata (Jacq.) Salisb. ex Oberm. = TENICROA EXUVIATA
 S. filifolia (Jacq.) Salisb. ex Oberm. = TENICROA FILIFOLIA
 S. fragrans (Jacq.) Salisb. ex Oberm. = TENICROA FRAGRANS
 S. multifolia (G. J. Lewis) Oberm. = TENICROA MULTIFOLIA

1080010 -TENICROA RAF.
 1. OBERMEYER. 1980. BOTHALIA 13: 111.
 2. OBERMEYER. 1981. J. S. AFR. BOT. 47: 557.

100 T. EXUVIATA (JACQ.) SPETA
 (=Sypharissa exuviata (Jacq.) Salisb. ex Oberm.) 2
 (=Urginea exuviata (Jacq.) Steinh.) 1, 2

200 T. FILIFOLIA (JACQ.) OBERM.
 (=Sypharissa filifolia (Jacq.) Salisb. ex Oberm.) 2
 (=Urginea filifolia (Jacq.) Steinh.) 1, 2

300 T. FRAGRANS (JACQ.) RAF.
 (=Sypharissa fragrans (Jacq.) Salisb. ex Oberm.) 2
 (=Urginea fragrans (Jacq.) Steinh.) 1, 2

400 T. MULTIFOLIA (G. J. LEWIS) OBERM.
 (=Sypharissa multifolia (G. J. Lewis) Oberm.) 2
 (=Urginea multifolia G. J. Lewis) 1, 2

1081000 -GALTONIA DECNE.
 1. VERDOORN. 1955. FLOWER PL. AFR. 30: T188.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.

100 G. CANDICANS DECNE.
 (=G. princeps (Bak.) Decne.) #

300 G. princeps (Bak.) Decne. = D. CANDICANS
 G. VIRIDIFLORA VERDOORN

1082000 -DRIMIA JACQ. EX WILLD.
 1. BAKER. 1897. FC.
 2. JESSOP. 1977. J. S. AFR. BOT. 43: 265.
 3. OBERMEYER. 1981. BOTHALIA 13: 452.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.

D. alta R. A. Dyer = D. ROBUSTA
 150 D. ANGUSTIFOLIA BAK.
 200 D. ANOMALA (BAK.) BENTH.
 400 D. BURCHELLII BAK.
 700 D. CILIARIS JACQ.
 750 D. COOPERI (BAK.) BAK.
 780 D. DREGEI BAK.
 800 D. ELATA JACQ.
 850 D. FORSTERI (BAK.) OBERM.
 (=Urginea forsteri Bak.) 3

900 D. HAWORTHIOIDES BAK.
 1000 D. HYACINTHOIDES BAK.
 1100 D. MEDIA JACQ.
 1200 D. NERINIFORMIS BAK.
 1350 D. ROBUSTA BAK.
 (=D. alta R. A. Dyer) #

1400 D. SPHAEROCEPHALA BAK.

1083000 -RHADAMANTHUS SALISB.
 1. NORDENSTAM. 1970. BOT. NOTISER 123: 155.
 2. OBERMEYER. 1980. BOTHALIA 13: 137.

100 R. ALBIFLORUS B. NORD.
 200 R. ARENICOLA B. NORD.
 300 R. CONVALLARIOIDES (L. F.) BAK.
 350 R. CYANELLOIDES BAK.
 400 R. FASCIATUS B. NORD.
 450 R. KARRODICUS OBERM.
 500 R. MONTANUS B. NORD.
 550 R. NAMIBENSIS OBERM.
 600 R. PLATYPHYLLUS B. NORD.
 700 R. SECUNDUS B. NORD.
 800 R. URANTHERUS R. A. DYER

1084000 -DIPCADII MEDIK.
 1. OBERMEYER 1963. BOTHALIA 8: 117.

100 D. BAKERIANUM H. BDL.
 200 D. BREVIFOLIUM (THUNB.) FOURC.
 300 D. CILIARE (ZEYH. EX HARV.) BAK.
 400 D. CRISPUM BAK.
 500 D. GLAUCUM (KER-GAWL.) BAK.
 600 D. GRACILLIMUM BAK.
 (=D. polyphyllum Bak.) 1

- 700 D. LONGIFOLIUM (LINDL.) BAK.
800 D. MARLOTHII ENGL.
900 D. PAPILLATUM OBERM.
1000 D. PLATYPHYLLUM BAK.
D. polyphyllum Bak. = D. GRACILLIMUM
1100 D. RIGIDIFOLIUM BAK.
D. umbonatum (Bak.) Bak. = D. VIRIDE
1200 D. VAGINATUM BAK.
1250 D. VENENATUM SCHINZ
1300 D. VIRIDE (L.) MOENCH
(=D. umbonatum (Bak.) Bak.) 1
- 1085000 -LITANTHUS HARV. Revision: U. & D. Muller-Doblies (Herb. M-D)
1. BAKER. 1897. FC.
100 L. PUSILLUS HARV.
- 1086000 -SCILLA L.
1. JESSOP. 1970. J.L.S. AFR. BOT. 36: 233.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
S. climatocarpa C.A. Sm. = LEDEBOURIA OVATIFOLIA
S. cooperi Hook. f. = LEDEBOURIA COOPERI
50 S. DRACOMONTATA HILLIARD & BURTT
100 S. FIRMIFOLIA BAK.
S. floribunda Bak. = LEDEBOURIA FLORIBUNDA
S. galpinii Bak. = LEDEBOURIA COOPERI
S. gerrardii Bak. = S. NERVOSA
S. hispidula Bak. = S. NERVOSA
S. inandensis Bak. = LEDEBOURIA COOPERI
S. inquinata C.A. Sm. = LEDEBOURIA INGUINATA
S. kraussii Bak. = S. NATALENSIS
S. lanceaeifolia (Jacq.) Bak. = LEDEBOURIA REVOLUTA
S. livida Bak. = LEDEBOURIA FLORIBUNDA
200 S. NATALENSIS PLANCH.
(=S. kraussii Bak.) 1
300 S. NERVOSA (BURCH.) JESSOP
(=Schizocarpus gerrardii (Bak.) v.d. Merwe) 1
(=Schizocarpus nervosus (Burch.) v.d. Merwe) 1
(=Schizocarpus rigidifolius (Kunth) v.d. Merwe) 1
(=Scilla gerrardii Bak.) 1
(=Scilla hispidula Bak.) #
(=Scilla rigidifolia Bak.) 1
S. ovalifolia (Schrud.) C.A. Sm. = LEDEBOURIA OVALIFOLIA
S. ovatifolia Bak. = LEDEBOURIA OVATIFOLIA
S. pearsonii P.E. Glover = LACHENALIA PEARSONII
400 S. PLUMBEA LINDL.
S. pusilla Bak. = LEDEBOURIA COOPERI
S. rautanenii Schinz = LEDEBOURIA UNDULATA
S. rigidifolia Bak. = S. NERVOSA
S. rogersii Bak. = LEDEBOURIA COOPERI
S. saturata Bak. = LEDEBOURIA COOPERI
S. socialis Bak. = LEDEBOURIA SOCIALIS
- 1086010 -Schizocarpus Van der Merwe = SCILLA
S. gerrardii (Bak.) v.d. Merwe = SCILLA NERVOSA
S. nervosus (Burch.) v.d. Merwe = SCILLA NERVOSA
S. rigidifolius (Kunth) v.d. Merwe = SCILLA NERVOSA
- 1088000 -EUCOMIS L'HERIT.
1. BAKER. 1897. FC.
2. REYNEKE. 1974. J.L.S. AFR. BOT. 40: 61.
3. REYNEKE. 1980. BOTHALIA 13: 140.
#. PRE HERBARIUM PRACTICE, FOLLOWING REYNEKE.
100 E. AUTUMNALIS (MILL.) CHITT. SUBSP. AMARYLLIDIFOLIA (BAK.) REYNEKE
200 E. AUTUMNALIS (MILL.) CHITT. SUBSP. AUTUMNALIS
(=E. undulata Ait.) 3
300 E. AUTUMNALIS (MILL.) CHITT. SUBSP. CLAVATA (BAK.) REYNEKE
(=E. robusta Bak.) #
(=E. undulata sensu Letty and Trauseid, non Ait.) 3
400 E. BICOLOR BAK.
500 E. COMOSA (HOULT.) WEHRH. VAR. COMOSA
(=E. pallidiflora Bak.) #
(=E. punctata L'Herit.) #
600 E. COMOSA (HOULT.) WEHRH. VAR. STRIATA (DON) WILLD.
700 E. HUMILIS BAK.
800 E. MONTANA COMPTON
E. nana (Burm. f.) L'Herit. = E. REGIA
E. pallidiflora Bak. = E. COMOSA VAR. COMOSA
1050 E. PILLANSII GUTH.
1080 E. POLE-EVANSII N.E. BR.
E. punctata L'Herit. = E. COMOSA VAR. COMOSA
1200 E. REGIA (L.) L'HERIT.
(=E. nana (Burm. f.) L'Herit.) 2
E. robusta Bak. = E. AUTUMNALIS SUBSP. CLAVATA
1250 E. SCHIJEFFII REYNEKE
E. undulata Ait. = E. AUTUMNALIS SUBSP. AUTUMNALIS
E. undulata sensu Letty and Trauseid, non Ait. = E. AUTUMNALIS SUBSP. CLAVATA
1300 E. VANDERMERWEI VERDOORN
- 1089000 -ORNITHOGALUM L.
1. OBERMEYER. 1978. BOTHALIA 12: 323.
2. MULLER-DOBLIES. 1981. WILLDENOWIA 11: 54.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
O. aloiforme Oberm. = O. GRAMINIFOLIUM
O. amboense Schinz = ALBUCA AMBOENSE
O. annae-ameliae U. & D. Muller-Doblies = O. MONOPHYLLUM
250 O. ANGUINUM LEIGHTON
270 O. APERTUM (VERDOORN) OBERM.
(=Albuca aperta Verdoorn) 1

400 O. attenuatum Leighton = O. GRAMINIFOLIUM
 O. aurantiacum Bak. = O. MULTIFOLIUM
 O. BICORNUTUM LEIGHTON
 O. brevifolium Leighton = O. JUNCIFOLIUM
 750 O. breviscapum Leighton = O. SUAVEOLENS
 O. BRITTENIAE LEIGHTON
 850 O. CANDIDUM OBERM.
 900 O. CAPILLARE WOOD & EVANS
 O. caudatum Ait. = O. LONGIBRACTEATUM
 O. ciliatifolium Leighton = O. HISPIDUM SUBSP. HISPIDUM
 1400 O. COMPTONII LEIGHTON
 1500 O. CONICUM JACQ. SUBSP. CONICUM
 (=O. lacteum Jacq.) 1
 1550 O. CONICUM JACQ. SUBSP. STRICTUM (L. BOL.) OBERM.
 1600 O. CONSTRICTUM LEIGHTON
 1800 O. DELTOIDEUM BAK.
 1850 O. DILUCULUM OBERM.
 1900 O. DIPHYLLUM BAK.
 2050 O. DREGANUM KUNTH
 2080 O. DUBIUM HOUTT.
 (=O. flavescens Jacq.) 1
 (=O. flavissimum Jacq.) 1
 (=O. miniatum Jacq.) 1
 O. ecklonii Schlechtd. = O. TENUIFOLIUM SUBSP. TENUIFOLIUM
 2150 O. ESTERHUYSENAE OBERM.
 2300 O. FIMBRIMARGINATUM LEIGHTON
 O. flavescens Jacq. = O. DUBIUM
 O. flavissimum Jacq. = O. DUBIUM
 2450 O. GENICULATUM OBERM.
 2550 O. GLANDULOSUM OBERM.
 2600 O. GRAMINIFOLIUM THUNB.
 (=O. aloiforme Oberm.) 1
 (=O. attenuatum Leighton) 1
 (=O. inandense Bak.) #
 (=O. longiscapum Bak.) 1
 2650 O. HALLII OBERM.
 2750 O. HISPIDUM HORNEM. SUBSP. BERGII (SCHLECHTD.) OBERM.
 2800 O. HISPIDUM HORNEM. SUBSP. HISPIDUM
 (=O. ciliatifolium Leighton) 1
 O. inandense Bak. = O. GRAMINIFOLIUM
 3100 O. INCLUSUM LEIGHTON
 O. inconspicuum Bak. = O. TENUIFOLIUM SUBSP. TENUIFOLIUM
 3200 O. JUNCIFOLIUM JACQ.
 (=O. brevifolium Leighton) 1
 (=O. leptophyllum Bak.) 1
 (=O. oliganthum Bak.) 1
 (=O. subulatum Bak.) 1
 O. lacteum Jacq. = O. CONICUM SUBSP. CONICUM
 O. leptophyllum Bak. = O. JUNCIFOLIUM
 3600 O. LONGIBRACTEATUM JACQ.
 (=O. caudatum Ait.) 1
 O. longiscapum Bak. = O. GRAMINIFOLIUM
 3700 O. MACULATUM JACQ.
 3750 O. MERXMUELLERI ROESSL.
 O. miniatum Jacq. = O. DUBIUM
 3900 O. MONOPHYLLUM BAK.
 (=O. annae-ameliae U. & D. Muller-Doblies) #
 4100 O. MULTIFOLIUM BAK.
 (=O. aurantiacum Bak.) 1
 4200 O. NANODES LEIGHTON
 4350 O. NAVICULUM W.F. BARKER
 4380 O. NIVEUM AIT.
 (=O. schlechterianum Schinz) 1
 O. oliganthum Bak. = O. JUNCIFOLIUM
 4600 O. ORNITHOGALOIDES (KUNTH) OBERM.
 (=O. zeyheri Bak.) 1
 4800 O. PALUDOSUM BAK.
 (=Elsiea flanaganii (Bak.) Leighton) 1
 5100 O. PILOSUM L. F. SUBSP. PILOSUM
 5150 O. PILOSUM L. F. SUBSP. PULLATUM (LEIGHTON) OBERM.
 5200 O. POLYPHYLLUM JACQ.
 5300 O. PRASINUM LINDL.
 O. pretoriense Bak. = O. TENUIFOLIUM SUBSP. TENUIFOLIUM
 5400 O. PRUINOSUM LEIGHTON
 5450 O. PUBERULUM OBERM.
 5600 O. PULCHRUM SCHINZ
 5800 O. RAUTANENII SCHINZ
 O. recurvum Oberm. = O. STAFFII
 O. revolutum sensu Ker-Gawl., non Jacq. = O. THYRSOIDES
 5850 O. ROGERSII BAK.
 5870 O. RUPESTRE L. F.
 5900 O. SAUNDERSIAE BAK.
 O. schlechterianum Schinz = O. NIVEUM
 6200 O. SECUNDUM JACQ.
 6300 O. SEINERII (ENGL. & KRAUSE) OBERM.
 6350 O. SEPTONII HILLIARD & BURTT
 6600 O. STAFFII SCHINZ
 (=O. recurvum Oberm.) 1
 6800 O. SUAVEOLENS JACQ.
 (=O. breviscapum Leighton) 1
 6900 O. SUBCORIACEUM L. BOL.
 O. subulatum Bak. = O. JUNCIFOLIUM
 6920 O. TENUIFOLIUM DELAROCHE SUBSP. ARIDUM OBERM.
 6940 O. TENUIFOLIUM DELAROCHE SUBSP. TENUIFOLIUM
 (=O. ecklonii Schlechtd.) 1
 (=O. inconspicuum Bak.) 1
 (=O. pretoriense Bak.) 1
 (=O. virens Lindl.) 1
 6960 O. THERMOPHILUM LEIGHTON

- 7000 O. THYRSOIDES JACQ.
(=O. revolutum sensu Ker-Gawl., non Jacq.) 1
- 7050 O. TUBIFORME (OBERM.) OBERM.
- 7250 O. UNIFOLIATUM (ROWLEY) OBERM.
- 7280 O. UNIFOLIUM RETZ.
O. virens Lindl. = O. TENUIFOLIUM SUBSP. TENUIFOLIUM
- 7600 O. XANTHOCHLORUM BAK.
- 7650 O. ZEBRINELLUM U. & D. MULLER-DOBLIES
- 7700 O. ZEBRINUM (BAK.) OBERM.
O. zeyheri Bak. = O. ORNITHOGALOIDES
- 1089010 -Elsiea Leighton = ORNITHOGALUM
E. flanaganii (Bak.) Leighton = ORNITHOGALUM PALUDOSUM
- 1089020 -NEOPATERSONIA SCHONL.
1. SCHONLAND 1912. REC. ALBANY MUS. 2: 21.
2. MERXMULLER ET AL. 1970. FSWA.
- 100 N. FALCATA G. J. LEWIS
- 200 N. NAMAGUENSIS G. J. LEWIS
- 300 N. UITENHAGENSIS SCHONL.
- 1090000 -DRIMIOPSIS LINDL. Revision: U. & D. Muller-Doblies (Herb. M-D).
1. JESSOP, 1972. J.L. S. AFR. BOT. 38: 151.
- 100 D. ATROPURPUREA N.E. BR.
- 200 D. BURKEI BAK.
- 300 D. LACHENALIODES (BAK.) JESSOP
- 400 D. MACULATA LINDL.
- 500 D. MAXIMA BAK.
- 1090010 -LEDEBOURIA ROTH.
1. JESSOP, 1970. J.L. S. AFR. BOT. 36: 233.
- 100 L. APERTIFLORA (BAK.) JESSOP
- 200 L. CONCOLOR (BAK.) JESSOP
- 300 L. COOPERI (HOOK. F.) JESSOP
(=Scilla cooperi Hook. f.) 1
(=Scilla galpinii Bak.) 1
(=Scilla inandensis Bak.) 1
(=Scilla pusilla Bak.) 1
(=Scilla rogersii Bak.) 1
(=Scilla saturata Bak.) 1
- 400 L. FLORIBUNDA (BAK.) JESSOP
(=Scilla floribunda Bak.) 1
(=Scilla livida Bak.) 1
- 500 L. GRAMINIFOLIA (BAK.) JESSOP
- 600 L. HYPOXIDIOIDES (SCHONL.) JESSOP
- 700 L. INQUINATA (C.A. SM.) JESSOP
(=Scilla inquinata C.A. Sm.) 1
- 800 L. LUTEOLA JESSOP
- 900 L. MARGINATA (BAK.) JESSOP
- 1000 L. OVALIFOLIA (SCHRAD.) JESSOP
(=Scilla ovalifolia (Schrad.) C.A. Sm.) 1
- 1100 L. OVATIFOLIA (BAK.) JESSOP
(=Scilla climatocarpa C.A. Sm.) 1
(=Scilla ovatifolia Bak.) 1
- 1200 L. REVOLUTA (L. F.) JESSOP
(=Scilla lanceaefolia (Jacq.) Bak.) 1
- 1300 L. SCABRIDA JESSOP
- 1400 L. SOCIALIS (BAK.) JESSOP
(=Scilla socialis Bak.) 1
- 1500 L. UNDULATA (JACQ.) JESSOP
(=Scilla rautanenii Schinz) 1
- 1600 L. VISCOSA JESSOP
- 1093000 -Hyacinthus L. = Southern African species moved to POLYXENA
H. corymbosus L. = POLYXENA CORYMBOSA
H. paucifolium W.F. Barker = POLYXENA CORYMBOSA
- 1094000 -PSEUDOGALTONIA KUNTZE
1. SOLCH ET AL. 1970. FSWA.
- 100 P. CLAVATA (MAST. EX BAK.) PHILL.
- 1097000 -VELTHEIMIA GLED.
1. BAKER. 1897. FC.
2. OBERMEYER. 1961. FLOWER. PL. AFR. 34: T 1356.
3. MARAIS. 1972. J.L. R. HORT. SOC. 47: 483.
- 100 V. BRACTEATA HARV. EX BAK.
(=V. undulata Moench) 1
(=V. viridifolia Jacq.) 3
- 200 V. CAPENSIS (L.) DC.
(=V. deasii Barnes) 2
(=V. glauca (Ait.) Jacq.) 2
(=V. roodeae Phill.) 2
V. deasii Barnes = V. CAPENSIS
V. glauca (Ait.) Jacq. = V. CAPENSIS
V. roodeae Phill. = V. CAPENSIS
V. undulata Moench = V. BRACTEATA
V. viridifolia Jacq. = V. BRACTEATA
- 1098000 -LACHENALIA JACQ. F. EX MURRAY
1. BAKER. 1897. FC.
2. INGRAM. 1966. BAILEYA 14: 123.
3. BARKER. 1969. FL. S. AFR. BOT. 35: 321.
4. BARKER. 1978. J.L. S. AFR. BOT. 44: 391.
5. BARKER. 1979. J.L. S. AFR. BOT. 45: 193.
6. BARKER. 1979. FLOWER. PL. AFR. T 1808.
7. BARKER. 1983. J.L. S. AFR. BOT. 49: 423.
#. PRE HERBARIUM PRACTICE, FOLLOWING BARKER.

100 L. ALGOENSIS SCHONL.
 200 L. ALOIDES (L. F.) HORT. EX ASCHERS. & GRAEBN.
 (=L. tricolor Thunb.) 2
 250 L. AMELIAE W.F. BARKER
 300 L. ANGUINEA SWEET
 400 L. BACHMANNII BAK.
 450 L. BOLUSII W.F. BARKER
 500 L. BOWIEANA BAK.
 550 L. BOWKERI BAK.
 600 L. BUCHBERGENSIS DINTER
 700 L. BULBIFERA (CYR.) ASCHERS. & GRAEBN.
 (=L. pendula Ait.) 2
 800 L. CAMPANULATA BAK.
 900 L. CAPENSIS W.F. BARKER
 1000 L. CARNOSA BAK.
 (=L. ovatifolia Guth.) #
 1100 L. COMPTONII W.F. BARKER
 1120 L. CONCORDIANA SCHLTR. EX W.F. BARKER
 1150 L. CONGESTA W.F. BARKER
 1200 L. CONTAMINATA AIT.
 L. convallariodora Stapf = L. FISTULOSA
 1300 L. CONVALLARIOIDES BAK.
 1350 L. COOPERI BAK.
 1370 L. DASYBOTRYA DIELS
 1400 L. ELEGANS W.F. BARKER
 1410 L. ESTERHUYSENIAE W.F. BARKER
 1420 L. FISTULOSA BAK.
 (=L. convallariodora Stapf) #
 1450 L. FRAMESII W.F. BARKER
 1470 L. GIESSEII W.F. BARKER
 1500 L. GILLETTEII W.F. BARKER
 L. glaucina Jacq. = L. ORCHIOIDES
 1620 L. GLAUCOPHYLLA W.F. BARKER
 1650 L. HAARLEMENSIS FOURC.
 1700 L. HIRTA (THUNB.) THUNB.
 1800 L. ISOPETALA JACQ.
 1900 L. JUNCIFOLIA BAK.
 2000 L. KLINGHARDTIANA DINTER
 2100 L. LATIFOLIA TRATT.
 2150 L. LATIMERAE W.F. BARKER
 2300 L. LILIFLORA JACQ.
 2400 L. LONGIBRACTEATA PHILL.
 2420 L. MACGREGORII W.F. BARKER
 2430 L. MARGARETAE W.F. BARKER
 2440 L. MARGINATA W.F. BARKER
 2450 L. MARTINAE W.F. BARKER
 L. massonii Bak. = L. TRICHOPHYLLA
 2600 L. MATHEWSII W.F. BARKER
 2650 L. MAXIMILIANI SCHLTR. EX W.F. BARKER
 2700 L. MEDIANA JACQ.
 2720 L. MONILIFORMIS W.F. BARKER
 2750 L. MONTANA SCHLTR. EX W.F. BARKER
 2800 L. MUIRII W.F. BARKER
 2850 L. MULTIFOLIA W.F. BARKER
 2900 L. MUTABILIS SWEET
 2950 L. NAMAQUENSIS SCHLTR. EX W.F. BARKER
 3000 L. NERVOSA KER-GAWL.
 3050 L. NORDENSTAMII W.F. BARKER
 3100 L. ORCHIOIDES (L.) AIT.
 (=L. glaucina Jacq.) #
 3200 L. ORTHOPETALA JACQ.
 L. ovatifolia Guth. = L. CARNOSA
 3400 L. PALLIDA AIT.
 3500 L. PATULA JACQ.
 3600 L. PEARSONII (P.E. GLOVER) W.F. BARKER
 (=Scilla pearsonii P.E. Glover) 3
 3650 L. PEERSII MARLOTH EX W.F. BARKER
 L. pendula Ait. = L. BULBIFERA
 3800 L. POLYPHYLLA BAK.
 3850 L. POLYPODANTHA SCHLTR. EX W.F. BARKER
 3900 L. PURPUREO-CAERULEA JACQ.
 4000 L. PUSILLA JACQ.
 4100 L. PUSTULATA JACQ.
 4200 L. REFLEXA THUNB.
 4300 L. RHODANTHA BAK.
 L. roodiiae Phill. = L. SPLENDIDA
 4500 L. ROSEA ANDR.
 4600 L. RUBIDA JACQ.
 4700 L. SALTERI W.F. BARKER
 4720 L. SARGEANTII W.F. BARKER
 4730 L. SCHLECHTERI BAK.
 4740 L. SPLENDIDA DIELS
 (=L. roodiiae Phill.) #
 4750 L. STAYNERI W.F. BARKER
 4800 L. SUBSPICATA FOURC.
 4900 L. TRICHOPHYLLA BAK.
 (=L. massonii Bak.) 6
 L. tricolor Thunb. = L. ALOIDES
 5100 L. UNDULATA MASSON EX BAK.
 5200 L. UNICOLOR JACQ.
 5300 L. UNIFOLIA JACQ. VAR. UNIFOLIA
 5350 L. UNIFOLIA JACQ. VAR. WRIGHTII BAK.
 5400 L. VARIEGATA W.F. BARKER
 5420 L. VENTRICOSA SCHLTR. EX W.F. BARKER
 5450 L. VERTICILLATA W.F. BARKER
 5500 L. VIOLACEA JACQ.
 5550 L. VIRIDIFLORA W.F. BARKER
 5580 L. WHITEHILLENSIS W.F. BARKER

- 5600 L. YOUNGII BAK.
5650 L. ZEBRINA W.F. BARKER
5700 L. ZEYHERI BAK.
- 1099000 -POLYXENA KUNTH
1. BAKER. 1897. FC.
2. JESSOP. 1976. JL S. AFR. BOT. 42: 401.
150 P. CORYMBOSA (L.) JESSOP
(=Hyacinthus corymbosus L.) 2
(=Hyacinthus paucifolius W.F. Barker) 2
200 P. ENSIFOLIA (THUNB.) SCHNLL.
400 P. ODORATA (HOOK. F.) BAK.
- 1099010 -NEOBAKERIA SCHLTR.
1. SCHLECHTER. 1924. NOTIZBL. BOT. GART. BERL. 9: 150.
2. JESSOP. 1976. JL S. AFR. BOT. 42: 401.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
100 N. ANGUSTIFOLIA (L. F.) SCHLTR.
(=Massonia angustifolia L. f., p. p.) 2, #
200 N. COMATA (BAK.) SCHLTR.
(=Massonia comata Burch. ex. Bak.) 2, #
300 N. HETERANDRA LEIGHTON
(=Massonia heterandra (Leighton) Jessop) 2, #
400 N. NAMAQUENSIS SCHLTR.
(=Massonia angustifolia L. f., p. p.) 2, #
- 1100000 -WHITEHEADIA HARV.
1. JESSOP. 1976. JL S. AFR. BOT. 42: 401.
100 W. BIFOLIA (JACQ.) BAK.
- 1101000 -MASSONIA THUNB. EX HOUTT.
1. JESSOP. 1976. JL S. AFR. BOT. 42: 401.
M. angustifolia L. f. = NEOBAKERIA ANGUSTIFOLIA and N. NAMAQUENSIS
M. bowkeri Bak. = M. JASMINIFLORA
M. comata Burch. ex Bak. = NEOBAKERIA COMATA
100 M. DEPRESSA HOUTT.
200 M. ECHINATA L. F.
300 M. GRANDIFLORA LINDL.
M. heterandra (Leighton) Jessop = NEOBAKERIA HETERANDRA
400 M. JASMINIFLORA BURCH. EX BAK.
(=M. bowkeri Bak.) 1
500 M. PUSTULATA JACQ.
- 1101010 -ANDROSIPHON SCHLTR.
1. JESSOP. 1976. JL S. AFR. BOT. 42: 401.
200 A. CAPENSE SCHLTR.
- 1101020 -AMPHISIPHON SCHLTR.
1. JESSOP. 1976. JL S. AFR. BOT. 42: 401.
200 A. STYLOSA W.F. BARKER
- 1102000 -DAUBENYA LINDL.
1. JESSOP. 1976. JL S. AFR. BOT. 42: 401.
100 D. AUREA LINDL.
(=D. coccinea Harv. ex Bak.) 1
D. coccinea Harv. ex Bak. = D. AUREA
- 1109000 -DRACAENA VAND. EX L. Revision: J.J. Bos (WAG).
1. BAKER. 1896. FC.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
100 D. HOOKERANA K. KOCH
(=D. transvaalensis Bak.) #
D. transvaalensis Bak. = D. HOOKERANA
200 D. USAMBARENSIS ENGL.
- 1110000 -SANSEVIERIA THUNB.
1. BROWN. 1915. KEW BULL. 1915: 185.
2. WJNANDS. 1973. TAXON 22: 109.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
100 S. AETHIOPICA THUNB.
(=S. scabrifolia Dinter) #
S. desertii N.E. Br. = S. PEARSONII
S. grandis Hook. f. var. zuluensis N.E. Br. = S. HYACINTHOIDES
S. guineensis (L.) Willd. = S. HYACINTHOIDES
200 S. HYACINTHOIDES (L.) DRUCE
(=S. grandis Hook. f. var. zuluensis N.E. Br.) #
(=S. guineensis (L.) Willd.) 2
(=S. thyrsiflora Thunb.) 2
300 S. PEARSONII N.E. BR.
(=S. desertii N.E. Br.) #
S. scabrifolia Dinter = S. AETHIOPICA
S. thyrsiflora Thunb. = S. HYACINTHOIDES
- 1113000 -ASPARGUS L. Revision: A. A. Obermeyer (PRE).
(All southern African taxa to be moved to PROTASPARAGUS and MYRSIPHILLUM, but every new combination not yet made).
A. acoksii Jessop = PROTASPARAGUS ACOCKSII
A. aethiopicus L. var. aethiopicus = PROTASPARAGUS AETHIOPICUS
A. aethiopicus L. var. angusticladus Jessop = PROTASPARAGUS ANGUSTICLADUS
A. africanus sensu Jessop, non Lam. = PROTASPARAGUS AFRICANUS & P. COOPERI
A. asparagoides sensu Jessop, non (L.) Wight = MYRSIPHILLUM ASPARAGOIDES, M. KRAUSSIANUM, AND M. SPP.
A. aspergillius Jessop = PROTASPARAGUS ASPERGILLUS
A. buchananii Bak. = PROTASPARAGUS BUCHANANII
A. burkei Bak. = PROTASPARAGUS COOPERI
A. capensis L. var. capensis = PROTASPARAGUS CAPENSIS
A. capensis L. var. littoralis Suesseng. & J. Karl = PROTASPARAGUS CAPENSIS

- A. compactus Salter = PROTASPARAGUS COMPACTUS
 A. consanguineus Bak. = MYRSIPHYLLUM SP.
 1200 A. crassiciadus Jessop = PROTASPARAGUS CRASSICLADUS
 A. CRISPUS LAM. = MYRSIPHYLLUM SP.
 A. densiflorus (Kunth) Jessop = PROTASPARAGUS DENSIFLORUS
 A. denudatus (Kunth) Bak. = PROTASPARAGUS DENUDATUS
 A. exuvialis Burch. = PROTASPARAGUS EXUVIALIS
 A. falcatus L. var. falcatus = PROTASPARAGUS FALCATUS
 A. falcatus L. var. ternifolius (Bak.) Jessop = PROTASPARAGUS NATALENSIS
 1800 A. FASCICULATUS THUNB. = MYRSIPHYLLUM SP.
 A. glaucus Kies = PROTASPARAGUS SP.
 2000 A. JUNIPEROIDES ENGL. = MYRSIPHYLLUM SP.
 A. krebsianus (Kunth) Jessop = PROTASPARAGUS KREBSIANUS
 A. laricinus Burch. = PROTASPARAGUS LARICINUS
 A. macowanii Bak. var. macowanii = PROTASPARAGUS MACOWANII
 A. macowanii Bak. var. zuluensis (N.E. Br.) Jessop = PROTASPARAGUS MACOWANII
 A. microrhaphis sensu Jessop, non (Kunth) Bak. = PROTASPARAGUS MICRORAPHIS & P. STELLATUS
 A. minutiflorus (Kunth) Bak. = PROTASPARAGUS MINUTIFLORUS
 2600 A. MUCRONATUS JESSOP = PROTASPARAGUS SP.
 A. nelsii Schinz = PROTASPARAGUS NELSI
 A. obermeyeriae Jessop = PROTASPARAGUS SCHROEDERI
 A. oxyacanthus Bak. = PROTASPARAGUS OXYACANTHUS
 A. racemosus Willd. = PROTASPARAGUS RACEMOSUS
 3100 A. RAMOSISSIMUS BAK. = MYRSIPHYLLUM SP.
 A. retrofractus L. = PROTASPARAGUS RETROFRACTUS
 A. rigidus Jessop = PROTASPARAGUS RIGIDUS
 A. rivalis Burch. ex Kies = PROTASPARAGUS COOPERI
 A. rubicundus Berg. = PROTASPARAGUS RUBICUNDUS
 A. saundersiae Bak. = PROTASPARAGUS RACEMOSUS
 3500 A. SCANDENS THUNB. = MYRSIPHYLLUM SP.
 A. setaceus (Kunth) Jessop = PROTASPARAGUS SETACEUS
 A. stipulaceus Lam. = PROTASPARAGUS STIPULACEUS
 A. striatus (L. f.) Thunb. = PROTASPARAGUS STRIATUS
 A. suaveolens sensu Jessop, non Burch. = PROTASPARAGUS SUAVEOLENS
 A. subulatus Thunb. = PROTASPARAGUS SUBULATUS
 A. thunbergianus Schult. f. = PROTASPARAGUS RUBICUNDUS
 4200 A. UNDULATUS (L. F.) THUNB. = MYRSIPHYLLUM SP.
 4300 A. VIRGATUS BAK. = PROTASPARAGUS SP.
- 1113010 -PROTASPARAGUS OBERM.
 1. JESSOP. 1966. BOTHALIA 9: 31
 2. JESSOP. 1976. BOTHALIA 12: 60.
 3. OBERMEYER. 1983. S. AFR. J. BOT. 2: 243.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 P. ACOCKSII (JESSOP) OBERM.
 (=Asparagus acocksii Jessop) 3
 200 P. AETHIOPICUS (L.) OBERM.
 (=Asparagus aethiopicus L. var. aethiopicus) 3
 300 P. AFRICANUS (LAM.) OBERM.
 (=Asparagus africanus sensu Jessop, non Lam., p. p.) 3
 500 P. ANGUSTICLADUS (JESSOP) OBERM.
 (=Asparagus aethiopicus L. var. angusticladus Jessop) 3
 600 P. ASPERGILLUS (JESSOP) OBERM.
 (=Asparagus aspergillus Jessop) 3
 1000 P. BUCHANANII (BAK.) OBERM.
 (=Asparagus buchananii Bak.) 3
 1200 P. CAPENSIS (L.) OBERM.
 (=Asparagus capensis L. var. capensis) 3
 (=Asparagus capensis L. var. litoralis) 3
 1400 P. COMPACTUS (SALTER) OBERM.
 (=Asparagus compactus Salter) 3
 1500 P. COOPERI (BAK.) OBERM.
 (=Asparagus africanus sensu Jessop, non Lam., p. p.) #
 (=Asparagus burkei Bak.) #
 (=Asparagus rivalis Burch. ex Kies) 1, #
 1600 P. CRASSICLADUS (JESSOP) OBERM.
 (=Asparagus crassiciadus Jessop) 3
 1700 P. DENSIFLORUS (KUNTH) OBERM.
 (=Asparagus densiflorus Kunth) 3
 1800 P. DENUDATUS (KUNTH) OBERM.
 (=Asparagus denudatus Kunth) 3
 2200 P. EXUVIALIS (BURCH.) OBERM.
 (=Asparagus exuvialis Burch.) 3
 2300 P. FALCATUS (L.) OBERM.
 (=Asparagus falcatus L. var. falcatus) 3
 2800 P. GLAUCUS (KIES) OBERM.
 (=Asparagus glaucus Kies) 3
 3100 P. KREBSIANUS (KUNTH) OBERM.
 (=Asparagus krebsianus (Kunth) Jessop) 3
 3200 P. LARICINUS (BURCH.) OBERM.
 (=Asparagus laricinus Burch.) 3
 3500 P. MACOWANII (BAK.) OBERM.
 (=Asparagus macowanii Bak. var. macowanii) 3
 (=Asparagus macowanii Bak. var. zuluensis (N.E. Br.) Jessop) 3
 3700 P. MICRORAPHIS (KUNTH) OBERM.
 (=Asparagus microraphis (Kunth) Bak.) 3
 3800 P. MINUTIFLORUS (KUNTH) OBERM.
 (=Asparagus minutiflorus (Kunth) Bak.) 3
 4100 P. MULTIFLORUS (BAK.) OBERM.
 4200 P. NATALENSIS (BAK.) OBERM.
 4300 P. NELSI (SCHINZ) OBERM.
 (=Asparagus nelsii Schinz) 3
 4700 P. OXYACANTHUS (BAK.) OBERM.
 (=Asparagus oxyacanthus Bak.) 3
 4800 P. PEARSONII (KIES) OBERM.
 5000 P. PILOSUS (BAK.) OBERM.
 5100 P. PLUMOSUS (BAK.) OBERM.

- 5200 P. RACEMOSUS (WILLD.) OBERM.
 (=Asparagus racemosus Willd.) 3
 (=Asparagus saundersiae Bak.) 3
- 5400 P. RETROFRACTUS (L.) OBERM.
 (=Asparagus retrofractus L.) 3
- 5500 P. RIGIDUS (JESSOP) OBERM.
 (=Asparagus rigidus Jessop) 3
- 5600 P. RUBICUNDUS (BERG.) OBERM.
 (=Asparagus rubicundus Berg.) 3
 (=Asparagus thunbergianus Schult.) 2
- 5700 P. SCHROEDERI (ENGL.) OBERM.
 (=Asparagus obermeyeriae Jessop) #
- 5900 P. SETACEUS (KUNTH) OBERM.
 (=Asparagus setaceus (Kunth) Jessop) 3
- 6000 P. STELLATUS (BAK.) OBERM.
 (=Asparagus microstaphis sensu Jessop, non (Kunth) Bak.) #
- 6100 P. STIPULACEUS (LAM.) OBERM.
 (=Asparagus stipulaceus Lam.) 3
- 6200 P. STRIATUS (L. F.) OBERM.
 (=Asparagus striatus (L. f.) Thunb.) 3
- 6300 P. SUAVEOLENS (BURCH.) OBERM.
 (=Asparagus suaveolens Burch.) 3
- 6400 P. SUBULATUS (THUNB.) OBERM.
 (=Asparagus subulatus Thunb.) 3
- 1113020 -MYRSIPHYLLUM WILLD.
 1. OBERMEYER. BOTHALIA IN PRESS.
- 200 M. ASPARAGOIDES (L.) WILLD.
- 600 M. KRAUSSIANUM KUNTH
- 1147000 -BEHNIA DIDR.
 1. BAKER. 1896. FC.
- 100 B. RETICULATA (THUNB.) DIDR.
- 1151000 -SMILAX L.
 1. BAKER. 1896. FC.
- 100 S. KRAUSSIANA MEISN.

HAEMODORACEAE

1157000

- 1159000 -BARBERETTA HARV.
 1. BAKER. 1896. FC.
 2. HILLIARD & BURTT. 1971. NOTES R. BOT. GDN. EDINB. 31: 27.
- 100 B. AUREA HARV.
- 1160000 -DILATRIS BERG.
 1. BARKER. 1940. J.L.S. AFR. BOT. 6: 147.
- 100 D. CORYMBOSA BERG.
- 200 D. IXIODES LAM.
- 300 D. PANICULATA L. F.
- 400 D. PILLANSII W.F. BARKER
- 500 D. VISCOSA L. F.
- 1160010 -LANARIA AIT. (Included in Tecophilaeaceae by Dahlgren & Clifford (1982)).
 1. BAKER. 1896. FC.
 2. DURAND & SCHINZ. 1898. CONSP. FL. AFR. 5: 239.
- 100 L. LANATA (L.) DUR. & SCHINZ
 (=L. plumosa Ait.) 2
 L. plumosa Ait. = L. LANATA
- 1162000 -WACHENDORFIA BURM. Revision: B. Nilsson (S).
 1. BARKER. 1950. FL. CAP. PENINS.
- 100 W. BRACHYANDRA W.F. BARKER
- 200 W. GRAMINIFOLIA L. F.
- 300 W. PANICULATA BURM.
- 400 W. PARVIFLORA W.F. BARKER
- 500 W. THYRSIFLORA BURM.

AMARYLLIDACEAE

1166000

- 1166000 -HESSEA HERB. Revision: D. Muller-Doblies (Herb. M-D).
 1. BAKER. 1896. FC.
 2. LEIGHTON. 1948. J.L.S. AFR. BOT. 14: 81.
 3. NOMENCLATURE COMMITTEE. 1958. TAXON 7: 185.
 4. OBERMEYER. 1964. FLOWER PL. AFR. 36: T 1413.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 H. BACHMANNIANA SCHINZ
- 200 H. BRACHYSCYPHA BAK.
 (=Periphanes brachyscypha (Bak.) Leighton) 2, 3
- 300 H. CHAPLINII W.F. BARKER
- 400 H. CINNAMOMEA (L'HERIT.) DUR. & SCHINZ
 (=H. crispa Kunth) 2
 (=Periphanes cinnamomea (L'Herit.) Leighton) 2, 3
- H. crispa Kunth = H. CINNAMOMEA
- 500 H. DREGEANA KUNTH
 (=Periphanes dregeana (Kunth) Leighton) 2, 3
- H. filifolia Benth. & Hook. = H. TENELLA
- 600 H. GEMMATA (KER-GAWL.) BENTH.
- 700 H. KARODICA W.F. BARKER
 (=Periphanes karooica (W.F. Barker) Leighton) 2, 3
- 800 H. LEIPOLDTII L. BOL.
 (=Periphanes leipoldtii (L. Bol.) Leighton) 2, 3
- 900 H. MATHEWSII W.F. BARKER
 H. rehmannii Bak. = NERINE REHMANNII
 H. spiralis Bak. = ?H. TENELLA
- 1000 H. STELLARIS (JACQ.) HERB.
 (=Periphanes stellaris (Jacq.) Salisb.) 2, 3

- 1100 H. TENELLA (L. F.) OBERM.
(=H. filifolia Benth. & Hook.) 4
(=?H. spiralis Bak.) #
(=?Periphanes spiralis (Bak.) Leighton) #
(=Periphanes strumosa (Ait.) Leighton) 4
- 1200 H. UNGUICULATA W.F. BARKER
(=Periphanes unguiculata (W.F. Barker) Leighton) 2, 3
- 1300 H. ZEYHERI BAK.
(=Periphanes zeyheri (Bak.) Leighton) 2, 3
- 1166010 -CARPOLYZA SALISB.
1. BAKER. 1896. FC.
- 100 C. SPIRALIS (L'HERIT.) SALISB.
- 1166020 -Periphanes Salisb. = HESSEA
P. brachyscypha (Bak.) Leighton = HESSEA BRACHYSCYPHA
P. cinnamomea (L'Herit.) Leighton = HESSEA CINNAMOMEA
P. dregeana (Kunth) Leighton = HESSEA DREGEANA
P. karooica (W.F. Barker) Leighton = HESSEA KAROODICA
P. leipoldtii (L. Bol.) Leighton = HESSEA LEIPOLDTII
P. spiralis (Bak.) Leighton = ?HESSEA TENELLA
P. stellaris (Jacq.) Salisb. = HESSEA STELLARIS
P. strumosa (Ait.) Leighton = HESSEA TENELLA
P. unguiculata (W.F. Barker) Leighton = HESSEA UNGUICULATA
P. zeyheri (Bak.) Leighton = HESSEA ZEYHERI
- 1167000 -HAEMANTHUS L.
1. SNIJMAN. 1984. J.L.S. AFR. BOT. SUPPL. 12.
- 100 H. ALBIFLOS JACQ.
(=H. albomaculatus Bak.) 1
(=H. mackenii Bak.) 1
H. albomaculatus Bak. = H. ALBIFLOS
- 300 H. AMARYLLOIDES JACQ. SUBSP. AMARYLLOIDES
- 350 H. AMARYLLOIDES JACQ. SUBSP. POLYANTHUS SNIJMAN
- 380 H. AMARYLLOIDES JACQ. SUBSP. TOXIMONTANUS SNIJMAN
H. amarylloides sensu Bak., non Jacq. = H. MONTANUS
- 500 H. AVASDMONTANUS DINTER
- 550 H. BARKERAE SNIJMAN
- 900 H. baurii Bak. = H. DEFORMIS
- 1100 H. CANALICULATUS LEVYNS
- 1200 H. CARNEUS KER-GAWL.
H. COCCINEUS L.
(=H. concolor Herb.) 1
(=H. moschatus Jacq.) 1
(=H. splendens Dinter) 1
(=H. tigrinus Jacq.) 1
H. concolor Herb. = H. COCCINEUS
- 1350 H. CRISPUS SNIJMAN
(=H. undulatus Herb.) 1
- 1580 H. DASYPHYLLUS SNIJMAN
- 1600 H. DEFORMIS HOOK. F.
(=H. baurii Bak.) 1
- 1650 H. GRANITICUS SNIJMAN
- 1750 H. hirsutus Bak. = H. HUMILIS SUBSP. HIRSUTUS
- 1800 H. HUMILIS JACQ. SUBSP. HUMILIS
(=H. nelsonii Bak.) 1
H. incarnatus Burch. ex Herb. = H. SANGUINEUS
H. katharinae Bak. = SCADOXUS MULTIFLORUS SUBSP. KATHARINAE
- 2200 H. LANCEIFOLIUS JACQ.
H. mackenii Bak. = H. ALBIFLOS
H. magnificus Herb. = SCADOXUS PUNICEUS
H. moschatus Jacq. = H. COCCINEUS
- 2450 H. MONTANUS BAK.
(=H. amarylloides sensu Bak., non Jacq.) 1
H. multiflorus Martyn = SCADOXUS MULTIFLORUS SUBSP. MULTIFLORUS
- 2700 H. NAMAQUENSIS R.A. DYER
H. natalensis Pappe ex Hook. = SCADOXUS PUNICEUS
H. nelsonii Bak. = H. HUMILIS SUBSP. HUMILIS
- 2900 H. NORTIERI ISAAC
- 2950 H. PUBESCENS L. F. SUBSP. ARENICOLUS SNIJMAN
- 2980 H. PUBESCENS L. F. SUBSP. LEIPOLDTII SNIJMAN
- 3000 H. PUBESCENS L. F. SUBSP. PUBESCENS
- 3100 H. PUMILIO JACQ.
H. puniceus L. var. membranaceus (Bak.) Bak. = SCADOXUS MEMBRANACEUS
H. rotundifolius Ker-Gawl. = H. SANGUINEUS
H. sacculus Phill. = SCADOXUS MULTIFLORUS SUBSP. MULTIFLORUS
- 3400 H. SANGUINEUS JACQ.
(=H. incarnatus Burch. ex Herb.) 1
(=H. rotundifolius Ker-Gawl.) 1
H. splendens Dinter = H. COCCINEUS
H. tigrinus Jacq. = H. COCCINEUS
- 3680 H. TRISTIS SNIJMAN
- 3800 H. undulatus Herb. = H. CRISPUS
H. UNIFOLIATUS SNIJMAN
- 1167010 -SCADOXUS RAF.
1. BJORNSTAD & FRIIS. 1974. NORW. J. BOT. 21: 243.
2. FRIIS & NORDAL. 1976. NORW. J. BOT. 23: 63.
- 100 S. MEMBRANACEUS (BAK.) FRIIS & NORDAL
(=Haemanthus puniceus L. var. membranaceus (Bak.) Bak.) 2
- 200 S. MULTIFLORUS (MARTYN) RAF. SUBSP. MULTIFLORUS
(=Haemanthus multiflorus Martyn) 2
(=Haemanthus sacculus Phill.) 1
- 300 S. MULTIFLORUS (MARTYN) RAF. SUBSP. KATHARINAE (BAK.) FRIIS & NORDAL
(=Haemanthus katharinae Bak.) 2
- 400 S. PUNICEUS (L.) FRIIS & NORDAL
(=Haemanthus magnificus Herb.) 2
(=Haemanthus natalensis Pappe ex Hook) 2

- 1168000 -BOOPHANE HERB.
 1. BAKER. 1896. FC.
 2. MILNE-REDHEAD & SCHWEICKERDT. 1939. J. LINN. SOC. BOT. 52 190.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 B. ciliaris (L.) Herb. = B. GUTTATA
 100 B. DISTICHA (L. F.) HERB.
 (=B. longipedicellata Pax) #
 150 B. FLAVA W.F. BARKER EX SNIJMAN
 200 B. GUTTATA (L.) HERB.
 (=B. ciliaris (L.) Herb.) 2
 300 B. HAEMANTHOIDES LEIGHTON
 B. longipedicellata Pax = B. DISTICHA
 400 B. PULCHRA W.F. BARKER
- 1170000 -CLIVIA LINDL.
 1. BAKER. 1896. FC.
 2. DYER. 1943. FLOWER. PL. AFR. 23. T 891.
 100 C. CAULESCENS R.A. DYER
 200 C. GARDENII HOOK.
 300 C. MINIATA REGEL VAR. CITRINA WATSON
 400 C. MINIATA REGEL VAR. MINIATA
 500 C. NOBILIS LINDL.
- 1171000 -STRUMARIA JACQ. EX WILLD. Revision: D. Muiller-Doblies (Herb. M-D).
 1. BAKER. 1896. FC.
 2. SOLCH & ROESSLER. 1969. FSWA.
 100 S. ANGUSTIFOLIA JACQ.
 150 S. BARBARAE OBERM.
 200 S. BIDENTATA SCHINZ
 300 S. LINGUIFOLIA JACQ.
 400 S. PHONOLITHICA DINTER
 500 S. PICTA W.F. BARKER
 600 S. PUBESCENS W.F. BARKER
 700 S. RUBELLA JACQ.
 750 S. SALTERII W.F. BARKER
 800 S. TRUNCATA JACQ.
 900 S. UNDULATA JACQ.
 1000 S. WATERMEYERI L. BOL.
- 1175000 -NERINE HERB.
 1. DURAND & SCHINZ. 1895. CONSP. FL. AFR.
 2. BAKER. 1896. FC.
 3. BOLUS. 1930. S. AFR. GDNG COUNTRY LIFE 20: 148.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 100 N. ANGUSTIFOLIA BAK.
 200 N. APPENDICULATA BAK.
 300 N. BOWDENII WATSON
 320 N. BRACHYSTEMON BAK.
 N. duparquetiana Bak. = N. LATICOMA
 N. faicata W.F. Barker = N. LATICOMA
 400 N. FILIFOLIA BAK.
 500 N. FRITHII L. BOL.
 600 N. GABERONENSIS BREM. & OBERM.
 700 N. GIBSONII DOUGLAS
 800 N. GRACILIS R.A. DYER
 900 N. HESSEOIDES L. BOL.
 950 N. HUMILIS (JACQ.) HERB.
 1000 N. HUTTONIAE SCHONL.
 1100 N. KRIGEI W.F. BARKER
 1200 N. LATICOMA (KER-GAWL.) DUR. & SCHINZ
 (=N. duparquetiana Bak.) #
 (=N. faicata W.F. Barker) #
 (=N. lucida (Herb.) Herb.) 1
 N. lucida (Herb.) Herb. = N. LATICOMA
 1300 N. MASONORUM L. BOL.
 1400 N. PANCRATIOIDES BAK.
 1500 N. PLATYPETALA MACNEIL
 1600 N. PUDICA HOOK. F.
 1700 N. PULCHELLA HERB.
 1800 N. PUSILLA DINTER
 1900 N. REHMANNII (BAK.) L. BOL.
 (=Hesseea rehmannii Bak.) 3
 2000 N. SARNIENSIS (L.) HERB.
 2100 N. TRANSVAALENSIS L. BOL.
 2200 N. UNDULATA (L.) HERB.
- 1176000 -AMARYLLIS L.
 1. BAKER. 1896. FC.
 100 A. BELLADONNA L.
- 1177000 -BRUNSVIGIA HEIST.
 1. DYER. 1950. HERBERTIA 6: 63.
 2. DYER. 1951. HERBERTIA 7: 45.
 100 B. APPENDICULATA LEIGHTON
 200 B. BOSMANIAE LEIGHTON
 300 B. COMPTONII W.F. BARKER
 400 B. GRANDIFLORA LINDL.
 500 B. GREGARIA R.A. DYER
 600 B. HERREI LEIGHTON EX W.F. BARKER
 700 B. JOSEPHINAE (RED.) KER-GAWL.
 800 B. LITORALIS R.A. DYER
 900 B. MARGINATA (JACQ.) AIT.
 1000 B. MINOR LINDL.
 1100 B. NATALENSIS BAK.
 1200 B. ORIENTALIS (L.) AIT. EX ECKL.
 1300 B. RADULA (JACQ.) AIT.
 1400 B. RADULOSA HERB.
 1500 B. STRIATA (JACQ.) AIT.
 1600 B. UNDULATA LEIGHTON

- 1178000 -*Vallota* Herb. = *CYRTANTHUS*
V. purpurea (Ait.) Herb. = *CYRTANTHUS PURPUREUS*
V. speciosa (L. f.) Dur. & Schinz = *CYRTANTHUS PURPUREUS*
- 1179000 -*Anioganthus* Bak. = *CYRTANTHUS*
A. breviflorus (Harv.) Bak. = *CYRTANTHUS BREVIFLORUS*
A. luteus (Bak.) Bak. = *CYRTANTHUS BREVIFLORUS*
- 1181000 -*ZEPHYRANTHES* HERB.
100 *Z. GRANDIFLORA* LINDL. *
- 1186000 -*GETHYLLIS* L. Revision: D. Muller-Doblies (Herb. M-D).
1. BAKER. 1896. FC.
2. OBERMEYER. 1980. *BOTHALIA* 13: 136.
- 100 *G. AFRA* L.
200 *G. ANGELICAE* DINTER & SCHULZE
300 *G. BRITTENIANA* BAK.
400 *G. CAMPANULATA* L. BOL.
500 *G. CILIARIS* (THUNB.) THUNB.
600 *G. HERREI* L. BOL.
700 *G. LANUGINOSA* MARLOTH
800 *G. LATIFOLIA* MASS. EX BAK.
900 *G. LINEARIS* L. BOL.
1000 *G. LONGISTYLA* L. BOL.
1100 *G. LONGITUBA* L. BOL.
1200 *G. MULTIFOLIA* L. BOL.
1250 *G. NAMAQUENSIS* (SCHONL.) OBERM.
(=*Klingia namaquensis* Schonl.) 2
- 1300 *G. POLYANTHERA* SOLAND. EX BRITTEN
1400 *G. PUSILLA* BAK.
1500 *G. SETOSA* MARLOTH
1600 *G. SPIRALIS* L. F.
1700 *G. UNDULATA* HERB.
1800 *G. UNILATERALIS* L. BOL.
1900 *G. VERRUCOSA* MARLOTH
2000 *G. VERTICILLATA* R. BR.
2100 *G. VILLOSA* (THUNB.) THUNB.
- 1186010 -*Klingia* Schonl. = *GETHYLLIS*
K. namaquensis Schonl. = *GETHYLLIS NAMAQUENSIS*
- 1187000 -*APODOLIRION* BAK. Revision: D. Muller-Doblies (Herb. M-D).
1. BAKER. 1896. FC.
PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 *A. BOLUSII* BAK.
200 *A. BUCHANANII* BAK.
(=*A. ettae* Bak.) #
(=*A. mackenii* Bak.) #
300 *A. ettae* Bak. = *A. BUCHANANII*
A. LANCEOLATUM (L. F.) BENTH.
A. mackenii Bak. = *A. BUCHANANII*
400 *A. MACOWANII* BAK.
- 1189000 -*CRINUM* L.
1. VERDOORN. 1973. *BOTHALIA* 11: 27.
- 100 *C. ACAULE* BAK.
200 *C. BAUMII* HARMS
300 *C. BULBISPERMUM* (BURM. F.) MILNE-REDH. & SCHWEICK.
400 *C. BUPHANDIDES* WELW. EX BAK.
500 *C. CAMPANULATUM* HERB.
600 *C. CAROLO-SCHMIDTII* DINTER
700 *C. CRASSICAULE* BAK.
800 *C. DELAGDENSE* VERDOORN
900 *C. EUCHROPHYLLUM* VERDOORN
1000 *C. FOETIDUM* VERDOORN
1100 *C. GRAMINICOLA* VERDOORN
1200 *C. KIRKII* BAK.
1300 *C. LINEARE* L. F.
1400 *C. LUGARDIAE* N.E. BR.
(=*C. polyphyllum* Bak.) 1
- 1500 *C. MACOWANII* BAK.
1600 *C. MINIMUM* MILNE-REDH.
1700 *C. MOOREI* HOOK. F.
1800 *C. NERINOIDES* BAK.
1900 *C. PALUDOSUM* VERDOORN
C. polyphyllum Bak. = *C. LUGARDIAE*
2000 *C. RAUTANENIANUM* SCHINZ
2100 *C. VARIABILE* (JACQ.) HERB.
- 1190000 -*AMMOCHARIS* HERB.
1. MILNE-REDHEAD & SCHWEICKERDT. 1939. J. LINN. SOC. BOT. 52: 189.
100 *A. CORANICA* (KER-GAWL.) HERB.
200 *A. TINNEANA* (KOTSCHY & PEYR.) MILNE-REDH. & SCHWEICK.
300 *A. HERREI* LEIGHTON
- 1190010 -*CYBISTETES* MILNE-REDH. & SCHWEICK.
1. MILNE-REDHEAD & SCHWEICKERDT. 1939. J. LINN. SOC. BOT. 52: 190.
100 *C. LONGIFOLIA* (L.) MILNE-REDH. & SCHWEICK.
- 1191000 -*CYRTANTHUS* L. F. Review: C. Reid & R.A. Dyer (PRE).
1. DYER. 1939. *HERBERTIA* 6: 65.
2. DYER. 1959. *FLOWER PL. AFR.* 33: T 1281.
3. TRAUB. 1963. *PLANT LIFE* 19: 58.
4. GORDON-GRAY & WRIGHT. 1969. *JL S. AFR. BOT.* 35: 36.
5. DYER. 1979. *BOTHALIA* 12: 627.
PRE HERBARIUM PRACTICE, FOLLOWING DYER.
- 200 *C. ANGUSTIFOLIUS* (L. F.) AIT.
C. affinis R.A. Dyer = *C. LODDEGESIANUS*

- 300 C. ATTENUATUS R. A. DYER
400 C. BICOLOR R. A. DYER
500 C. BRACHYSCYPHUS BAK.
(=C. parviflorus Bak.) #
600 C. BREVIFLORUS HARV.
(=Anoiganthus breviflorus (Harv.) Bak.) 4
(=Anoiganthus luteus (Bak.) Bak.) 4
(=C. luteus Bak.) 4
700 C. CARNEUS LINDL.
800 C. CLAVATUS (L'HERIT.) R. A. DYER
900 C. COLLINUS KER-GAWL.
1000 C. CONTRACTUS N. E. BR.
1100 C. EPIPHYTICUS J. M. WOOD
1200 C. ERUBESCENS KILLICK
1300 C. EUCALLUS R. A. DYER
1400 C. FALCATUS R. A. DYER
1500 C. FERGUSONIAE L. BOL.
1600 C. FLANAGANII BAK.
1700 C. FLAVUS BARNES
1800 C. GALPINII BAK.
1900 C. GUTHRIEAE L. BOL.
2000 C. HELICTUS LEHM.
2100 C. HERREI (LEIGHTON) R. A. DYER
(=Cryptostephanus herrei Leighton) 2
2200 C. HUTTONII BAK.
2300 C. INAEQUALIS O'BRIEN
2400 C. JUNODII BEAUV.
2450 C. LABIATUS R. A. DYER
2500 C. LEUCANTHUS SCHLTR.
2550 C. LODDIGESIANUS (HERB.) R. A. DYER
(=C. affinis R. A. Dyer) 5
C. luteus Bak. = C. BREVIFLORUS
2600 C. MACKENII HOOK. F. VAR. COOPERI (BAK.) R. A. DYER
2700 C. MACKENII HOOK. F. VAR. MACKENII
2800 C. MACOWANI BAK.
2850 C. MONTANUS R. A. DYER
2900 C. NUTANS R. A. DYER
3000 C. OBLIQUUS (L. F.) AIT.
3100 C. OBRIENII BAK.
3200 C. OCHROLEUCUS (HERB.) BURCH. EX STEUD
3300 C. ODORUS KER-GAWL.
3400 C. PALLIDUS SIMS
C. parviflorus Bak. = C. BRACHYSCYPHUS
3600 C. PURPUREUS (AIT.) TRAUB
(=Vallota purpurea (Ait.) Herb.) 3
(=Vallota speciosa (L. f.) Dur. & Schinz) 3
3700 C. RECTIFLORUS BAK.
3800 C. RHODODACTYLUS STAFF
3900 C. SANGUINEUS (LINDL.) WALP.
4000 C. SMITHIAE WATT EX HARV.
4100 C. SPECIOSUS R. A. DYER
4200 C. SPIRALIS BURCH. EX KER-GAWL.
4300 C. STAADENSIS SCHONL.
4400 C. STENANTHUS BAK. VAR. MAJOR R. A. DYER
4500 C. STENANTHUS BAK. VAR. STENANTHUS
4600 C. STRIATUS HERB.
4700 C. SUAVEOLENS SCHONL.
4800 C. THORNCROFTII C. H. WR.
4900 C. TUCKII BAK. VAR. TRANSVAALENSIS VERDOORN
5000 C. TUCKII BAK. VAR. TUCKII
5100 C. TUCKII BAK. VAR. VIRIDILOBUS VERDOORN
5200 C. VENTRICOSUS (JACQ.) WILLD.
1199000 -Cryptostephanus Welw. = CYRTANTHUS
C. herrei Leighton = CYRTANTHUS HERREI
1202000 -PANCRACTIUM L.
1. BJORNSTAD. 1973. NORW. J. BOT. 20: 281.
P. chapmannii Harv. = P. TENUIFOLIUM
100 P. TENUIFOLIUM HOCHST. EX A. RICH.
(=P. chapmannii Harv.) 1
(=P. trianthum sensu Bak., non Herb.) 1
P. trianthum sensu Bak., non Herb. = P. TENUIFOLIUM

HYPOXIDACEAE

1229010

-
- 1229010 -EMPODIUM SALISB.
1. NEL. 1914. BOT. JAHRB. 51: 234.
2. BULLOCK. 1962. KEW BULL. 15: 389.
3. GEERINCK. 1969. BULL. JARD. BOT. NAT. BELG. 39: 66.
4. BURTT. 1973. NOTES R. BOT. GARD. EDINB. 32: 308.
5. THOMPSON. 1977. FLOWER PL. AFR. 44: T 1727.
100 E. ELONGATUM (NEL) B. L. BURTT
(=Forbesia elongata Nel) 4
300 E. GLORIOSUM (NEL) B. L. BURTT
(=Forbesia gloriosa Nel) 4
400 E. MONOPHYLLUM (NEL) B. L. BURTT
(=Forbesia monophylla Nel) 4
500 E. NAMAGUENSIS (BAK.) M. F. THOMPSON
(=Forbesia namaquense (Bak.) Nel) 4
600 E. OCCIDENTALE (NEL) B. L. BURTT
(=Forbesia occidentalis Nel) 4
700 E. PLICATUM (THUNB.) GARSIDE
(=Forbesia plicata (Thunb.) Nel var. plicata) 4
800 E. VERATRIFOLIUM (WILLD.) M. F. THOMPSON
(=Forbesia plicata (Thunb.) Nel. var. veratrifolia (Willd.) Nel) 4

1229010 -*Forbesia* Eckl. = *EMPODIUM*
F. elongata NeI = *EMPODIUM ELONGATUM*
F. gloriosa NeI = *EMPODIUM GLORIOSUM*
F. monophylla NeI = *EMPODIUM MONOPHYLLUM*
F. namaquense (Bak.) NeI = *EMPODIUM NAMAQUENSIS*
F. occidentalis NeI = *EMPODIUM OCCIDENTALE*
F. plicata (Thunb.) NeI var. *plicata* = *EMPODIUM PLICATUM*
F. plicata (Thunb.) NeI var. *veratrifolia* (Willd.) NeI = *EMPODIUM VERATRIFOLIUM*

1230000 -*HYPOXIS* L.
1. BAKER. 1896. FC. (Pro parte).
2. NEL. 1914. BOT. JAHRB. 51: 234.
100 H. ACUMINATA BAK.
200 H. ANGUSTIFOLIA LAM.
300 H. ARGENTEA HARV. EX BAK.
600 H. CORDATA NEL.
700 H. COSTATA BAK.
750 H. DECUMBENS L. *
900 H. DISTACHYA NEL.
1200 H. ECKLONII NEL.
1300 H. ELLIPTICA NEL.
1400 H. EXALTATA NEL.
1500 H. FILIFORMIS BAK.
1600 H. FLANAGANII BAK.
1700 H. FLOCCOSA BAK.
1800 H. GALPINII BAK.
1900 H. GERRARDII BAK.
2000 H. GILGIANA NEL.
2100 H. HEMEROCALLIDEA FISCH. & MEY.
2200 H. INTERJECTA NEL.
2400 H. KRAUSSIANA BUCHINGER
2500 H. LATA NEL.
2600 H. LATIFOLIA HOOK.
2700 H. LONGIFOLIA BAK.
2800 H. LUDWIGII BAK.
2900 H. MEMBRANACEA BAK.
3000 H. MULTICEPS BUCHINGER
3100 H. NELIANA SCHINZ
3200 H. NITIDA VERDOORN
3300 H. OBCONICA NEL.
3600 H. OBLONGA NEL.
3700 H. OBTUSA BURCH. EX EDWARDS VAR. OBTUSA
3800 H. OLIGOTRICHIA BAK.
3900 H. PARVIFOLIA BAK.
3950 H. PARVULA BAK.
4000 H. PATULA NEL.
4100 H. RIGIDULA BAK. VAR. PILOSISSIMA BAK.
4200 H. RIGIDULA BAK. VAR. RIGIDULA
4300 H. ROOPERI S. MOORE
4350 H. SAGITTATA NEL.
4400 H. SETOSA BAK.
4450 H. SOBOLIFERA JACQ.
4500 H. STELLIPILIS KER-GAWL.
4550 H. TETRAMERA HILLIARD & BURTT
4600 H. UNIFLORATA MARK
4700 H. VILLOSA L. F. VAR. OBLIQUA JACQ.
4800 H. VILLOSA L. F. VAR. PANNOSA BAK.
4900 H. VILLOSA L. F. VAR. VILLOSA
5000 H. WOODII BAK.
5100 H. ZEYHERI BAK.

1230010 -*SPILOXENE* SALISB. Revision: D. Snijman (NBG).
1. NEL. 1914. BOT. JAHRB. 51: 234.
2. FOURCADE. 1934. TRANS. R. SOC. S. AFR. 21: 76.
3. GARSIDE. 1936. J. BOT., LOND. 74: 267.
4. GEERINCK. 1969. BULL. JARD. BOT. NAT. BELG. 39: 66.
100 S. ACIDA (NEL) GARSIDE
200 S. AEMULANS (NEL) GARSIDE
300 S. ALBA (THUNB.) FOURC.
400 S. AQUATICA (L. F.) FOURC.
500 S. CANALICULATA GARSIDE
600 S. CAPENSIS (L.) GARSIDE
(=S. stellata (Thunb.) Salisb.) 3
700 S. CURCULIGOIDES (H. BOL.) GARSIDE
800 S. CUSPIDATA (NEL) GARSIDE
900 S. DECLINATA (NEL) GARSIDE
1000 S. DIELSIANA (NEL) GARSIDE
1100 S. FLACCIDA (NEL) GARSIDE
1200 S. GRACILIPES (SCHLTR.) GARSIDE
1300 S. LINEARIS (ANDR.) GARSIDE
1400 S. MAXIMILIANI (SCHLTR.) GARSIDE
1500 S. MINUTA (L.) FOURC.
1600 S. MONOPHYLLA (SCHLTR.) GARSIDE
1700 S. OVATA (L. F.) GARSIDE
1800 S. SCHLECHTERI (H. BOL.) GARSIDE
1900 S. SCULLYI (BAK.) GARSIDE
1950 S. SERRATA (THUNB.) GARSIDE VAR. ALBIFLORA (NEL) GARSIDE
2000 S. SERRATA (THUNB.) GARSIDE VAR. SERRATA
S. stellata (Thunb.) Salisb. = S. CAPENSIS
2100 S. TRIFURCILLATA (NEL) FOURC.
2200 S. UMBRATICOLA (SCHLTR.) GARSIDE

1230020 -*RHODOHYPOXIS* NEL
1. HILLIARD & BURTT. 1978. NOTES R. BOT. GARD. EDINB. 36: 43.
100 R. BAURII (BAK.) NEL VAR. BAURII
120 R. BAURII (BAK.) NEL VAR. CONFECTA HILLIARD & BURTT
140 R. BAURII (BAK.) NEL VAR. PLATYPETALA (BAK.) NEL
150 R. DEFLEXA HILLIARD & BURTT
160 R. INCOMPTA HILLIARD & BURTT

- 180 R. MILLOIDES (BAK.) HILLIARD & BURTT
 (=R. palustris Killick) 1
 300 R. RUBELLA (BAK.) NEL
 400 R. THODIANA (NEL) HILLIARD & BURTT
- 1230030 -PAURIDIA HARV.
 1. GARSIDE. 1950 FL. CAP. PENINS.
 2. THOMPSON. 1972. J.L.S. AFR. BOT 38: 163.
- 100 P. LONGITUBA M.F. THOMPSON
 200 P. MINUTA (L. F.) DUR. & SCHINZ
- 1230040 -Sanieiella Hilliard & Burtt
 1. Hilliard & Burtt. 1978. Notes R. Bot. Gard. Edinb. 36: 70
 100 S. Verna Hilliard & Burtt

TECOPHILAEACEAE

1231000

- 1231000 -WALLERIA KIRK
 1. CARTER. 1962. KEW BULL. 16: 185.
 100 W. GRACILIS (SALISB.) CARTER
 200 W. NUTANS KIRK
- 1233000 -CYANELLA L. Revision: E.A. Schelpe (BOL).
 1. BAKER. 1896. FC.
 2. BULLOCK. 1953. KEW BULL. 9: 553.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
- 100 C. ALBA L. F.
 200 C. AMBOENSIS SCHINZ
 C. capensis L. = C. HYACINTHOIDES
 300 C. HYACINTHOIDES L.
 (=C. capensis L.) 2
 (=C. pentheri Zahlbr.) #
 C. krauseana Dinter & Schulze = C. RAMOISSIMA
 400 C. LUTEA L. F. VAR. ANGUSTIFOLIA SCHINZ
 500 C. LUTEA L. F. VAR. LUTEA
 (=C. racemosa Schinz) #
 600 C. LUTEA L. F. VAR. ROSEA BAK.
 700 C. ORCHIDIFORMIS JACQ.
 C. pentheri Zahlbr. = C. HYACINTHOIDES
 C. racemosa Schinz = C. LUTEA VAR. LUTEA
 900 C. RAMOISSIMA (ENGL. & KRAUSE) ENGL. & KRAUSE
 (=C. krauseana Dinter & Schulze) #

VELLOZIAEACEAE

1246000

- 1246000 -Vellozia Vand. Southern African taxa moved to XEROPHYTA AND TALBOTIA
 V. clavata (Bak.) Bak. = XEROPHYTA RETINERVIS
 V. elegans (Balf.) Oliv. ex Hook. f. = TALBOTIA ELEGANS
 V. elegans (Balf.) Oliv. var. minor Bak. = TALBOTIA ELEGANS
 V. equisetoides (Bak.) Bak. = XEROPHYTA EQUISETOIDES VAR. EQUISETOIDES
 V. humilis Bak. = XEROPHYTA HUMILIS
 V. retinervis (Bak.) Bak. = XEROPHYTA RETINERVIS
 V. rosea Bak. = XEROPHYTA SCHLECHTERI
 V. schlechteri Bak. = XEROPHYTA SCHLECHTERI
 V. suaveolens Greves = XEROPHYTA SUAVEOLENS
 V. squarrosa (Bak.) Bak. = XEROPHYTA SQUARROSA
 V. talbotii Balf. = TALBOTIA ELEGANS
 V. villosa Bak. = XEROPHYTA VILLOSA
 V. viscosa (Bak.) Bak. = XEROPHYTA VISCOSA
- 1247010 -XEROPHYTA JUSS.
 1. COETZEE. 1973; 1974. DINTERIA 9: 3; 10: 19.
 2. SMITH & AYENSU. 1974. KEW BULL. 29: 181.
- 150 X. EQUISETOIDES BAK. VAR. EQUISETOIDES
 (=Vellozia equisetoides (Bak.) Bak.) 2
 180 X. EQUISETOIDES BAK. VAR. PAUCIRAMOSA SMITH & AYENSU
 (=X. wentzeliana (Harms) Solch.) 2
 200 X. HUMILIS (BAK.) DUR. & SCHINZ
 (=Vellozia humilis Bak.) 2
 400 X. RETINERVIS BAK.
 (=Vellozia clavata (Bak.) Bak.) 2
 (=Vellozia retinervis (Bak.) Bak.) 2
 550 X. SCHLECHTERI (BAK.) N. MENEZES
 (=Vellozia rosea Bak.) 2
 (=Vellozia schlechteri Bak.) 2
 580 X. SUAVEOLENS (GREVES) N. MENEZES
 (=Vellozia suaveolens Greves) 2
 600 X. SQUARROSA BAK.
 (=Vellozia squarrosa (Bak.) Bak.) 2
 700 X. VILLOSA (BAK.) SMITH & AYENSU
 (=Vellozia villosa Bak.) 2
 800 X. VISCOSA BAK.
 (=Vellozia viscosa (Bak.) Bak.) 2
 X. wentzeliana (Harms) Solch. = X. EQUISETOIDES VAR. PAUCIRAMOSA
- 1247020 -TALBOTIA BALF.
 1. Hilliard & Burtt. 1971. Notes R. Bot. Gard. Edinb. 31: 32.
 2. SMITH & AYENSU. 1974. KEW BULL. 29: 181.
- 100 T. ELEGANS BALF.
 (=Vellozia elegans (Balf.) Oliv. ex Hook. f.) 2
 (=Vellozia elegans (Balf.) Oliv. var. minor Bak.) 2
 (=Vellozia talbotii Balf.) 1,2

DIOSCOREACEAE		1250000
1252000	-DIOSCOREA L.	
	1. BAKER. 1896. FC.	
	2. KNUTH. 1924. PFLANZENREICH 87: 43.	
	3. BURKILL. 1952. J.L. S. AFR. BOT. 18: 177.	
	4. ARCHIBALD. 1967. J.L. S. AFR. BOT. 33: 1.	
	5. SOLCH. 1969. FSWA	
	6. MILNE-REDHEAD. 1975. FTEA.	
	#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.	
100	D. ASTERISCUS BURKILL	
200	D. BROWNII SCHINZ	
250	D. BULBIFERA L.	
300	D. BURCHELLII BAK.	
350	D. COCHLEARII-APICULATUS DE WILD.	
400	D. COTINIFOLIA KUNTH	
	(=D. malifolia Bak.) 2,4	
500	D. CRINITA HOOK. F.	
	D. digitaria Knuth = D. DIVERSIFOLIA	
600	D. DIVERSIFOLIA GRISEB.	
	(=D. digitaria Knuth) #	
	(=D. multiloba Knuth) #	
	D. dinteri Schinz = D. QUARTINIANA VAR. LATIFOLIA	
700	D. DREGEANA (KUNTH) DUR. & SCHINZ VAR. DREGEANA	
900	D. DUMETORUM (KUNTH) PAX	
1000	D. ELEPHANTIPES (L'HERIT.) ENGL.	
	(=Testudinaria elephantipes Lindl.) 3,4	
1200	D. HEMICRYPTA BURKILL	
1300	D. HIRTIFLORA BENTH.	
	D. malifolia Bak. = D. COTINIFOLIA	
	D. marlothii Knuth = D. SYLVATICA VAR. MULTIFLORA	
	D. multiloba Knuth = D. DIVERSIFOLIA	
1400	D. MUNDTII BAK.	
	D. paniculata Dummer = D. SYLVATICA VAR. PANICULATA	
1450	D. QUARTINIANA A. RICH. VAR. LATIFOLIA KNUTH	
	(=D. dinteri Schinz) 6	
1500	D. QUARTINIANA A. RICH. VAR. QUARTINIANA	
	D. rehmannii Bak. = D. SYLVATICA VAR. REHMANNII	
1600	D. RETUSA MAST.	
1700	D. RUPICOLA KUNTH	
1800	D. STIPULOSA ULINE EX KNUTH	
1900	D. SYLVATICA (KUNTH) ECKL. VAR. BREVIPES (BURTT DAVY) BURKILL	
	(=Testudinaria brevipes Burtt Davy) 3,4	
1950	D. SYLVATICA (KUNTH) ECKL. VAR. MULTIFLORA (MARLOTH) BURKILL	
	(=D. marlothii Knuth) 4	
	(=Testudinaria multiflora Marloth) 3,4	
1980	D. SYLVATICA (KUNTH) ECKL. VAR. PANICULATA (DUMMER) BURKILL	
	(D. paniculata Dummer) 3,4	
2000	D. SYLVATICA (KUNTH) ECKL. VAR. REHMANNII (BAK.) BURKILL	
	(=D. rehmannii Bak.) 3,4	
2100	D. SYLVATICA (KUNTH) ECKL. VAR. SYLVATICA	
	(=Testudinaria sylvatica Kunth) 3	
2200	D. UNDATILOBA BAK.	
1252010	-Testudinaria Salisb. = DIOSCOREA	
	T. brevipes Burtt Davy = DIOSCOREA SYLVATICA VAR. BREVIPES	
	T. elephantipes Lindl. = DIOSCOREA ELEPHANTIPES	
	T. multiflora Marloth = DIOSCOREA SYLVATICA VAR. MULTIFLORA	
	T. sylvatica Kunth = DIOSCOREA SYLVATICA VAR. SYLVATICA	

IRIDACEAE		1259000
1260000	-SYRINGODEA HOOK. F.	
	1. DE VOS. 1983. FSA	
150	S. bicolor Bak. = S. BIFURCATA	
	S. BIFURCATA DE VOS	
	(=S. bicolor Bak.) 1	
200	S. CONCOLOR (BAK.) DE VOS	
300	S. DERUSTENSIS DE VOS	
400	S. FLANAGANII BAK.	
	S. linifolia Phill. = DUTHIASTRUM LINIFOLIUM	
500	S. LONGITUBA (KLATT) KUNTZE VAR. LONGITUBA	
550	S. LONGITUBA (KLATT) KUNTZE VAR. VIOLACEA DE VOS	
800	S. PULCHELLA HOOK. F.	
850	S. SAXATILIS DE VOS	
900	S. UNIFOLIA GOLDBL.	
1261000	-ROMULEA MARATTI	
	1. DE VOS. 1983. FSA	
100	R. ALBOMARGINATA DE VOS	
200	R. AMOENA SCHLTR. EX BEG.	
300	R. AQUATICA G. J. LEWIS	
400	R. ATRANDRA G. J. LEWIS VAR. ATRANDRA	
500	R. ATRANDRA G. J. LEWIS VAR. ESTERHUYSENIAE DE VOS	
600	R. ATRANDRA G. J. LEWIS VAR. LEWISIAE DE VOS	
700	R. AUSTINII PHILL.	
800	R. AUTUMNALIS L. BOL.	
900	R. BARKERAE DE VOS	
1000	R. BIFLORA (BEG.) DE VOS	
1100	R. CAMPANULOIDES HARMS VAR. CAMPANULOIDES	
	(=R. thodei Schltr.) 1	
1200	R. CAMPANULOIDES HARMS VAR. GIGANTEA DE VOS	
1300	R. CEDARBERGENSIS DE VOS	
1400	R. CITRINA BAK.	
1500	R. CRUCIATA (JACQ.) BAK. VAR. CRUCIATA	
1600	R. CRUCIATA (JACQ.) BAK. VAR. INTERMEDIA (BEG.) DE VOS	

1700 R. DICHOTOMA (THUNB.) BAK.
 1800 R. DIVERSIFORMIS DE VOS
 1900 R. ELLIPTICA DE VOS
 2000 R. EXIMIA DE VOS
 2100 R. FIBROSA DE VOS
 2200 R. FLAVA (LAM.) DE VOS VAR. FLAVA
 2300 R. FLAVA (LAM.) DE VOS VAR. HIRSUTA (BEG.) DE VOS
 2400 R. FLAVA (LAM.) DE VOS VAR. MINOR (BEG.) DE VOS
 2500 R. FLAVA (LAM.) DE VOS VAR. VIRIDIFLORA (BEG.) DE VOS
 (=R. similis Eckl. ex Bak.) 1
 2600 R. FLEXUOSA KLATT
 2700 R. GIGANTEA BEG.
 2800 R. GRACILLIMA BAK.
 2900 R. HALLII DE VOS
 3000 R. HANTAMENSIS (DIELS) GOLDBL.
 3100 R. HIRSUTA (ECKL. EX KLATT) BAK. VAR. CUPREA (BEG.) DE VOS
 3200 R. HIRSUTA (ECKL. EX KLATT) BAK. VAR. FRAMESII (L. BOL.) DE VOS
 3300 R. HIRSUTA (ECKL. EX KLATT) BAK. VAR. HIRSUTA
 3400 R. HIRSUTA (ECKL. EX KLATT) BAK. VAR. ZEYHERI (BAK.) DE VOS
 3500 R. HIRTA SCHLTR.
 3700 R. KAMISENSIS DE VOS
 3800 R. KOMSBERGENSIS DE VOS
 3900 R. LEIPOLDTII MARAIS
 4000 R. LONGIPES SCHLTR.
 R. longituba L. Bol. var. alticola B.L. Burtt = R. MACOWANII VAR. ALTICOLA
 4100 R. LUTEOFLORA (DE VOS) DE VOS VAR. LUTEOFLORA
 4150 R. LUTEOFLORA (DE VOS) DE VOS VAR. SANISENSIS DE VOS
 4200 R. MACOWANII BAK. VAR. ALTICOLA (B.L. BURTT) DE VOS
 (=R. longituba L. Bol. var. alticola B.L. Burtt) 1
 4300 R. MACOWANII BAK. VAR. MACOWANII
 4400 R. MACOWANII BAK. VAR. OREOPHILA DE VOS
 4500 R. MALANIAE DE VOS
 4600 R. MEMBRANACEA DE VOS
 4700 R. MINUTIFLORA KLATT
 4800 R. MONADELPHA (SWEET) BAK.
 4900 R. MONTANA SCHLTR. EX BEG.
 5000 R. MONTICOLA DE VOS
 5100 R. MULTIFIDA DE VOS
 5200 R. MULTISULCATA DE VOS
 5400 R. NAMAQUENSIS DE VOS
 (=R. namaquensis De Vos subsp. bolusii De Vos) 1
 R. namaquensis De Vos subsp. bolusii De Vos = R. NAMAQUENSIS
 5450 R. NEGLECTA (SCHULT.) DE VOS
 (=R. oliveri De Vos) 1
 5500 R. OBSCURA KLATT VAR. BLANDA DE VOS
 5600 R. OBSCURA KLATT VAR. CAMPESTRIS DE VOS
 5700 R. OBSCURA KLATT VAR. OBSCURA
 5800 R. OBSCURA KLATT VAR. SUBTESTACEA DE VOS
 R. oliveri De Vos = R. NEGLECTA
 6000 R. PAPYRACEA WOLLEY-DOD
 6100 R. FEARSONII DE VOS
 6200 R. PRATENSIS DE VOS
 6300 R. ROSEA (L.) ECKL. VAR. AUSTRALIS (EWART) DE VOS
 6400 R. ROSEA (L.) ECKL. VAR. COMMUNIS DE VOS
 6500 R. ROSEA (L.) ECKL. VAR. ELEGANS (KLATT) BEG.
 6600 R. ROSEA (L.) ECKL. VAR. REFLEXA (ECKL.) BEG.
 6700 R. ROSEA (L.) ECKL. VAR. ROSEA
 6800 R. SABULOSA SCHLTR. EX BEG.
 6900 R. SALDANHENSIS DE VOS
 7000 R. SANGUINALIS DE VOS
 7100 R. SAXATILIS DE VOS
 7200 R. SCHLECHTERI BEG.
 7300 R. SETIFOLIA N.E. BR. VAR. AGGREGATA DE VOS
 7400 R. SETIFOLIA N.E. BR. VAR. BELVIDERICA DE VOS
 7500 R. SETIFOLIA N.E. BR. VAR. CERESIANA DE VOS
 7600 R. SETIFOLIA N.E. BR. VAR. SETIFOLIA
 R. similis Eckl. ex Bak. = R. FLAVA VAR. VIRIDIFLORA
 7700 R. SINISPINOSENSIS DE VOS
 7800 R. SLADENII DE VOS
 7900 R. SPHAEROCARPA DE VOS
 8000 R. STELLATA DE VOS
 8100 R. SUBFISTULOSA DE VOS
 8200 R. SULPHUREA BEG.
 8300 R. SYRINGODEOFLORA DE VOS
 8400 R. TABULARIS ECKL. EX BEG.
 8500 R. TETRAGONA DE VOS VAR. FLAVANDRA DE VOS
 8600 R. TETRAGONA DE VOS VAR. TETRAGONA
 R. thodei Schltr. = R. CAMPANULOIDES VAR. CAMPANULOIDES
 8700 R. TORTILIS BAK. VAR. DISSECTA DE VOS
 8800 R. TORTILIS BAK. VAR. TORTILIS
 8900 R. TORTUOSA (LICHT. EX ROEM. & SCHULT.) BAK. SUBSP. AUREA (KLATT) DE VOS
 9000 R. TORTUOSA (LICHT. EX ROEM. & SCHULT.) BAK. SUBSP. DEPAUPERATA DE VOS
 9100 R. TORTUOSA (LICHT. EX ROEM. & SCHULT.) BAK. SUBSP. TORTUOSA
 9200 R. TOXIMONTANA DE VOS
 9300 R. TRIFLORA (BURM. F.) N.E. BR.
 9400 R. VANZYLIAE DE VOS
 9500 R. VINACEA DE VOS
 9600 R. VIRIDIBRACTEATA DE VOS
 9700 R. VLOKII DE VOS

1262000 -GALAXIA THUNB.
 1. GOLDBLATT. 1979. J.L.S. AFR. BOT. 45: 385.

50 G. ALATA GOLDBL.
 100 G. ALBIFLORA G. J. LEWIS
 140 G. BARNARDII GOLDBL.
 150 G. CILIATA PERS.
 200 G. CITRINA G. J. LEWIS
 300 G. FUGACISSIMA (L. F.) DRUCE
 350 G. GRANDIFLORA ANDR.

370 G. LUTEO-ALBA GOLDBL.
 400 G. OVATA THUNB.
 420 G. STAGNALIS GOLDBL.
 500 G. VARIABILIS G. J. LEWIS
 600 G. VERSICOLOR SALISB. EX KLATT

1265000 -MORAEA MILL.

1. GOLDBLATT. 1973. ANN. MISSOURI BOT. GARD. 60: 204.
 2. GOLDBLATT. 1976. ANN. MISSOURI BOT. GARD. 63: 657.
 3. GOLDBLATT. 1977. ANN. MISSOURI BOT. GARD. 64: 243.
 4. GOLDBLATT. 1979. ANN. MISSOURI BOT. GARD. 66: 558.
 5. GOLDBLATT. 1981. ANN. MISSOURI BOT. GARD. 68: 413.
 6. GOLDBLATT. 1982. ANN. MISSOURI BOT. GARD. 69: 351.
- 100 M. ALBICUSPA GOLDBL.
 200 M. ALGOENSIS GOLDBL.
 300 M. ALPINA GOLDBL.
 400 M. ALTICOLA GOLDBL.
 450 M. AMISSA GOLDBL.
 500 M. ANGUSTA (THUNB.) KER-GAWL.
 600 M. ANOMALA G. J. LEWIS
 700 M. ARDESIACA GOLDBL.
 M. arenaria Bak. = M. SERPENTINA
 850 M. ARISTATA (DELAROCHE) ASCHERS. & GRAEBN.
 (=M. candida Bak.) 2
 870 M. ATROPUNCTATA GOLDBL.
 950 M. BARKERAE GOLDBL.
 1000 M. BARNARDII L. BOL.
 1200 M. BELLENDENII (SWEET) N.E. BR.
 M. bellendenii (Sweet) N.E. Br. subsp. cormifera Goldbl. = M. TRICUSPIDATA
 1300 M. BIPARTITA L. BOL.
 (=M. polyanthos sensu Goldblatt, non L. f.) 4
 1400 M. BITUMINOSA (L. F.) KER-GAWL.
 1500 M. BOLUSII BAK.
 1540 M. BUBALINA GOLDBL.
 1550 M. CAECA BARNARD EX GOLDBL.
 1570 M. CALCICOLA GOLDBL.
 M. candida Bak. = M. ARISTATA
 1700 M. CARNEA GOLDBL.
 1750 M. CARSONII BAK.
 1850 M. CILIATA (L. F.) KER-GAWL.
 2000 M. COOPERI BAK.
 2020 M. CRISPA THUNB.
 (=Homeria rogersii L. Bol.) 5
 M. culmea Killick = M. TRIFIDA
 2050 M. DEBILIS GOLDBL.
 2200 M. DRACOMONTANA GOLDBL.
 M. edulis (L. f.) Ker-Gawl. = M. FUGAX
 2300 M. ELLIOTII BAK.
 2350 M. ELSIAE GOLDBL.
 (=Homeria simulans Bak.) 2,5
 2400 M. FALCIFOLIA KLATT
 (=M. galaxioides Bak.) 1
 2600 M. FERGUSONIAE L. BOL.
 2850 M. FLEXUOSA GOLDBL.
 3000 M. FUGAX (DELAROCHE) JACQ.
 (=M. edulis (L. f.) Ker-Gawl.) 2
 M. galaxioides Bak. = M. FALCIFOLIA
 3200 M. GALPINII (BAK.) N.E. BR.
 M. galpinii (Bak.) N.E. Br. subsp. robusta Goldbl. = M. ROBUSTA
 3400 M. GAWLERI SPRENG.
 3500 M. GIGANDRA L. BOL.
 3650 M. GRACILENTA GOLDBL.
 3700 M. GRAMINICOLA OBERM. SUBSP. GRAMINICOLA
 3800 M. GRAMINICOLA OBERM. SUBSP. NOTATA GOLDBL.
 3900 M. HIEMALIS GOLDBL.
 4000 M. HUTTONII (BAK.) OBERM.
 (=M. rivularis Schltr.) 1
 4100 M. INCLINATA GOLDBL.
 4150 M. INCONSPICUA GOLDBL.
 4170 M. INCURVA G. J. LEWIS
 4180 M. INDECORA GOLDBL.
 4200 M. INSOLENS GOLDBL.
 M. juncea sensu N.E. Br., non L. = M. VEGETA
 4240 M. LONGIARISTATA GOLDBL.
 4250 M. LONGIFLORA KER-GAWL.
 4270 M. LOUBSERI GOLDBL.
 4300 M. LUGUBRIS (SALISB.) GOLDBL.
 (=M. plumaria (Thunb.) Ker-Gawl.) 2
 4400 M. LURIDA KER-GAWL.
 4450 M. MACGREGORII GOLDBL.
 4600 M. MACRONYX G. J. LEWIS
 4650 M. MARGARETAE GOLDBL.
 4700 M. MARIONAE N.E. BR.
 4800 M. MODESTA KILLICK
 4900 M. MOGGII N.E. BR. SUBSP. ALBESCENS GOLDBL.
 5000 M. MOGGII N.E. BR. SUBSP. MOGGII
 M. mossii N.E. Br. = M. THOMSONII
 5300 M. MUDDII N.E. BR.
 5350 M. NAMIBENSIS GOLDBL.
 5400 M. NATALENSIS BAK.
 5500 M. NEGLECTA G. J. LEWIS
 5600 M. NEOPAVONIA R.C. FOST.
 5650 M. NUBIGENA GOLDBL.
 5900 M. PAPILIONACEA (L. F.) KER-GAWL.
 M. plumaria (Thunb.) Ker-Gawl. = M. LUGUBRIS
 6100 M. POLYANTHOS L. F.
 (=Homeria lilacina L. Bol.) 4,5
 M. polyanthos sensu Goldblatt, non L. f. = M. BIPARTITA

- 6200 M. POLYSTACHYA (THUNB.) KER-GAWL.
6400 M. PUBIFLORA N.E. BR. SUBSP. BREVISTYLA GOLDBL.
6500 M. PUBIFLORA N.E. BR. SUBSP. PUBIFLORA
6600 M. RAMOSISSIMA (L. F.) DRUCE
6700 M. RETICULATA GOLDBL.
6720 M. rivularis Schltr. = M. HUTTONII
M. ROBUSTA (GOLDBL.) GOLDBL.
(=M. galpinii (Bak.) N.E. Br. subsp. robusta Goldbl.) 6
6750 M. SAXICOLA GOLDBL.
6800 M. SERPENTINA BAK.
(=M. arenaria Bak.) 2
M. sordescens Jacq. = M. VEGETA
7100 M. SPATHULATA (L. F.) KLATT
(=M. spathulata (L. f.) Klatt subsp. autumnalis Goldbl.) 3
(=M. spathulata (L. f.) Klatt subsp. saxosa Goldbl.) 3
(=M. spathulata (L. f.) Klatt subsp. transvaalensis Goldbl.) 3
M. spathulata (L. f.) Klatt subsp. autumnalis Goldbl. = M. SPATHULATA
M. spathulata (L. f.) Klatt subsp. saxosa Goldbl. = M. SPATHULATA
M. spathulata (L. f.) Klatt subsp. transvaalensis Goldbl. = M. SPATHULATA
7250 M. SPECIOSA (L. BOL.) GOLDBL.
(=Homeria speciosa L. Bol.) 5
M. stricta Bak. = M. THOMSONII
M. tenuis Ker-Gawl. = M. UNGUICULATA
7450 M. THOMASIAE GOLDBL.
7455 M. THOMSONII BAK.
(=M. mossii N.E. Br.) 1
(=M. stricta Bak.) 3
(=M. trita N.E. Br.) 1
7460 M. TORTILIS GOLDBL.
7480 M. TRICOLOR ANDR.
7500 M. TRICUSPIDATA (L. F.) G. J. LEWIS
(=M. bellendinii (Sweet) N.E. Br. subsp. cormifera Goldbl.) 2
7550 M. TRIFIDA R. C. FOST.
(=M. culmea Killick) 1
7800 M. TRIPETALA (L. F.) KER-GAWL.
M. trita N.E. Br. = M. THOMSONII
7900 M. TULBAGHENSIS L. BOL.
8000 M. UNGUICULATA KER-GAWL.
(=M. tenuis Ker-Gawl.) 2
8100 M. UNIBRACTEATA GOLDBL.
8150 M. VALLISAVIUM GOLDBL.
8200 M. VEGETA L.
(=M. juncea sensu N.E. Br., non L.) 2
(=M. sordescens Jacq.) 2
8250 M. VILLOSA (KER-GAWL.) KER-GAWL. SUBSP. ELANDSMONTANA GOLDBL.
8300 M. VILLOSA (KER-GAWL.) KER-GAWL. SUBSP. VILLOSA
8400 M. VISCARIA (L. F.) KER-GAWL.
- 1265010 -DIETES SALISB. EX KLATT
1. GOLDBLATT. 1981. ANN. MISSOURI BOT. GARD. 68. 132.
100 D. BICOLOR (STEUD.) SWEET EX KLATT
200 D. BUTCHERIANA GERSTN.
300 D. FLAVIDA OBERM.
400 D. GRANDIFLORA N.E. BR.
500 D. IRIDIOIDES (L.) SWEET EX KLATT
(=D. vegeta (L.) N.E. Br.) 1
D. vegeta (L.) N.E. Br. = D. IRIDIOIDES
- 1265020 -GYNANDRIRIS PARL.
1. GOLDBLATT. 1980. BOT. NOTISER 133: 239.
50 G. ANOMALA GOLDBL.
70 G. AUSTRALIS GOLDBL.
80 G. CEDARMONTANA GOLDBL.
G. cladostachya (Bak.) R.C. Fost. = G. SIMULANS
150 G. HESPERANTHA GOLDBL.
200 G. PRITZELIANA (DIELS) GOLDBL.
(=G. torta (L. Bol.) R.C. Fost.) 1
G. rogersii (Bak.) R.C. Fost. = G. SETIFOLIA
400 G. SETIFOLIA (L. F.) R.C. FOST.
(=G. rogersii (Bak.) R.C. Fost.) 1
500 G. SIMULANS (BAK.) R.C. FOST.
(=G. cladostachya (Bak.) R.C. Fost.) 1
G. spiralis (N.E. Br.) R.C. Fost. = BARNARDIELLA SPIRALIS
G. torta (L. Bol.) R.C. Fost. = G. PRITZELIANA
- 1272000 -FERRARIA BURM. EX MILL.
1. DE VOS. 1979. J.L. S. AFR. BOT. 45: 295.
F. bechuanica Bak. = F. GLUTINOSA
100 F. BREVIFOLIA G. J. LEWIS
150 F. CRISPA BURM. SUBSP. CRISPA
(=F. undulata L.) 1
(=F. vandermerwei L. Bol.) 1
180 F. CRISPA BURM. SUBSP. NORTIERII DE VOS
F. crispulata L. Bol. = F. UNCINATA SUBSP. MACROCHLAMYS
230 F. DENSEPUNCTULATA DE VOS
240 F. DIVARICATA SWEET SUBSP. ARENOSA DE VOS
250 F. DIVARICATA SWEET SUBSP. AUREA DE VOS
260 F. DIVARICATA SWEET SUBSP. AUSTRALIS DE VOS
300 F. DIVARICATA SWEET SUBSP. DIVARICATA
400 F. FERRARIOLA (JACQ.) WILLD.
500 F. FOLIOSA G. J. LEWIS
F. framesii L. Bol. = F. UNCINATA SUBSP. UNCINATA
700 F. GLUTINOSA (BAK.) RENDLE
(=F. bechuanica Bak.) 1
(=F. welwitschii Bak.) 1
750 F. KAMIESBERGENSIS DE VOS
900 F. SCHAEFERI DINTER
1000 F. UNCINATA SWEET SUBSP. UNCINATA
(=F. framesii L. Bol.) 1

- 1100 F. UNCINATA SWEET SUBSP. MACROCHLAMYS (BAK.) DE VOS
 (=F. crispulata L. Bol.) 1
 F. undulata L. = F. CRISPA SUBSP. CRISPA
 F. vandermerwei L. Bol. = F. CRISPA SUBSP. CRISPA
 F. welwitschii Bak. = F. GLUTINOSA
- 1273000 -HEXAGLOTTIS VENT.
 1. LEWIS. 1959. JL S. AFR. BOT. 25: 215.
 2. GOLDBLATT. 1971. JL S. AFR. BOT. 37: 234.
 H. flexuosa (L. f.) Sweet = H. LEWISIAE
 100 H. LEWISIAE GOLDBL.
 (=H. flexuosa (L. f.) Sweet) 2
 150 H. LONGIFOLIA (JACQ.) VENT. VAR. ANGUSTIFOLIA G. J. LEWIS
 200 H. LONGIFOLIA (JACQ.) VENT. VAR. LONGIFOLIA
 300 H. NANA L. BOL.
 350 H. VIRGATA (JACQ.) SWEET VAR. LATA G. J. LEWIS
 400 H. VIRGATA (JACQ.) SWEET VAR. VIRGATA
- 1277000 -HOMERIA VENT.
 1. GOLDBLATT. 1981. ANN. MISSOURI BOT. GARD. 68: 403.
 H. albida L. Bol. = H. MINIATA
 150 H. AUTUMNALIS GOLDBL.
 H. bicolor (Bak.) Klatt = H. FLACCIDA
 200 H. BIFIDA L. BOL.
 (=H. salmonea L. Bol.) 1
 220 H. BOLUSIAE GOLDBL.
 250 H. BRACHYGYNNE SCHLTR.
 (=H. papillosa L. Bol.) 1
 H. breyniana sensu G. J. Lewis, non (L.) G. J. Lewis = H. COLLINA
 H. breyniana sensu G. J. Lewis, non (L.) G. J. Lewis var. aurantiaca sensu G. J. Lewis,
 non (Zuccagni) G. J. Lewis = H. FLACCIDA
 300 H. BRITTENIAE L. BOL.
 350 H. BULBILLIFERA G. J. LEWIS SUBSP. ANOMALA GOLDBL.
 400 H. BULBILLIFERA G. J. LEWIS SUBSP. BULBILLIFERA
 450 H. CEDARMONTANA GOLDBL.
 500 H. COLLINA (THUNB.) SALISB.
 (=H. breyniana sensu G. J. Lewis, non (L.) G. J. Lewis) 1
 550 H. COMPTONII L. BOL.
 600 H. COOKII L. BOL.
 (=H. pillansii L. Bol.) 1
 700 H. ELEGANS (JACQ.) SWEET
 (=H. metelerkampiae L. Bol.) 1
 750 H. FENESTRATA GOLDBL.
 800 H. FLACCIDA SWEET
 (=H. bicolor (Bak.) Klatt) 1
 (=H. breyniana sensu G. J. Lewis, non (L.) G. J. Lewis var. aurantiaca
 (Zuccagni) G. J. Lewis) 1
 850 H. FLAVESCENS GOLDBL.
 H. framesii L. Bol. = H. MINOR
 950 H. FUSCOMONTANA GOLDBL.
 1000 H. GALPINII L. BOL.
 H. glauca Wood & Evans = H. PALLIDA
 H. herrei L. Bol. = BARNARDIELLA SPIRALIS
 H. humilis N.E. Br. = H. PALLIDA
 H. lilacina L. Bol. = MORAEA POLYANTHOS
 H. lineata Sweet = H. MINIATA
 1550 H. LONGISTYLA GOLDBL.
 H. lucasii L. Bol. = H. OCHROLEUCA
 1700 H. MARLOTHII L. BOL.
 H. maximiliani Schltr. = RHEOME MAXIMILIANI
 H. metelerkampiae L. Bol. = H. ELEGANS
 2000 H. MINIATA (ANDR.) SWEET
 (=H. albida L. Bol.) 1
 (=H. lineata Sweet) 1
 2050 H. MINOR (ECKL.) GOLDBL.
 (=H. framesii L. Bol.) 1
 (=H. rhopalocarpa Schltr.) 1
 H. mossii N.E. Br. = H. PALLIDA
 2100 H. OCHROLEUCA SALISB.
 (=H. lucasii L. Bol.) 1
 2200 H. ODORATA L. BOL.
 2300 H. PALLIDA BAK.
 (=H. glauca Wood & Evans) 1
 (=H. humilis N.E. Br.) 1
 (=H. mossii N.E. Br.) 1
 (=H. pura N.E. Br.) 1
 (=H. townsendiae N.E. Br.) 1
 H. papillosa L. Bol. = H. BRACHYGYNNE
 2420 H. PATENS GOLDBL.
 2450 H. PENDULA GOLDBL.
 H. pillansii L. Bol. = H. COOKII
 H. pura N.E. Br. = H. PALLIDA
 2500 H. RAMOSISSIMA SCHLTR.
 H. rhopalocarpa Schltr. = H. MINOR
 H. rogersii L. Bol. = MORAEA CRISPA
 H. salmonea L. Bol. = H. BIFIDA
 2900 H. SCHLECHTERI L. BOL.
 H. simulans Bak. = MORAEA ELSIAE
 H. speciosa L. Bol. = MORAEA SPECIOSA
 3200 H. SPIRALIS L. BOL.
 3250 H. TENUIS SCHLTR.
 H. townsendiae N.E. Br. = H. PALLIDA
 3300 H. TRICOLOR G. J. LEWIS
 H. umbellata (Thunb.) G. J. Lewis = RHEOME UMBELLATA
 3500 H. VALLISBELLI GOLDBL.

- 1277010 -BARNARDIELLA GOLDBL.
1. GOLDBLATT. 1976. ANN. MISSOURI BOT. GARD. 63: 309
100 B. SPIRALIS (N.E. BR.) GOLDBL.
(=Gynandris spiralis (N.E. Br.) R.C. Fost.) 1
(=Homeria herrei L. Bol.) 1
- 1277020 -RHEOME GOLDBL.
1. GOLDBLATT. 1980. BOT. NOTISER 133: 85.
100 R. MAXIMILIANI (SCHLTR.) GOLDBL.
(=Homeria maximiliani Schltr.) 1
200 R. UMBELLATA (THUNB.) GOLDBL.
(=Homeria umbellata (Thunb.) G.J. Lewis) 1
- 1277030 -ROGGEVELDIA GOLDBL.
1. GOLDBLATT. 1979. ANN. MISSOURI BOT. GARD. 66: 839.
100 R. FISTULOSA GOLDBL.
- 1277040 -SESSILISTIGMA GOLDBL.
1. GOLDBLATT. 1984. J.L.S. AFR. BOT. 50: 149.
100 S. RADIANIS GOLDBL.
- 1284000 -BOBARTIA L.
1. STRID. 1974. OPERA BOTANICA 37. 1.
150 B. APHYLLA (L. F.) KER-GAWL.
250 B. FASCICULATA J.B. GILLET EX STRID
300 B. FILIFORMIS (L. F.) KER-GAWL.
400 B. GLADIATA (L. F.) KER-GAWL. SUBSP. GLADIATA
500 B. GLADIATA (L. F.) KER-GAWL. SUBSP. MAJOR (G. J. LEWIS) STRID
550 B. GLADIATA (L. F.) KER-GAWL. SUBSP. TERES STRID
600 B. GRACILIS BAK.
700 B. INDICA L.
900 B. LILACINA G. J. LEWIS
1000 B. LONGICYMA J.B. GILLET SUBSP. LONGICYMA
1020 B. LONGICYMA J.B. GILLET SUBSP. MAGNA J.B. GILLET EX STRID
1040 B. LONGICYMA J.B. GILLET SUBSP. MICROFLORA STRID
1050 B. MACROCARPA STRID
1100 B. MACROSPATHA BAK. SUBSP. ANCEPS (BAK.) STRID
1120 B. MACROSPATHA BAK. SUBSP. MACROSPATHA
1140 B. ORIENTALIS J.B. GILLET SUBSP. OCCIDENTALIS STRID
1200 B. ORIENTALIS J.B. GILLET SUBSP. ORIENTALIS
1300 B. PANICULATA G. J. LEWIS
1350 B. PARVA J.B. GILLET
1400 B. ROBUSTA BAK.
1500 B. RUFA STRID
- 1286000 -SISYRINCHIUM L.
100 S. MICRANTHUM CAV. *
- 1295000 -ARISTEA AIT.
1. WEIMARCK. 1940. LUNDS UNIV. ARRSKR. N.F. AVD. 2,36.
2. GOLDBLATT. 1970. J.L.S. AFR. BOT. 36: 308.
3. GOLDBLATT. 1971. J.L.S. AFR. BOT. 37: 234.
100 A. AFRICANA (L.) HOFFMG.
200 A. ANCEPS ECKL. EX KLATT
300 A. ANGOLENSIS BAK. SUBSP. ACUTIVALVIS WEIM.
400 A. ANGOLENSIS BAK. SUBSP. ANGOLENSIS
500 A. ANGOLENSIS BAK. SUBSP. MAJUBENSIS (BAK.) WEIM.
600 A. ANGOLENSIS BAK. SUBSP. PULCHELLA WEIM.
700 A. BAKERI KLATT
800 A. BIFLORA WEIM.
A. capitata Ker-Gawl. = A. CONFUSA
A. coerulea (Thunb.) Vahl = A. MONTICOLA
900 A. COGNATA N.E. BR. EX WEIM.
1000 A. COMPRESSA BUCHINGER
1100 A. CONFUSA GOLDBL.
(=A. capitata Ker-Gawl.) 2
1200 A. CUSPIDATA SCHINZ
1300 A. DICHOTOMA (THUNB.) KER-GAWL.
1400 A. ECKLONII BAK.
1500 A. ENSIFOLIA MUIR
1600 A. FLEXICAULIS BAK.
1700 A. GALPINII N.E. BR. EX WEIM.
1800 A. GERRARDII WEIM.
1900 A. GLAUCA KLATT
2000 A. GRANDIS WEIM.
2100 A. JUNCIFOLIA BAK.
2200 A. LATIFOLIA G. J. LEWIS
2300 A. LUGENS (L. F.) HORTON EX STEUD.
2400 A. MACROCARPA G. J. LEWIS
2500 A. MAJOR ANDR.
2600 A. MONTANA BAK.
2700 A. MONTICOLA GOLDBL.
(=A. coerulea (Thunb.) Vahl) 3
2800 A. OLIGOCEPHALA BAK.
2900 A. PALUSTRIS SCHLTR.
3000 A. PAUCIFLORA WOLLEY-DOD
3100 A. PLATYCAULIS BAK.
3200 A. PUSILLA (THUNB.) KER-GAWL. SUBSP. PUSILLA
3300 A. PUSILLA (THUNB.) KER-GAWL. SUBSP. ROBUSTIOR WEIM.
3350 A. RACEMOSA BAK. VAR. INFLATA WEIM.
3400 A. RACEMOSA BAK. VAR. RACEMOSA
3500 A. RECISA WEIM.
3600 A. RIGIDIFOLIA G. J. LEWIS
3700 A. SCHIZOLAENA HARV.
3800 A. SIMPLEX WEIM.
3900 A. SINGULARIS WEIM.
4000 A. SPIRALIS (L. F.) KER-GAWL.
4100 A. TORULOSA KLATT

4200 A. WOODII N. E. BR.
4300 A. ZEYHERI BAK.

1296000 -WITSENIA THUNB.
1. BAKER. 1896. FC.
100 W. MAURA THUNB.

1297000 -NIVENIA VENT.
1. WEIMARCK. 1940. SVENSK BOT. TIDSKR. 34: 355.
100 N. BINATA KLATT
200 N. CAPITATA (KLATT) WEIM.
300 N. CONCINNA N. E. BR.
400 N. CORYMBOSA (KER-GAWL.) BAK.
500 N. DISPAR N. E. BR.
600 N. FRUTICOSA (L. F.) BAK.
700 N. LEVYNSIAE WEIM.
800 N. STOKDEI (GUTH.) N. E. BR.

1298000 -KLATTIA BAK.
1. BAKER. 1896. FC.
100 K. PARTITA BAK. VAR. FLAVA G. J. LEWIS
200 K. PARTITA BAK. VAR. PARTITA
300 K. STOKDEI GUTH.

1299000 -SCHIZOSTYLIS BACKH. & HARV.
1. BAKER. 1896. FC.
#. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
100 S. COCCINEA BACKH. & HARV.
(=S. pauciflora Klatt) #
S. pauciflora Klatt = S. COCCINEA

1300000 -GEISSORHIZA KER-GAWL. Revision: P. Goldblatt (MO).
1. FOSTER. 1941. CONTR. GRAY HERB. HARV. 135: 3.
2. GOLDBLATT & BARNARD. 1970. J. L. S. AFR. BOT. 36: 291.
3. GOLDBLATT. 1983. NORD. J. BOT. 3: 441.
#. PRE HERBARIUM PRACTICE, FOLLOWING GOLDBLATT.
100 B. ASPERA GOLDBL.
(=G. secunda (Berg.) Ker-Gawl.) 2, 3
200 G. BICOLOR (THUNB.) N. E. BR. VAR. BICOLOR
300 G. BICOLOR (THUNB.) N. E. BR. VAR. MACOWANI R. C. FOST.
500 G. BOLUSII BAK.
600 G. BRACTEATA KLATT
650 G. BREHMII ECKL. EX KLATT
700 G. BURCHELLII R. C. FOST.
800 G. CORRUGATA KLATT
900 G. DREGII BAK.
1000 G. FOLIOSA KLATT
1100 G. FOURCADEI (L. BOL.) G. J. LEWIS
1200 G. FURVA KER-GAWL. EX BAK.
1300 G. GEMINATA E. MEY. EX BAK.
1400 G. HESPERANTHOIDES SCHLTR.
1500 G. HETEROSTYLA L. BOL.
G. hirta (Thunb.) Ker-Gawl. = G. INFLEXA VAR. EROSA
1600 G. HUMILIS (THUNB.) KER-GAWL. VAR. BICOLOR BAK.
1700 G. HUMILIS (THUNB.) KER-GAWL. VAR. HISPIDULA R. C. FOST.
1800 G. HUMILIS (THUNB.) KER-GAWL. VAR. HUMILIS
1850 G. IMBRICATA (DELAROCHE) KER-GAWL. VAR. BICOLOR (THUNB.) GOLDBL.
2000 G. IMBRICATA (DELAROCHE) KER-GAWL. VAR. CONCOLOR BAK.
2100 G. IMBRICATA (DELAROCHE) KER-GAWL. VAR. IMBRICATA
2200 G. INAEQUALIS L. BOL.
2300 G. INCONSPICUA BAK.
2400 G. INFLEXA (DELAROCHE) KER-GAWL. VAR. EROSA (SALISB.) GOLDBL.
(=G. hirta (Thunb.) Ker-Gawl.) 2
2500 G. INFLEXA (DELAROCHE) KER-GAWL. VAR. INFLEXA
(=G. quinqueangularis Eckl. ex Klatt) 2
2600 G. IXIODES SCHLTR.
2700 G. JUNCEA (LINK) A. DIETR.
2900 G. LEIPOLDTII R. C. FOST.
3000 G. LEWISAE R. C. FOST.
3100 G. LOUISABOLUSAE R. C. FOST. VAR. LONGIFOLIA R. C. FOST.
3200 G. LOUISABOLUSAE R. C. FOST. VAR. LOUISABOLUSAE
3300 G. MALMESBURIENSIS R. C. FOST.
3400 G. MARLOTHII R. C. FOST.
3500 G. MATHEWSII L. BOL. VAR. EURISTIGMA (L. BOL.) R. C. FOST.
3600 G. MATHEWSII L. BOL. VAR. MATHEWSII
3650 G. MONANTHA SWEET
3700 G. MONANTHOS ECKL.
3800 G. MONTANA R. C. FOST.
3900 G. NAMAQUENSIS W. F. BARKER
4000 G. NANA KLATT
4100 G. ORNITHOGALOIDES KLATT VAR. FLAVA (KLATT) R. C. FOST.
4200 G. ORNITHOGALOIDES KLATT VAR. ORNITHOGALOIDES
4300 G. OVALIFOLIA R. C. FOST.
4400 G. OVATA (DURM. F.) ASCHERS. & GRAEBN.
4500 G. PAPPEI BAK.
4600 G. PARVA BAK.
4700 G. PURPUREOLUTEA BAK.
4800 G. PUSILLA (ANDR.) KLATT
G. quinqueangularis Eckl. ex Klatt = G. INFLEXA VAR. INFLEXA
4850 G. RADIANS (THUNB.) GOLDBL.
(=G. rochensis Ker-Gawl. var. rochensis) 3
(=G. rochensis Ker-Gawl. var. spithamaea (Ker-Gawl.) Ker-Gawl.) 3
4900 G. RAMOSA KER-GAWL. EX KLATT
G. rochensis Ker-Gawl. var. rochensis = G. RADIANS
G. rochensis Ker-Gawl. var. spithamaea (Ker-Gawl.) Ker-Gawl. = G. RADIANS
5200 G. ROGERSII N. E. BR.
5300 G. ROSEA (KLATT) R. C. FOST.
5400 G. RUBICUNDA R. C. FOST.
5500 G. RUPESTRIS SCHLTR.

- 5520 G. SCILLARIS A. DIETR.
 (=G. juncea (Link.) A. Dietr. var. pallidiflora (Schltr.) R.C. Fost.) #
 G. secunda (Berg.) Ker-Gawl. = G. ASPERA
 5600 G. SETACEA (THUNB.) KER-GAWL.
 5700 G. SPLENDIDISSIMA DIELS
 5800 G. SUBRIGIDA L. BOL.
 5850 G. SULPHURASCENS SCHLTR.
 5900 G. SULPHUREA SCHLTR. VAR. ARENICOLA R.C. FOST.
 6000 G. SULPHUREA SCHLTR. VAR. SULPHUREA
 6200 G. TERETIFOLIA G.J. LEWIS
 6300 G. TULBAGHENSIS L. BOL.
 6400 G. UMBROSA G.J. LEWIS
 6500 G. VIOLACEA BAK.
 6600 G. WRIGHTII BAK.
- 1300010 -ENGYSIPHON G.J. LEWIS
 1. LEWIS. 1941. JL S. AFR. BOT. 7: 19.
 100 E. BREVITUBUS G.J. LEWIS
 200 E. EXSCAPUS (THUNB.) G.J. LEWIS
 300 E. LONGIFOLIUS G.J. LEWIS
 400 E. LONGITUBUS G.J. LEWIS
 500 E. PICTUS (R.C. FOST.) G.J. LEWIS
 600 E. ROSEDALBUS (G.J. LEWIS) G.J. LEWIS
 700 E. ROSEUS (SCHINZ) G.J. LEWIS
 800 E. SCHINZII (BAK.) G.J. LEWIS
- 1301000 -HESPERANTHA KER-GAWL. Revision: D.M. Hilliard (NU) B.L. Burt (E).
 1. FOSTER. 1948. CONTR. GRAY HERB. HARV. 156: 3.
 2. GOLDBLATT & BARNARD. 1970. JL S. AFR. BOT. 36: 291.
 3. OBERMEYER. 1980. FLOWER. PL. AFR. 46 T 1810.
 4. GOLDBLATT. 1984. JL S. AFR. BOT. 50: 15.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 100 H. ACUTA (LICHT. EX ROEM. & SCHULT.) KER-GAWL.
 (=H. tugwelliae R.C. Fost.) 4
 H. angusta Ker-Gawl. = H. BACHMANNII
 250 H. BACHMANNII BAK.
 (=H. angusta Ker-Gawl.) 4
 300 H. BAURII BAK.
 (=H. lactea Bak.) #
 (=H. rupestris N.E. Br. ex R.C. Fost.) #
 (=H. schlechteri (Bak.) R.C. Fost.) #
 (=H. subexerta Bak.) #
 H. bracteolata R.C. Fost. = H. PILOSA SUBSP. PILOSA
 450 H. BREVIFOLIA GOLDBL.
 H. buhrri L. Bol. = H. CUCULLATA
 550 H. BULBIFERA BAK.
 H. candida Bak. = H. LONGITUBA
 620 H. CEDARMONTANA GOLDBL.
 640 H. CILIOLATA GOLDBL.
 650 H. CROCOPSIS HILLIARD & BURTT
 700 H. CUCULLATA KLATT
 (=H. buhrri L. Bol.) 3
 750 H. ELSIAE GOLDBL.
 800 H. FALCATA (L. F.) KER-GAWL.
 (=H. linearis (Jacq.) Fourc.) 4
 (=H. lutea Eckl. ex Bak.) 4
 (=H. pallida Eckl.) 4
 (=H. pentheri Bak.) 4
 (=H. trifolia R.C. Fost.) 4
 850 H. ERECTA (BAK.) BENTH. EX BAK.
 900 H. FIBROSA BAK.
 950 H. FLAVA G.J. LEWIS
 1000 H. FLEXUOSA KLATT
 1100 H. GALPINII R.C. FOST
 H. graminifolia D. Don = H. SPICATA SUBSP. GRAMINIFOLIA
 1300 H. GRANDIFLORA G.J. LEWIS
 1400 H. HANTAMENSIS SCHLTR. EX R.C. FOST.
 1500 H. HUMILIS BAK.
 1520 H. HUTTONII (BAK.) HILLIARD & BURTT
 1550 H. HYGROPHILA HILLIARD & BURTT
 H. inflexa sensu R.C. Fost., non (Delaroché) R.C. Fost. = H. VAGINATA
 1560 H. JUNCIFOLIA GOLDBL.
 1570 H. KAROOICA GOLDBL.
 H. lactea Bak. = H. BAURII
 1580 H. LATIFOLIA (KLATT) DE VOS
 (=H. pearsonii R.C. Fost.) 4
 H. linearis (Jacq.) Fourc. = H. FALCATA
 1700 H. LONGICOLLIS BAK.
 (=H. sabiensis N.E. Br. ex R.C. Fost.) 3
 (=H. widmeri Beauv.) 3
 1800 H. LONGITUBA (KLATT) BAK.
 (=H. candida Bak.) 4
 H. lutea Eckl. ex Bak. = H. FALCATA
 1920 H. LUTICOLA GOLDBL.
 2000 H. MARLOTHII R.C. FOST.
 2050 H. MINIMA (BAK.) R.C. FOST.
 2080 H. MONTIGENA GOLDBL.
 2100 H. MUIRII (L. BOL.) G.J. LEWIS
 2150 H. NAMAQUANA GOLDBL.
 2160 H. OLIGANTHA (DIELS) GOLDBL.
 2170 H. PALLESCENS GOLDBL.
 H. pallida Eckl. = H. FALCATA
 2300 H. PAUCIFLORA (BAK.) G.J. LEWIS
 H. pearsonii R.C. Fost. = H. LATIFOLIA
 H. pentheri Bak. = H. FALCATA
 2550 H. PILOSA (L. F.) KER-GAWL. SUBSP. LATIFOLIA GOLDBL.
 2600 H. PILOSA (L. F.) KER-GAWL. SUBSP. PILOSA
 (=H. bracteolata R.C. Fost.) 4
 (=H. puberula R.C. Fost.) 4

H. puberula R.C. Fost. = H. PILOSA
 2750 H. PURPUREA GOLDBL.
 2780 H. QUADRANGULA GOLDBL.
 2800 H. RADIATA (JACQ.) KER-GAWL.
 2820 H. RIVULICOLA GOLDBL.
 H. rupestris N.E. Br. ex R.C. Fost = H. BAURII
 H. sabiensis N.E. Br. ex R.C. Fost. = H. LONGICOLLIS
 2840 H. SALDANHAE GOLDBL.
 2850 H. SCHELPEANA HILLIARD & BURTT
 H. schlechteri (Bak.) R.C. Fost. = H. BAURII
 2870 H. SPICATA (BURM. F.) N.E. BR. SUBSP. FISTULOSA (BAK.) GOLDBL.
 2880 H. SPICATA (BURM. F.) N.E. BR. SUBSP. GRAMINIFOLIA (SWEET) GOLDBL.
 (=H. graminifolia D. Don) 4
 2900 H. SPICATA (BURM. F.) N.E. BR. SUBSP. SPICATA
 H. subexerta Bak. = H. BAURII
 H. trifolia R.C. Fost. = H. FALCATA
 H. tugwelliae R.C. Fost. = H. ACUTA
 3200 H. VAGINATA (SWEET) GOLDBL.
 (=H. inflexa sensu R.C. Fost., non (DeIaroché) R.C. Fost.) 2
 3250 H. VERNALIS HILLIARD & BURTT
 H. widmeri Beauv. = H. LONGICOLLIS
 3300 H. WOODII BAK.

1302000 -IXIA L.

1. LEWIS 1962. J.L.S. AFR. BOT. 28: 49.
 2. GOLDBLATT 1971. J.L.S. AFR. BOT. 37: 233.
 100 I. BELLENDENII R.C. FOST.
 200 I. BREVITUBA G.J. LEWIS
 300 I. BRUNNEOBRACTEATA G.J. LEWIS
 400 I. CAMPANULATA HOUTT.
 500 I. CAPILLARIS L. F.
 600 I. COCHLEARIS G.J. LEWIS
 700 I. CONFERTA R.C. FOST. VAR. CONFERTA
 800 I. CONFERTA R.C. FOST. VAR. OCHROLEUCA (KER-GAWL.) G.J. LEWIS
 I. crispa sensu G.J. Lewis, non L. f. = I. ERUBESCENS
 1000 I. CURTA ANDR.
 1100 I. CURVATA G.J. LEWIS
 1200 I. DUBIA VENT.
 1250 I. ERUBESCENS GOLDBL.
 (=I. crispa sensu G.J. Lewis, non L. f.) 2
 1300 I. FLEXUOSA L.
 1400 I. FRAMESII L. BOL.
 1500 I. FUCATA KER-GAWL. VAR. FILIFOLIA G.J. LEWIS
 1600 I. FUCATA KER-GAWL. VAR. FUCATA
 1700 I. GLORIOSA G.J. LEWIS
 1800 I. LATIFOLIA DELAROCHE VAR. ANGUSTIFOLIA G.J. LEWIS
 1900 I. LATIFOLIA DELAROCHE VAR. CURVIRAMOSA G.J. LEWIS
 2000 I. LATIFOLIA DELAROCHE VAR. LATIFOLIA
 2100 I. LATIFOLIA DELAROCHE VAR. PARVIFLORA G.J. LEWIS
 2200 I. LATIFOLIA DELAROCHE VAR. RAMULOSA G.J. LEWIS
 2300 I. LEIPOLDTII G.J. LEWIS
 2400 I. LONGITUBA N.E. BR.
 2440 I. LUTEA ECKL. VAR. LUTEA
 2450 I. LUTEA ECKL. VAR. OVATA (ANDR.) B. NORD.
 2500 I. MACULATA L. VAR. FUSCO-CITRINA (DESF. EX DC.) G.J. LEWIS
 2600 I. MACULATA L. VAR. INTERMEDIA G.J. LEWIS
 2700 I. MACULATA L. VAR. MACULATA
 2800 I. MARGINIFOLIA (SALISB.) G.J. LEWIS
 2900 I. METELERKAMPAE L. BOL.
 3000 I. MICRANDRA BAK. VAR. CONFUSA G.J. LEWIS
 3100 I. MICRANDRA BAK. VAR. MICRANDRA
 3200 I. MICRANDRA BAK. VAR. MINOR G.J. LEWIS
 3300 I. MONADELPHA DELAROCHE
 3400 I. ODORATA KER-GAWL. VAR. HESPERANTHOIDES G.J. LEWIS
 3500 I. ODORATA KER-GAWL. VAR. ODORATA
 3600 I. ORIENTALIS L. BOL.
 3700 I. PANICULATA DELAROCHE
 3800 I. PATENS AIT. VAR. LINEARIFOLIA G.J. LEWIS
 3900 I. PATENS AIT. VAR. PATENS
 4000 I. PAUCIFLORA G.J. LEWIS
 4100 I. PAUCIFOLIA G.J. LEWIS
 4200 I. POLYSTACHYA L. VAR. CRASSIFOLIA G.J. LEWIS
 4300 I. POLYSTACHYA L. VAR. LUTEA (KER-GAWL.) G.J. LEWIS
 4400 I. POLYSTACHYA L. VAR. POLYSTACHYA
 4500 I. PURPUREOROSEA G.J. LEWIS
 4600 I. RAPUNCULOIDES DEL. VAR. FLACCIDA G.J. LEWIS
 4700 I. RAPUNCULOIDES DEL. VAR. NAMAGUANA (L. BOL.) G.J. LEWIS
 4800 I. RAPUNCULOIDES DEL. VAR. RAPUNCULOIDES
 4900 I. RAPUNCULOIDES DEL. VAR. RIGIDA G.J. LEWIS
 5000 I. RAPUNCULOIDES DEL. VAR. ROBUSTA G.J. LEWIS
 5100 I. RAPUNCULOIDES DEL. VAR. SUBPENDULA G.J. LEWIS
 5200 I. ROUXII G.J. LEWIS
 5300 I. SCILLARIS L. VAR. SCILLARIS
 5400 I. SCILLARIS L. VAR. SUBUNDULATA G.J. LEWIS
 5500 I. SPLENDIDA G.J. LEWIS
 5600 I. STOHRIAE L. BOL.
 5700 I. STOLONIFERA G.J. LEWIS
 5800 I. STRICTA (ECKL. EX KLATT) G.J. LEWIS
 5850 I. THOMASIAE GOLDBL.
 5900 I. TRIFOLIA G.J. LEWIS
 6000 I. TRINERVATA (BAK.) G.J. LEWIS
 6100 I. VANZIJLAE L. BOL.
 6200 I. VERSICOLOR G.J. LEWIS
 6300 I. VINACEA G.J. LEWIS
 6400 I. VIRIDIFLORA LAM.

- 1303000 -DIERAMA K. KOCH Revision: O.M. Hilliard (NU).
 1. BROWN. 1929. JL ROY. HORT. SOC. 54: 1.
 100 D. ARGYREUM L. BOL.
 200 D. ATRUM N.E. BR.
 300 D. COOPERI N.E. BR.
 400 D. DAVYI N.E. BR.
 500 D. DUBIUM N.E. BR.
 600 D. ELATUM N.E. BR.
 700 D. GALPINII N.E. BR.
 800 D. GRANDIFLORUM G.J. LEWIS
 900 D. IGNEUM KLATT
 1000 D. INSIGNE N.E. BR.
 1100 D. LATIFOLIUM N.E. BR.
 1200 D. LONGIFLORUM G.J. LEWIS
 1300 D. LUTEO-ALBIDUM VERDOORN
 1400 D. MEDIUM N.E. BR. VAR. MEDIUM
 1500 D. MEDIUM N.E. BR. VAR. MOSSII N.E. BR.
 1600 D. PALUSTRE N.E. BR.
 1700 D. PANSUM N.E. BR.
 1800 D. PAUCIFLORUM N.E. BR.
 1900 D. PENDULUM BAK.
 2000 D. PICTUM N.E. BR.
 2100 D. PULCHERRIMUM (HOOK. F.) BAK.
 2200 D. PUMILUM N.E. BR.
 2300 D. REYNOLDSII VERDOORN
 2400 D. ROBUSTUM N.E. BR.
 2500 D. RUPESTRE N.E. BR.
 2600 D. TRICHORHIZUM (BAK.) N.E. BR.
 2700 D. TYSONII N.E. BR.
- 1305000 -MELASPHAERULA KER-GAWL.
 1. BAKER. 1896. FC.
 2. LEWIS. 1950. FL. CAPE PENINS
 M. graminea (L. f.) Ker-Gawl. = M. RAMOSA
 100 M. RAMOSA (L.) N.E. BR.
 (=M. graminea (L. f.) Ker-Gawl.) 2
- 1306000 -TRITONIA KER-GAWL.
 1. DE VOS. 1982; 1983. JL S. AFR. BOT. 48: 105; 49: 347.
 100 T. ATORRUBENS (N.E. BR.) L. BOL.
 200 T. BAKERI KLATT SUBSP. BAKERI
 250 T. BAKERI KLATT SUBSP. LILACINA (L. BOL.) DE VOS
 300 T. CHRYSANTHA FOURC.
 T. coccinea L. Bol. = T. DISTICHA SUBSP. DISTICHA
 500 T. COOPERI (BAK.) KLATT SUBSP. COOPERI
 520 T. COOPERI (BAK.) KLATT SUBSP. QUADRIALATA DE VOS
 550 T. CRISPA (L. F.) KER-GAWL. VAR. CRISPA
 580 T. CRISPA (L. F.) KER-GAWL. VAR. PARVIFLORA BAK.
 600 T. CROCATI (L.) KER-GAWL.
 (=T. hyalina Bak.) 1
 650 T. DELPIERREI DE VOS
 700 T. DEUSTA (AIT.) KER-GAWL. SUBSP. DEUSTA
 750 T. DEUSTA (AIT.) KER-GAWL. SUBSP. MINIATA (JACQ.) DE VOS
 800 T. DISTICHA (KLATT) BAK. SUBSP. DISTICHA
 (=T. coccinea L. Bol.) 1
 820 T. DISTICHA (KLATT) BAK. SUBSP. RUBROLUCENS (R.C. FOST.) DE VOS
 (=T. rubrolucens R.C. Fost.) 1
 850 T. DRAKENSBERGENSIS DE VOS
 900 T. DUBIA ECKL. EX KLATT
 1000 T. FLABELLIFOLIA (DELAROCHE) G.J. LEWIS VAR. FLABELLIFOLIA
 1020 T. FLABELLIFOLIA (DELAROCHE) G.J. LEWIS VAR. MAJOR (KER-GAWL.) DE VOS
 1050 T. FLABELLIFOLIA (DELAROCHE) G.J. LEWIS VAR. THOMASIAE DE VOS
 T. flavida Schltr. = T. LINEATA VAR. LINEATA
 1250 T. FLORENTIAE (MARLOTH) GOLDBL.
 (=Montbretiopsis florentiae (Marloth) L. Bol.) 1
 T. hyalina Bak. = T. CROCATI
 1350 T. KAMISBERGENSIS KLATT
 1370 T. KAROOICA DE VOS
 T. kraussii Bak. = T. LINEATA VAR. LINEATA
 1550 T. LANCEA (THUNB.) N.E. BR.
 1600 T. LAXIFOLIA BENTH. EX BAK.
 1800 T. LINEATA (SALISB.) KER-GAWL. VAR. LINEATA
 (=T. flavida Schltr.) 1
 (=T. kraussii Bak.) 1
 1850 T. LINEATA (SALISB.) KER-GAWL. VAR. PARVIFOLIA DE VOS
 1950 T. MARLOTHII DE VOS
 2100 T. NELSONII BAK.
 2200 T. PALLIDA KER-GAWL. SUBSP. PALLIDA
 2250 T. PALLIDA KER-GAWL. SUBSP. TAYLORAE (L. BOL.) DE VOS
 (=T. taylorae L. Bol.) 1
 2300 T. PARVULA N.E. BR.
 T. rubrolucens R.C. Fost. = T. DISTICHA SUBSP. RUBROLUCENS
 2500 T. SECURIGERA (AIT.) KER-GAWL.
 2600 T. SQUALIDA (AIT.) KER-GAWL.
 2650 T. STRICTIFOLIA (KLATT) BENTH. EX KLATT
 T. taylorae L. Bol. = T. PALLIDA SUBSP. TAYLORAE
 2800 T. TUGWELLIAE L. BOL.
 2900 T. WATERMEYERI L. BOL.
- 1306010 -CROCOSMIA PLANCH. Revision: M.P. de Vos (STE-U).
 1. BROWN. 1932. TRANS. ROY. SOC. S. AFR. 20: 264.
 2. GOLDBLATT. 1971. JL S. AFR. BOT. 37: 447.
 100 C. AUREA PLANCH.
 400 C. MASONORUM (L. BOL.) N.E. BR.
 600 C. PANICULATA (KLATT) GOLDBL.
 (=Curtonus paniculatus (Klatt) N.E. Br.) 2
 650 C. PEARSEI OBERM.
 700 C. POTTSII (BAK.) N.E. BR.

- 1306020 -DUTHIASTRUM DE VOS
 1. DE VOS. 1974. JL S. AFR. BOT. 40: 301.
 2. DE VOS. 1975. JL S. AFR. BOT. 41: 91.
- 100 D. LINIFOLIUM (PHILL.) DE VOS
 (=Duthiella linifolia (Phill.) De Vos) 1, 2
 (=Syringodea linifolia Phill.) 1, 2
- 1306030 -CHASMANTHE N.E. BR. Revision: M.P. de Vos (STE-U).
 1. BROWN. 1932. TRANS. ROY. SOC. S. AFR. 20: 272 (PRO PARTE).
 #. PRE HERBARIUM PRACTICE, FOLLOWING GOLDBLATT.
- 100 C. AETHIOPICA (L.) N.E. BR.
 (=Petamenes aethiopica (L.) Phill.) #
- 200 C. BICOLOR (GASP.) N.E. BR.
 (=Petamenes bicolor (Gasp.) Phill.) #
- C. caffra (Bak.) N.E. Br. = ANAPALINA CAFFRA
- 300 C. FLORIBUNDA (SALISB.) N.E. BR.
 (=Petamenes floribunda (Salisb.) Phill.) #
- C. intermedia (Bak.) N.E. Br. = ANAPALINA INTERMEDIA
- 400 C. PEGLERAE N.E. BR.
 (=Petamenes peglerae (N.E. Br) Phill.) #
- C. spectabilis (Schinz) N.E. Br. = OENOSTACHYS ZAMBESIIACA
- 500 C. VITTIGERA (SALISB.) N.E. BR.
 (=Petamenes vittigera (Salisb.) Phill.) #
- 1306040 -Montbretiopsis L. Bol. = TRITONIA
 M. florentiae (Marloth) L. Bol. = TRITONIA FLORENTIAE
- 1306050 -Curtonus N.E. Br. = CROCOSMIA
 C. paniculata (Klatt) N.E. Br. = CROCOSMIA PANICULATA
- 1306060 -Duthiella De Vos = DUTHIASTRUM
 D. linifolia (Phill.) De Vos = DUTHIASTRUM LINIFOLIUM
- 1306070 -Petamenes Salisb. = ANAPALINA, ANOMALESIA, CHASMANTHE, HOMOGLOSSUM, OENOSTACHYS
 P. abbreviatus (Andr.) N.E. Br. = HOMOGLOSSUM ABBREVIATUS
 P. aethiopica (L.) Phill. = CHASMANTHE AETHIOPICA
 P. bicolor (Gasp.) Phill. = CHASMANTHE BICOLOR
 P. caffra (Bak.) Phill. = ANAPALINA CAFFRA
 P. cunonia (L.) Phill. = ANOMALESIA CUNONIA
 P. floribunda (Salisb.) Phill. = CHASMANTHE FLORIBUNDA
 P. intermedia (Bak.) Phill. = ANAPALINA INTERMEDIA
 P. peglerae (N.E. Br.) Phill. = CHASMANTHE PEGLERAE
 P. saccatus (Klatt) Phill. = ANOMALESIA SACCATA SUBSP. SACCATA
 P. steingroeveri (Pax) Phill. = ANOMALESIA SACCATA SUBSP. STEINGROEVERI
 P. spectabilis (Schinz) Phill. = OENOSTACHYS ZAMBESIIACUS
 P. splendens (Sweet) Phill. = ANOMALESIA SPLENDENS
 P. vittigera (Salisb.) Phill. = CHASMANTHE VITTIGERA
- 1307000 -SPARAXIS KER-GAWL.
 1. GOLDBLATT. 1969. JL S. AFR. BOT. 35: 219.
- 100 S. BULBIFERA (L.) KER-GAWL.
- 200 S. ELEGANS (SWEET) GOLDBL.
- 300 S. FRAGRANS (JACQ.) KER-GAWL.
- 350 S. GRANDIFLORA (DELAROCHE) KER-GAWL. SUBSP. ACUTILOBA GOLDBL.
- 400 S. GRANDIFLORA (DELAROCHE) KER-GAWL. SUBSP. FIMBRIATA (LAM.) GOLDBL.
- 500 S. GRANDIFLORA (DELAROCHE) KER-GAWL. SUBSP. GRANDIFLORA
- 700 S. GRANDIFLORA (DELAROCHE) KER-GAWL. SUBSP. VIOLACEA (ECKL.) GOLDBL.
- 800 S. PILLANSII L. BOL.
- 900 S. TRICOLOR (SCHNEEVOGT) KER-GAWL.
- 1309000 -SYNNOTIA SWEET Revision: P. Goldblatt (MO).
 1. LEWIS. 1956. ANNALS S.A. MUSEUM 40: 137.
- 100 S. GALEATA (JACQ.) SWEET
- 200 S. PARVIFLORA G. J. LEWIS
- 300 S. ROXBURGHII (BAK.) G. J. LEWIS
- 400 S. VARIEGATA SWEET VAR. METELERKAMPIAE (L. BOL.) G. J. LEWIS
- 500 S. VARIEGATA SWEET VAR. VARIEGATA
- 600 S. VILLOSA (BURM. F.) N.E. BR.
- 1310000 -BABIANA KER-GAWL.
 1. LEWIS 1959. JL S. AFR. BOT. SUPP. 3.
 2. NORDENSTAM. 1970. BOT. NOTISER 123: 433.
 3. GOLDBLATT. 1971. JL S. AFR. BOT. 37: 235.
- 100 B. AMBIGUA (ROEM. & SCHULT.) G. J. LEWIS
- 200 B. ANGUSTIFOLIA SWEET
 (=B. pulchra (Salisb.) G. J. Lewis) 2
- 300 B. ATTENUATA G. J. LEWIS
- 400 B. AURICULATA G. J. LEWIS
- 500 B. BLANDA (L. BOL.) G. J. LEWIS
- 600 B. BRACHYSTACHYS (BAK.) G. J. LEWIS
- 700 B. CEDARBERGENSIS G. J. LEWIS
- 800 B. CRISPA G. J. LEWIS
- 900 B. CURVISCAPA G. J. LEWIS
- 950 B. DISTICHA KER-GAWL.
 (=B. plicata Ker-Gawl.) 3
- 1000 B. DREGEI BAK.
- 1100 B. ECKLONII KLATT VAR. ECKLONII
- 1200 B. ECKLONII KLATT VAR. LATIFOLIA (L. BOL.) G. J. LEWIS
- 1300 B. FALCATA G. J. LEWIS
- 1400 B. FIMBRIATA (KLATT) BAK.
- 1500 B. FLABELLIFOLIA HARV. EX KLATT
- 1600 B. FLAVIDA G. J. LEWIS
- 1700 B. FOLIOSA G. J. LEWIS
- 1800 B. FOURCADEI G. J. LEWIS
- 1900 B. FRAMESII L. BOL. VAR. FRAMESII
- 2000 B. FRAMESII L. BOL. VAR. KAMIESBERGENSIS G. J. LEWIS
- 2100 B. GENICULATA G. J. LEWIS
- 2200 B. HORIZONTALIS G. J. LEWIS

- 2300 B. HYPOGEA BURCH. VAR. ENSIFOLIA G. J. LEWIS
 2400 B. HYPOGEA BURCH. VAR. HYPOGEA
 2500 B. HYPOGEA BURCH. VAR. LONGITUBA G. J. LEWIS
 2600 B. KLAVERENSIS G. J. LEWIS
 2700 B. LEIPOLDTII G. J. LEWIS
 2800 B. LEWISIANA B. NORD.
 2900 B. LINEOLATA KLATT
 (=B. parviflora Brehm. ex Klatt) 1, 2
 3000 B. LOBATA G. J. LEWIS
 3100 B. LONGICOLLIS DINTER
 3200 B. MINUTA G. J. LEWIS
 3300 B. MONTANA G. J. LEWIS
 3400 B. MUCRONATA (JACQ.) KER-GAWL. VAR. LONGITUBA G. J. LEWIS
 3500 B. MUCRONATA (JACQ.) KER-GAWL. VAR. MINOR G. J. LEWIS
 3600 B. MUCRONATA (JACQ.) KER-GAWL. VAR. MUCRONATA
 3700 B. NAMAGUENSIS BAK.
 B. nana (Andr.) Spreng. var. angustifolia (Eckl.) G. J. Lewis = B. NANA VAR. MACULATA
 3800 B. NANA (ANDR.) SPRENG. VAR. CONFUSA G. J. LEWIS
 3900 B. NANA (ANDR.) SPRENG. VAR. MACULATA (KLATT) B. NORD.
 (=B. nana (Andr.) Spreng. var. angustifolia (Eckl.) G. J. Lewis) 2
 4000 B. NANA (ANDR.) SPRENG. VAR. NANA
 4100 B. OBLIGUA PHILL.
 4200 B. ODORATA L. BOL.
 B. parviflora Brehm. ex Klatt = B. LINEOLATA
 4300 B. PATERSONIAE L. BOL.
 4400 B. PATULA N. E. BR.
 4500 B. PAUCIFLORA G. J. LEWIS
 4600 B. PILOSA G. J. LEWIS
 B. plicata Ker-Gawl. = B. DISTICHA
 4800 B. PUBESCENS (LAM.) G. J. LEWIS
 B. pulchra (Salisb.) G. J. Lewis = B. ANGUSTIFOLIA
 4900 B. PURPUREA (JACQ.) KER-GAWL.
 5000 B. PYGMAEA (BURM. F.) N. E. BR.
 5100 B. RUBROCYANEA (JACQ.) KER-GAWL.
 5200 B. SALTERI G. J. LEWIS
 5300 B. SAMBUCINA (JACQ.) KER-GAWL. VAR. LONGIBRACTEATA G. J. LEWIS
 5400 B. SAMBUCINA (JACQ.) KER-GAWL. VAR. SAMBUCINA
 5500 B. SAMBUCINA (JACQ.) KER-GAWL. VAR. UNDULATO-VENOSA (KLATT) G. J. LEWIS
 5600 B. SAMBUCINA (JACQ.) KER-GAWL. VAR. UNGICULATA G. J. LEWIS
 5700 B. SCABRIFOLIA BREHM. EX KLATT VAR. ACUMINATA G. J. LEWIS
 5800 B. SCABRIFOLIA BREHM. EX KLATT VAR. DECLINATA G. J. LEWIS
 5900 B. SCABRIFOLIA BREHM. EX KLATT VAR. SCABRIFOLIA
 6000 B. SCARIOSEA G. J. LEWIS
 6100 B. SECUNDA (THUNB.) KER-GAWL.
 6200 B. SINUATA G. J. LEWIS
 6300 B. SPATHACEA (L. F.) KER-GAWL.
 6400 B. STENOMERA SCHLTR.
 6500 B. STRIATA (JACQ.) G. J. LEWIS VAR. PLANIFOLIA G. J. LEWIS
 6600 B. STRIATA (JACQ.) G. J. LEWIS VAR. STRIATA
 6700 B. STRICTA (AIT.) KER-GAWL. VAR. ERECTIFOLIA G. J. LEWIS
 6800 B. STRICTA (AIT.) KER-GAWL. VAR. GRANDIFLORA G. J. LEWIS
 6900 B. STRICTA (AIT.) KER-GAWL. VAR. REGIA G. J. LEWIS
 7000 B. STRICTA (AIT.) KER-GAWL. VAR. STRICTA
 7100 B. STRICTA (AIT.) KER-GAWL. VAR. SULPHUREA (JACQ.) BAK.
 7200 B. TORTA G. J. LEWIS
 7300 B. TRITONOIDES G. J. LEWIS
 7400 B. TRUNCATA G. J. LEWIS
 7500 B. TUBULOSA (BURM. F.) KER-GAWL. VAR. TUBIFLORA (L. F.) G. J. LEWIS
 7600 B. TUBULOSA (BURM. F.) KER-GAWL. VAR. TUBULOSA
 7700 B. UNGICULATA G. J. LEWIS
 7800 B. VANZYLIAE L. BOL.
 7900 B. VILLOSA (AIT.) KER-GAWL. VAR. GRANDIS G. J. LEWIS
 8000 B. VILLOSA (AIT.) KER-GAWL. VAR. VILLOSA
 8100 B. VILLOSULA (Gmel.) KER-GAWL. EX STEUD.
 8200 B. VIRGINEA GOLDBL.
 1311000 -GLADIOLUS L.
 1. MARAIS. 1965. CURTIS BOT. MAG. NEW SER. 175 T 479.
 2. LEWIS, OBERMEYER & BARNARD. 1972. J.L. S. AFR. BOT. SUPPL. 10.
 3. GEERINCK. 1972. BULL. JARD. BOT. NAT. BELG. 42: 271.
 4. HILLIARD & BURTT. 1979. NOTES ROY. BOT. GARD. EDINB. 37: 297.
 100 G. ACUMINATUS F. BOL.
 200 G. ALATUS L. VAR. ALATUS
 300 G. ALATUS L. VAR. ALGOENSIS HERB.
 400 G. ALATUS L. VAR. MELIUSCULUS G. J. LEWIS
 500 G. ALATUS L. VAR. PULCHERRIMUS G. J. LEWIS
 600 G. ALATUS L. VAR. SPECIOSUS (THUNB.) G. J. LEWIS
 700 G. ANGUSTUS L.
 800 G. APPENDICULATUS G. J. LEWIS VAR. APPENDICULATUS
 900 G. APPENDICULATUS G. J. LEWIS VAR. LONGIFOLIUS G. J. LEWIS
 1000 G. ARCUATUS KLATT
 1100 G. ATROPURPUREUS BAK.
 (=G. unguiculatus Bak.) 3
 1200 G. AURANTIACUS KLATT
 1250 G. AUREUS BAK.
 (=Homoglossum aureum (Bak.) Oberm.) 1, 2
 G. bicolor Eckl. ex Bak. = G. VIRESCENS VAR. VIRESCENS
 1300 G. BILINEATUS G. J. LEWIS
 G. biandus Ait. = G. CARNEUS
 1400 G. BLOMMESTEINII L. BOL.
 1500 G. BRACHYPHYLLUS F. BOL.
 1600 G. BREVIFOLIUS JACQ. VAR. BREVIFOLIUS
 1700 G. BREVIFOLIUS JACQ. VAR. MINOR G. J. LEWIS
 1800 G. BREVIFOLIUS JACQ. VAR. OBSCURUS G. J. LEWIS
 1900 G. BREVIFOLIUS JACQ. VAR. ROBUSTUS G. J. LEWIS
 2000 G. BREVITUBUS G. J. LEWIS
 2100 G. BUCKERVELDII (L. BOL.) GOLDBL.
 2200 G. BULLATUS THUNB. EX G. J. LEWIS
 (=G. spathaceus Pappe ex Bak.) 2

2300 G. CALCARATUS G. J. LEWIS
 2400 G. CARDINALIS CURTIS
 2500 G. CARINATUS AIT. SUBSP. CARINATUS
 2600 G. CARINATUS AIT. SUBSP. PARVIFLORUS G. J. LEWIS
 2700 G. CARMINEUS C. H. WR.
 2800 G. CARNEUS DELAROCHE
 (=G. biantus Ait.) 2
 (=G. prismatosiphon Schltr.) 2
 2900 G. CARYOPHYLLACEUS (BURM. F.) POIR.
 2950 G. CATARACTARUM OBERM.
 3000 G. CERESIANUS L. BOL.
 3100 G. CITRINUS KLATT
 3200 G. COMPTONII G. J. LEWIS
 G. confusus N.E. Br. = G. HYALINUS
 G. cooperi Bak. = G. DALENII
 3300 G. CRASSIFOLIUS BAK.
 (=G. dieterlenii Phill.) 2
 3400 G. CRUENTUS T. MOORE
 (=G. flanaganii Bak.) 2
 3500 G. CYLINDRACEUS G. J. LEWIS
 3550 G. DALENII VAN GEEL
 (=G. cooperi Bak.) 2
 (=G. dracocephalus Hook. f.) 2
 (=G. natalensis (Eckl.) Hook. f.) 4
 (=G. pageae L. Bol.) 2
 (=G. psittacinus Hook.) 2
 3600 G. DEBILIS KER-GAWL. VAR. COCHLEATUS (SWEET) G. J. LEWIS
 3700 G. DEBILIS KER-GAWL. VAR. DEBILIS
 3800 G. DEBILIS KER-GAWL. VAR. VARIEGATUS G. J. LEWIS
 3850 G. DELPIERREI GOLDBL.
 3900 G. DENSIFLORUS BAK.
 G. dieterlenii Phill. = G. CRASSIFOLIUS
 3950 G. DOLOMITICUS OBERM.
 G. dracocephalus Hook. f. = G. DALENII
 4000 G. ECKLONII LEHM. SUBSP. ECKLONII
 4100 G. ECKLONII LEHM. SUBSP. REHMANNII (BAK.) OBERM.
 4200 G. ECKLONII LEHM. SUBSP. VINOSO-MACULATUS (KIES) OBERM.
 (=G. vinoso-maculatus Kies) 2
 G. edulis Burch. ex Ker-Gawl. = G. PERMEABILIS SUBSP. EDULIS
 4300 G. ELLIOTII BAK.
 4400 G. EMILIAE L. BOL.
 4500 G. ENGYSIPHON G. J. LEWIS
 4600 G. EQUITANS THUNB.
 4700 G. EXIGUUS G. J. LEWIS
 4800 G. EXILIS G. J. LEWIS
 G. flanaganii Bak. = G. CRUENTUS
 4900 G. FLORIBUNDUS JACQ. SUBSP. FASCIATUS (ROEM. & SCHULT.) OBERM.
 5000 G. FLORIBUNDUS JACQ. SUBSP. FLORIBUNDUS
 5100 G. FLORIBUNDUS JACQ. SUBSP. MILLERI (KER-GAWL.) OBERM.
 5200 G. FLORIBUNDUS JACQ. SUBSP. MINIATUS (ECKL.) OBERM.
 5300 G. FLORIBUNDUS JACQ. SUBSP. RUDIS (LICHT. EX ROEM. & SCHULT.) OBERM.
 G. fulvescens Ingram = G. TRISTIS VAR. TRISTIS
 5400 G. GRACILIS JACQ. VAR. GRACILIS
 5500 G. GRACILIS JACQ. VAR. LATIFOLIUS G. J. LEWIS
 G. grandis Thunb. = G. LILIACEUS HOUTT.
 5600 G. GUEINZII KUNZE
 5700 G. GUTHRIEI F. BOL.
 5800 G. HOLLANDII L. BOL.
 5900 G. HYALINUS JACQ.
 (=G. confusus N.E. Br.) 2
 6000 G. INFLATUS THUNB. SUBSP. INFLATUS VAR. INFLATUS
 6050 G. INFLATUS THUNB. SUBSP. INFLATUS VAR. LOUISEAE (L. BOL.) OBERM.
 6100 G. INFLATUS THUNB. SUBSP. INTERMEDIUS G. J. LEWIS
 6300 G. INVENUSTUS G. J. LEWIS
 6400 G. INVOLUTUS DELAROCHE
 6500 G. JONGUILLIODORUS ECKL. EX H. BOL. & WOLLEY-DOD
 6600 G. KAMIESBERGENSIS G. J. LEWIS
 6700 G. LAPEIROUSIOIDES GOLDBL.
 6800 G. LEPTOSIPHON F. BOL.
 (=Radinosiphon leptosiphon (F. Bol) N.E. Br.) 2
 6900 G. LEWISIAE OBERM.
 7000 G. LILIACEUS HOUTT.
 (=G. grandis Thunb.) 2
 7100 G. LONGICOLLIS BAK. VAR. LONGICOLLIS
 7200 G. LONGICOLLIS BAK. VAR. PLATYPETALUS (BAK.) OBERM.
 (=G. praelongitubus G. J. Lewis) 2
 G. ludwigii Pappe ex Bak. = G. SERICEO-VILLOSUS FORMA SERICEO-VILLOSUS
 7300 G. MACNEILII OBERM.
 7400 G. MACULATUS SWEET SUBSP. EBURNEUS OBERM.
 7450 G. MACULATUS SWEET SUBSP. HIBERNUS (INGRAM) OBERM.
 7500 G. MACULATUS SWEET SUBSP. MACULATUS
 7600 G. MACULATUS SWEET SUBSP. MERIDIONALIS (G. J. LEWIS) OBERM.
 7700 G. MARLOTHII G. J. LEWIS
 7800 G. MARTLEYI L. BOL.
 7850 G. MICROCARPUS G. J. LEWIS SUBSP. ITALIAENSIS OBERM.
 7900 G. MICROCARPUS G. J. LEWIS SUBSP. MICROCARPUS
 8000 G. MONTICOLA G. J. LEWIS
 8100 G. MOSTERTIAE L. BOL.
 8200 G. MUTABILIS G. J. LEWIS
 G. natalensis (Eckl.) Hook. f. = G. DALENII
 8500 G. NERINEOIDES G. J. LEWIS
 8600 G. OCHROLEUCUS BAK. VAR. MACOWANII (BAK.) OBERM.
 8700 G. OCHROLEUCUS BAK. VAR. OCHROLEUCUS
 8800 G. ODDORATUS L. BOL.
 8900 G. OPPOSITIFLORUS HERB. SUBSP. OPPOSITIFLORUS
 9000 G. OPPOSITIFLORUS HERB. SUBSP. SALMONEUS (BAK.) OBERM.
 9100 G. ORCHIDIFLORUS ANDR.
 9200 G. OREOCHARIS SCHLTR.

- 9300 G. ORNATUS KLATT
G. pageae L. Bol. = G. DALENII
9400 G. PAPILIO HOOK. F.
9500 G. PARVULUS SCHLTR.
(=G. subaphyllus N.E. Br.) 2
9600 G. PERMEABILIS DELAROCHE SUBSP. EDULIS (BURCH. EX KER-GAWL.) OBERM.
(=G. edulis Burch. ex Ker-Gawl.) 2
9700 G. PERMEABILIS DELAROCHE SUBSP. PERMEABILIS
9800 G. PERMEABILIS DELAROCHE SUBSP. WILSONII (BAK.) G. J. LEWIS
9900 G. PILLANSII G. J. LEWIS VAR. PILLANSII
10000 G. PILLANSII G. J. LEWIS VAR. ROSEUS G. J. LEWIS
10100 G. POLE-EVANSII VERDOORN
G. praeiongitubus G. J. Lewis = G. LONGICOLLIS VAR. PLATYPETALUS
10200 G. PRETORIENSIS KUNTZE
G. prismatosiphon Schltr. = G. CARNEUS
10300 G. PRITZELII DIELS VAR. PRITZELII
10400 G. PRITZELII DIELS VAR. SUFFLAVUS G. J. LEWIS
G. psittacinus Hook. = G. DALENII
10450 G. PUGIONIFORMIS HILLIARD & BURTT
G. pulchellus Eckl. ex Klatt = G. VIRESCENS VAR. LEPIDUS
10500 G. PUNCTULATUS SCHRANK VAR. AUTUMNALIS G. J. LEWIS
10600 G. PUNCTULATUS SCHRANK VAR. PUNCTULATUS
(=G. villosus Ker-Gawl.) 2
10700 G. QUADRANGULUS (DELAROCHE) BARNARD
10800 G. RECURVUS L.
10900 G. ROBERTSONIAE F. BOL.
11000 G. ROGERSII BAK. VAR. GRAMINIFOLIUS G. J. LEWIS
11100 G. ROGERSII BAK. VAR. ROGERSII
11200 G. RUFO-MARGINATUS G. J. LEWIS
11300 G. SALTERI G. J. LEWIS
11400 G. SAUNDERSII HOOK. F.
11500 G. SCULLYI BAK.
(=G. venustus G. J. Lewis) 2
11600 G. SEMPERVIRENS G. J. LEWIS
(=G. splendens Bak.) 2
11700 G. SERICEO-VILLOSUS HOOK. F. FORMA CALVATUS (BAK.) OBERM.
11800 G. SERICEO-VILLOSUS HOOK. F. FORMA SERICEO-VILLOSUS
(=G. iudwigii Pappe ex Bak.) 2
G. spathaceus Pappe ex Bak. = G. BULLATUS
G. splendens Bak. = B. SEMPERVIRENS
11900 G. STEFANIAE OBERM.
12000 G. STELLATUS G. J. LEWIS
12100 G. STOKOEI G. J. LEWIS
G. subaphyllus N.E. Br. = G. PARVULUS
12200 G. SUBCAERULEUS G. J. LEWIS
12300 G. SYMONSII F. BOL.
12400 G. TENELLUS JACQ.
(=G. trichonemifolius Ker-Gawl.) 2
G. trichonemifolius Ker-Gawl. = G. TENELLUS
12500 G. TRISTIS L. VAR. AESTIVALIS (INGRAM) G. J. LEWIS
12600 G. TRISTIS L. VAR. CONCOLOR (SALISB.) BAK.
12700 G. TRISTIS L. VAR. TRISTIS
(=G. fulvescens Ingram) 2
12800 G. UNDULATUS L.
G. unguiculatus Bak. = G. ATROPURPUREUS
12900 G. UYSIAE L. BOL. EX G. J. LEWIS
13000 G. VAGINATUS F. BOL. SUBSP. SUBTILIS OBERM.
13100 G. VAGINATUS F. BOL. SUBSP. VAGINATUS
13200 G. VARIUS F. BOL. VAR. MICRANTHUS (BAK.) OBERM.
G. venustus G. J. Lewis = G. SCULLYI
13300 G. VARIUS F. BOL. VAR. VARIUS
13400 G. VERNUS OBERM.
13500 G. VIGILANS BARNARD
G. villosus Ker-Gawl. = G. PUNCTULATUS VAR. PUNCTULATUS
G. vinoso-maculatus Kies = G. ECKLONII SUBSP. VINOSO-MACULATUS
13600 G. VIOLACEO-LINEATUS G. J. LEWIS
13700 G. VIRESCENS THUNB. VAR. LEPIDUS G. J. LEWIS
(=G. pulchellus Eckl. ex Klatt) 2
13800 G. VIRESCENS THUNB. VAR. ROSEO-VENOSUS G. J. LEWIS
13900 G. VIRESCENS THUNB. VAR. VIRESCENS
(=G. bicolor Eckl. ex Bak.) 2
14000 G. VIRIDIFLORUS G. J. LEWIS
14050 G. WATERMEYERII L. BOL.
14100 G. WOODII BAK.
- 1311010 -HOMOGLOSSUM SALISB.
1. DE VOS. 1976. J.L.S. AFR. BOT. 42: 301.
2. NOMENCLATURE COMMITTEE. 1980. TAXON 29: 601.
100 H. ABBREVIATUM (ANDR.) GOLDBL.
(=Petamenes abbreviatum (Andr.) N.E. Br.) 1
H. aureum (Bak.) Oberm. = GLADIOLUS AUREUS
300 H. FOURCADEI (L. BOL.) N.E. BR.
400 H. GUTHRIEI (L. BOL.) L. BOL.
H. hollandii L. Bol. var. hollandii = H. HUTTONII
H. hollandii L. Bol. var. zitrikamense L. Bol. = H. HUTTONII
700 H. HUTTONII N.E. BR.
(=H. hollandii L. Bol. var. hollandii) 1
(=H. hollandii L. Bol. var. zitrikamense L. Bol.) 1
750 H. MERIANELLUM (THUNB.) BAK. VAR. AUREUM G. J. LEWIS
800 H. MERIANELLUM (THUNB.) BAK. VAR. MERIANELLUM
900 H. MUIRII (L. BOL.) N.E. BR.
1000 H. PRIORII (N.E. BR.) N.E. BR.
1050 H. QUADRANGULARE (BURM. F.) N.E. BR.
1100 H. VANDERMEYERII (L. BOL.) L. BOL.
1200 H. WATSONIUM (THUNB.) N.E. BR.

- 1311020 -ANOMALESIA N.E. BR.
 1. GOLDBLATT. 1971. JL S. AFR. BOT. 37: 412; 443.
 100 A. CUNONIA (L.) N.E. BR.
 (=Petamenes cunonia (L.) Phill.) 1
 200 A. SACCATA (KLATT) GOLDBL. SUBSP. SACCATA
 (=Kentrosiphon saccatus (Klatt) N.E. Br.) 1
 (=Petamenes saccatus (Klatt) Phill.) 1
 300 A. SACCATA (KLATT) GOLDBL. SUBSP. STEINGROEVERI (PAX) OBERM.
 (=Kentrosiphon steingroeveri (Pax) N.E. Br.) 1
 (=Petamenes steingroeveri (Pax) Phill.) 1
 400 A. SPLENDENS (SWEET) N.E. BR.
 (=Petamenes splendens (Sweet) Phill.) 1
- 1311030 -OENOSTACHYS BULLOCK
 1. GOLDBLATT. 1971. JL S. AFR. BOT. 37: 443.
 100 O. ZAMBESIIACUS (BAK.) GOLDBL.
 (=Chasmanthe spectabilis (Schinz) N.E. Br.) 1
 (=Petamenes spectabilis (Schinz) Phill.) 1
- 1311040 -RADIOSIPHON N.E. BR.
 1. BROWN. 1932. TRANS. ROY. SOC. S. AFR. 20: 262.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 R. leptosiphon (F. Bol.) N.E. Br. = GLADIOLUS LEPTOSIPHON
 100 R. LEPTOSTACHYA (BAK.) N.E. BR.
 (=R. lomatensis (N.E. Br.) N.E. Br.) #
 R. lomatensis (N.E. Br.) N.E. Br. = R. LEPTOSTACHYA
- 1311050 -Kentrosiphon N.E. Br. = ANOMALESIA
 K. saccatus (Klatt) N.E. Br. = ANOMALESIA SACCATA SUBSP. SACCATA
 K. steingroeveri (Pax) N.E. Br. = ANOMALESIA SACCATA SUBSP. STEINGROEVERI
- 1312000 -ANTHOLYZA L.
 1. BROWN. 1932. TRANS. ROY. SOC. S. AFR. 20: 219.
 2. GOLDBLATT. 1971. JL S. AFR. BOT. 37: 444.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 100 A. PLICATA L. F.
 (=Anacianthe namaquensis N.E. Br.) #
 (=Anacianthe plicata (L. F.) N.E. Br.) 1, 2
 200 A. RINGENS L.
- 1312010 -TRITONIOPSIS L. BOL.
 1. LEWIS. 1959. JL S. AFR. BOT. 25: 319.
 100 T. APICULATA (F. BOL.) G. J. LEWIS VAR. APICULATA
 200 T. APICULATA (F. BOL.) G. J. LEWIS VAR. MINOR G. J. LEWIS
 300 T. CALEDONENSIS (R. C. FOST.) G. J. LEWIS
 400 T. DODII (G. J. LEWIS) G. J. LEWIS
 500 T. ELONGATA (L. BOL.) G. J. LEWIS
 600 T. FLEXUOSA (L. F.) G. J. LEWIS
 700 T. LATA (L. BOL.) G. J. LEWIS VAR. LATA
 800 T. LATA (L. BOL.) G. J. LEWIS VAR. LONGIBRACTEATA (L. BOL.) G. J. LEWIS
 900 T. LATIFOLIA G. J. LEWIS
 1000 T. LESLIEI L. BOL.
 1100 T. NEMOROSA (E. MEY. EX KLATT) G. J. LEWIS
 1200 T. NERVOSA (BAK.) G. J. LEWIS
 1300 T. PARVIFLORA (JACQ.) G. J. LEWIS VAR. ANGUSTA (L. BOL.) G. J. LEWIS
 1400 T. PARVIFLORA (JACQ.) G. J. LEWIS VAR. PARVIFLORA
 1500 T. PULCHELLA G. J. LEWIS VAR. ALPINA G. J. LEWIS
 1600 T. PULCHELLA G. J. LEWIS VAR. PULCHELLA
 1700 T. RAMOSA (ECKL. EX KLATT) G. J. LEWIS VAR. RAMOSA
 1800 T. RAMOSA (ECKL. EX KLATT) G. J. LEWIS VAR. ROBUSTA G. J. LEWIS
 1900 T. RAMOSA (ECKL. EX KLATT) G. J. LEWIS VAR. UNGUICULATA (BAK.) G. J. LEWIS
 2000 T. UNGUICULARIS (LAM.) G. J. LEWIS
- 1312020 -ANAPALINA N.E. BR.
 1. LEWIS. 1960. JL S. AFR. BOT. 26: 51.
 100 A. BURCHELLII N.E. BR.
 200 A. CAFFRA (KER-GAWL. EX BAK.) G. J. LEWIS
 (=Chasmanthe caffra (Bak.) N.E. Br.) 1
 (=Petamenes caffra (Bak.) Phill.) 1
 300 A. INTERMEDIA (BAK.) G. J. LEWIS
 (=Chasmanthe intermedia (Bak.) N.E. Br.) 1
 (=Petamenes intermedia (Bak.) Phill.) 1
 400 A. LONGITUBA FOURC.
 500 A. NERVOSA (THUNB.) G. J. LEWIS
 600 A. PULCHRA (BAK.) N.E. BR.
 700 A. TRITICEA (BURM. F.) N.E. BR.
- 1312030 -Anacianthe N.E. Br. = ANTHOLYZA
 A. namaquensis N.E. Br. = ANTHOLYZA PLICATA
 A. plicata (N.E. Br.) N.E. Br. = ANTHOLYZA PLICATA
- 1313000 -MICRANTHUS (PERS.) ECKL.
 1. BAKER. 1896. FC.
 2. ROTHMALER. 1941. FEDDES REPRIMUM 50: 73.
 100 M. ALOPECUROIDES (L.) ROTHM.
 (=M. plantagineus (Ait.) Eckl.) 2
 200 M. JUNCUS (BAK.) N.E. BR.
 M. plantagineus (Ait.) Eckl. = M. ALOPECUROIDES
 300 M. TUBULOSUS (BURM.) N.E. BR.
- 1313010 -THEREIANTHUS G. J. LEWIS
 1. LEWIS. 1941. JL S. AFR. BOT. 7: 33.
 100 T. BRACTEOLATUS (LAM.) G. J. LEWIS
 200 T. IXIODES G. J. LEWIS
 300 T. JUNCIFOLIUS (BAK.) G. J. LEWIS
 350 T. LAPEYROUSIODES (BAK.) G. J. LEWIS VAR. ELATIOR G. J. LEWIS
 400 T. LAPEYROUSIODES (BAK.) G. J. LEWIS VAR. LAPEYROUSIODES
 500 T. LONGICOLLIS (SCHLTR.) G. J. LEWIS

- 600 T. RACEMOSUS (KLATT) G. J. LEWIS
650 T. SPICATUS (L.) G. J. LEWIS VAR. LINEARIFOLIUS G. J. LEWIS
700 T. SPICATUS (L.) G. J. LEWIS VAR. SPICATUS
- 1314000 -LAPEIROUSIA POURRET
1. BAKER. 1896. FC (PRO PARTE).
2. SOLCH. 1969. FSWA.
3. GOLDBLATT. 1972. CONTR. BOLUS HERB. 4.
#. PRE HERBARIUM PRACTICE, FOLLOWING MARAIS.
100 L. ANCEPS (L. F.) KER-GAWL.
200 L. ARENICOLA SCHLTR.
250 L. BAINESII BAK.
300 L. BARKLYI BAK.
L. caespitosa Licht. ex Roem. & Schult. = L. PLICATA SUBSP. PLICATA
400 L. CAUDATA SCHINZ SUBSP. BURCHELLII (BAK.) MARAIS & GOLDBL.
(=L. ramosissima Dinter) #
500 L. CAUDATA SCHINZ SUBSP. CAUDATA
600 L. COERULEA SCHINZ
650 L. CORYMBOSA (L.) KER-GAWL. SUBSP. ALTA GOLDBL.
700 L. CORYMBOSA (L.) KER-GAWL. SUBSP. CORYMBOSA
800 L. CORYMBOSA (L.) KER-GAWL. SUBSP. FASTIGIATA (LAM.) GOLDBL.
L. cruenta (Lindl.) Bak. = ANOMATHECA LAXA
L. cyanescens Bak. = L. SCHIMPERI
900 L. DIVARICATA BAK. VAR. DIVARICATA
1000 L. DIVARICATA BAK. VAR. SPINOSA GOLDBL.
1100 L. DIVARICATA BAK. VAR. TENUIS GOLDBL.
1200 L. DOLOMITICA DINTER SUBSP. DOLOMITICA
1300 L. DOLOMITICA DINTER SUBSP. LEWISIANA (B. NORD.) GOLDBL.
1700 L. EXILIS GOLDBL.
1800 L. FABRICII (DELAROCHE) KER-GAWL.
1900 L. FALCATA (L. F.) KER-GAWL.
L. fistulosa (Spreng. ex Klatt) Bak. = ANOMATHECA FISTULOSA
1950 L. GRACILIS VAUPEL
L. grandiflora (Bak.) Bak. = ANOMATHECA GRANDIFLORA
L. heterophylla (Willd.) R.C. Fost. = L. PLICATA SUBSP. PLICATA
2900 L. JACQUINII N.E. BR.
L. laxa (Thunb.) N.E. Br. = ANOMATHECA LAXA
2100 L. MICRANTHA (E. MEY. EX KLATT) BAK.
2200 L. MONTANA KLATT
2300 L. ODORATISSIMA BAK.
2400 L. OREOGENA SCHLTR. EX GOLDBL.
2500 L. PLICATA (JACQ.) DIELS SUBSP. EFFURCATA (G. J. LEWIS) GOLDBL.
2600 L. PLICATA (JACQ.) DIELS SUBSP. LONGIFOLIA GOLDBL.
2700 L. PLICATA (JACQ.) DIELS SUBSP. PLICATA
(=L. caespitosa Licht. ex Roem. & Schult.) 3
(=L. heterophylla (Willd.) R.C. Fost.) 3
2800 L. PYRAMIDALIS (LAM.) GOLDBL.
L. ramosissima Dinter = L. CAUDATA SUBSP. BURCHELLII
2900 L. RIVULARIS WANNTORP
2950 L. SANDERSONII BAK.
3000 L. SCHIMPERI (ASCHERS. & KLATT) MILNE-REDH.
(=L. cyanescens Bak.) #
3100 L. SILENOIDES (JACQ.) KER-GAWL.
3200 L. VERECUNDA GOLDBL.
3300 L. VIOLACEA GOLDBL.
L. viridis (Ait.) Bak. = ANOMATHECA VIRIDIS SUBSP. VIRIDIS
- 1315000 -WATSONIA MILL. Revision: P. Goldblatt (MO).
1. BAKER. 1896. FC.
2. OBERMEYER. 1962. BOTHALIA 8: 116.
3. ROUX. 1980. J.L. S. AFR. BOT. 46: 365.
4. MARAIS. 1980. KEW BULL. 35: 172.
#. PRE HERBARIUM PRACTICE, FOLLOWING GOLDBLATT.
##. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
100 W. albertiniensis P.E. Glover = W. BREVIFOLIA
W. ALETROIDES (BURM. F.) KER-GAWL.
200 W. alpina G. J. Lewis = W. STRUBENIAE
W. ANGSTA KER-GAWL.
W. archbelliae L. Bol. = W. PILLANSII
350 W. ardernei J.W. Mathews & L. Bol. = W. O'BRIENII
W. BACHMANNII L. BOL.
W. baurii L. Bol. = W. GLADIOLOIDES
400 W. BEATRICES J.W. MATHEWS & L. BOL.
500 W. BREVIFOLIA KER-GAWL.
(=W. albertiniensis P.E. Glover) #
(=W. caledonica Bak.) #
(=W. muirii Phill.) #
600 W. BULBILLIFERA J.W. MATHEWS & L. BOL.
W. caledonica Bak. = W. BREVIFOLIA
W. coccinea Herb. = W. MERIANA
W. comptonii L. Bol. = W. ZEYHERI
1100 W. DENSIFLORA BAK.
(=W. lepida N.E. Br.) ##
(=W. neglecta N.E. Br.) ##
(=W. plantii N.E. Br.) ##
W. desmidtii L. Bol. = W. WILMANIAE
1220 W. DISTANS L. BOL.
(=W. pauciflora L. Bol.) #
1240 W. DUBIA ECKL. EX KLATT
W. ecklonii L. Bol. = W. VERSFELDII
W. elimensis L. Bol. = W. ZEYHERI
1300 W. EMILIAE L. BOL.
1400 W. FERGUSONIAE L. BOL.
W. flavida L. Bol. = W. WATSONIOIDES
1450 W. FOURCADEI J.W. MATHEWS & L. BOL.
(=W. ryderae L. Bol.) 3
1500 W. FULGENS (ANDR.) PERS.
1600 W. GALPINII L. BOL.

- 1800 W. GLADIOLOIDES SCHLTR.
 (=W. baurii L. Bol.) #
 W. humilis Mill. = W. MERIANA
- 2050 W. HYSTERANTHA J.W. MATHEWS & L. BOL.
- 2100 W. KNYSNANA L. BOL.
- 2200 W. LATIFOLIA OBERM.
 W. leipoldtii L. Bol. = W. MERIANA
 W. lepida N.E. Br. = W. DENSIFLORA
- 2350 W. LONGIFOLIA J.W. MATHEWS & L. BOL.
- 2400 W. MARGINATA (L. F.) KER-GAWL.
- 2420 W. MARLOTHII L. BOL.
- 2500 W. MERIANA (L.) MILL.
 (=W. coccinea Bak.) #
 (=W. humilis Mill.) #
 (=W. leipoldtii L. Bol.) #
 (=W. stohrii L. Bol.) #
 (=W. vivipara J.W. Mathews & L. Bol.) #
 W. middlemostii L. Bol. = W. ROGERSII
 W. muirii Phill. = W. BREVIFOLIA
 W. neglecta N.E. Br. = W. DENSIFLORA
- 2650 W. OBRIENII (N.E. BR.) V. TIBERGEN
 (=W. ardernei J.W. Mathews & L. Bol.) 4, #
- 2700 W. OCCULTA L. BOL.
- 2800 W. pauciflora L. Bol. = L. DISTANS
 W. PILLANSII L. BOL.
 (=W. archbelliae L. Bol.) #
 (=W. socium J.W. Mathews & L. Bol.) #
 W. plantii N.E. Br. = W. DENSIFLORA
- 2900 W. PYRAMIDATA (ANDR.) STAFF
- 2920 W. ROGERSII L. BOL.
 (=W. middlemostii L. Bol.) #
- 2940 W. ROSEALBA KER-GAWL.
- 2990 W. ryderae L. Bol. = W. FOURCADEI
 W. SCHLECHTERI L. BOL.
 W. socium J.W. Mathews & L. Bol. = W. PILLANSII
- 3050 W. SPECTABILIS SCHINZ
- 3100 W. STANFORDIAE L. BOL.
- 3300 W. starkeae L. Bol. = W. WILMANIAE
 W. STENOSIPHON L. BOL.
 W. stohrii L. Bol. = W. MERIANA
- 3500 W. STOKOEI L. BOL.
- 3600 W. STRICTIFLORA KER-GAWL.
- 3650 W. STRUBENIAE L. BOL.
 (=W. alpina G.J. Lewis) #
 (=W. transvaalensis Bak. var. drakensbergensis L. Bol.) #
- 3700 W. TABULARIS J.W. MATHEWS & L. BOL.
- 3900 W. TRANSVAALENSIS BAK.
 W. transvaalensis Bak. var. drakensbergensis L. Bol. = W. STRUBENIAE
- 4000 W. VANDERSPUYAE L. BOL.
- 4100 W. VERSFELDII J.W. MATHEWS & L. BOL.
 (=W. ecklonii L. Bol.) #
- 4150 W. VITTATA J.W. MATHEWS & L. BOL.
- 4300 W. vivipara J.W. Mathews & L. Bol. = W. MERIANA
 W. WATSONIODES (BAK.) OBERM.
 (=W. flavida L. Bol.) 2
- 4400 W. WILMANIAE J.W. MATHEWS & L. BOL.
 (=W. desmidtii L. Bol.) #
 (=W. starkeae L. Bol.) #
- 4500 W. WILMSII L. BOL.
- 4600 W. WORDSWORTHIANA J.W. MATHEWS & L. BOL.
- 4700 W. ZEYHERI L. BOL.
 (=W. comptonii L. Bol.) #
 (=W. elimensis L. Bol.) #
- 1315010 -PILLANSIA L. BOL.
 1. BOLUS. 1915. ANN. BOLUS HERB. 1: 20.
- 100 P. TEMPLEMANNII (BAK.) L. BOL.
- 1316000 -FREESIA KLATT
 1. GOLDBLATT. 1982. J.L.S. AFR. BOT. 48: 39.
- 50 F. ALBA (G.L. MEY.) GUMBLETON
- 100 F. ANDERSONIAE L. BOL.
 F. armstrongii Watson = F. CORYMBOSA
 F. brevis N.E. Br. = F. CORYMBOSA
- 250 F. CARYOPHYLLACEA (BURM. F.) N.E. BR.
 (=F. parva N.E. Br.) 1
- 400 F. CORYMBOSA (BURM. F.) N.E. BR.
 (=F. armstrongii Watson) 1
 (=F. brevis N.E. Br.) 1
 (=F. metelerkampiae L. Bol.) 1
- 450 F. ELIMENSIS L. BOL.
- 500 F. FERGUSONIAE L. BOL.
 F. flava N.E. Br. = F. SPECIOSA
 F. framesii L. Bol. = F. OCCIDENTALIS
 F. hurlingii L. Bol. = F. REFRACTA
- 1050 F. LEICHTLINII KLATT
 (=F. middlemostii W.F. Barker) 1
 F. metelerkampiae L. Bol. = F. CORYMBOSA
 F. middlemostii W.F. Barker = F. LEICHTLINII
- 1300 F. OCCIDENTALIS L. BOL.
 (=F. framesii L. Bol.) 1
 F. parva N.E. Br. = F. CARYOPHYLLACEA
- 1600 F. REFRACTA (JACQ.) KLATT
 (=F. hurlingii L. Bol.) 1
- 1650 F. SPARRMANNII (THUNB.) N.E. BR.
- 1700 F. SPECIOSA L. BOL.
 (=F. flava N.E. Br.) 1

- 1316010 -ANOMATHECA KER-GAWL.
 1. GOLDBLATT. 1971. J.L. S. AFR. BOT. 37: 443.
 2. GOLDBLATT. 1972. CONTR. BOLUS HERB. 4: 75.
 100 A. FISTULOSA (SPRENG. EX KLATT) GOLDBL.
 (=Lapeirousia fistulosa (Spreng. ex Klatt) Bak.) 2
 200 A. GRANDIFLORA BAK.
 (=Lapeirousia grandiflora (Bak.) Bak.) 1
 300 A. LAXA (THUNB.) GOLDBL.
 (=Lapeirousia cruenta (Lindl.) Bak.) 2
 (=Lapeirousia laxa (Thunb.) N.E. Br.) 2
 400 A. VERRUCOSA (VOGEL IN TREW) GOLDBL.
 500 A. VIRIDIS (AIT.) GOLDBL. SUBSP. CRISPIFOLIA GOLDBL.
 600 A. VIRIDIS (AIT.) GOLDBL. SUBSP. VIRIDIS
 (=Lapeirousia viridis (Ait.) L. Bol.) 2

MUSACEAE

1318000

- 1318000 -Musa L. = Indigenous species moved to ENSETE
 M. davyae Stapf = ENSETE VENTRICOSUM
 1318010 -ENSETE HORAN.
 1. BAKER & SIMMONDS. 1954. KEW BULL. 1953: 405; 574.
 100 E. VENTRICOSUM (WELW.) E.E. CHEESM.
 (=Ensete edule (J.F. Gmel.) Horan.) 1
 (=Musa davyae Stapf) 1

STRELITZIACEAE

1319000

- 1319000 -STRELITZIA AIT.
 1. MOORE & HYYPID. 1970. BAILEYA. 17: 65.
 2. DYER. 1975. BOTHALIA 10: 575.
 3. MOORE. 1975. BAILEYA 19: 65.
 100 S. ALBA (L. F.) SKEELS
 200 S. CAUDATA R. A. DYER
 250 S. JUNCEA LINK
 (=S. reginae Ait. var. juncea (Ker-Gawl.) H.E. Moore) 2, 3
 300 S. NICOLAI REGEL & KOERN.
 400 S. REGINAE AIT.
 S. reginae Ait. var. juncea (Ker-Gawl.) H.E. Moore = S. JUNCEA

ZINGIBERACEAE

1324000

- 1346000 -KAEMPFERIA L. Revision: R. M. Smith (E).
 1. WRIGHT. 1913. FC.
 2. KAM. 1980. NOTES R. BOT. GDN EDINB. 38: 1.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 K. aethiopica (Schweinf.) Benth. = SIPHONCHILUS AETHIOPICUS
 K. ethelae J.M. Wood = SIPHONCHILUS AETHIOPICUS
 K. montagui Leighton = K. ROSEA
 K. natalensis Schltr. & K. Schum. = SIPHONCHILUS NATALENSIS
 300 K. ROSEA SCHWEINF. EX BAK.
 (=K. montagui Leighton) #
 400 K. ROTUNDA L. *
 (=?K. stenopetala K. Schum.) 2
 K. stenopetala K. Schum. = ?K. ROTUNDA L.
 1346010 -SIPHONCHILUS WOOD & FRANKS Revision: R. M. Smith (E).
 1. WRIGHT. 1913. FC.
 2. KAM. 1980. NOTES R. BOT. GDN EDINB. 38: 1.
 3. BURTT. 1982. NOTES R. BOT. GDN EDINB. 40: 369.
 #. PRE HERBARIUM PRACTICE, FOLLOWING OBERMEYER.
 100 S. AETHIOPICUS (SCHWEINF.) B. L. BURTT
 (=Kaempferia aethiopica (Schweinf.) Benth.) 3
 (=K. ethelae J.M. Wood) #
 200 S. NATALENSIS (SCHLTR. & K. SCHUM.) J. M. WOOD & FRANKS
 (=Kaempferia natalensis Schltr. & K. Schum.) 3

CANNACEAE

1363000

- 1363000 -CANNA L.
 1. DYER. 1976. GEN.
 100 C. EDULIS L. *
 200 C. INDICA L. *

BURMANNIACEAE

1376000

- 1382000 -BURMANNIA L.
 1. DYER. 1976. GEN.
 100 B. MADAGASCARIENSIS MART.

ORCHIDACEAE

1389000

- 1407000 -STENOGLOTTIS LINDL.
 1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 #. PRE HERBARIUM PRACTICE, FOLLOWING SCHELPE.
 100 S. FIMBRIATA LINDL.
 (=S. fimbriata Lindl. var. saxicola Schltr. ex Kranzl.) #
 S. fimbriata Lindl. var. saxicola Schltr. ex Kranzl. = S. FIMBRIATA
 300 S. LONGIFOLIA HOOK.
 400 S. WOODII SCHLTR.
 (=Cynorkis maccloughlinii L. Bol.) #

- 1408000 -HOLOTHRIX L. C. RICH. EX HOOK. Revision: K. Immelman (PRE).
 1. IMMELMAN. 1981. BOTHALIA 13: 455.
 2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 H. ASPERA (LINDL.) REICHB. F.
 (=H. confusa Rolfe) 1
- 150 H. BREVIPETALA IMMELMAN & SCHELPE
 200 H. BURCHELLII (LINDL.) REICHB. F.
 250 H. CERNUA (BURM. F.) SCHELPE
 (=H. parvifolia Lindl.) 2
 (=H. squamulosa Lindl.) 2
- H. condensata Sond. = H. VILLOSA VAR. CONDENSATA
 H. confusa Rolfe = H. ASPERA
- 500 H. CULVERI (SCHLTR.) H. BOL.
 (=H. culveri (Schltr.) H. Bol. var. integra H. Bol.) 1
- H. culveri (Schltr.) H. Bol. var. integra H. Bol. = H. CULVERI
- 600 H. EXILIS LINDL.
 (=H. exilis Lindl. var. brachylabris (Sond.) H. Bol.) 1
- H. exilis Lindl. var. brachylabris (Sond.) H. Bol. = H. EXILIS
- 660 H. FILICORNIS IMMELMAN & SCHELPE
 665 H. GRANDIFLORA (SOND.) REICHB. F.
 800 H. INCURVA LINDL.
 (=H. rupicola Schltr.) 1
- H. lindleyana Reicb. f. = H. PARVIFLORA
 H. lithophila Schltr. = H. VILLOSA VAR. CONDENSATA
- 1100 H. LONGICORNU G. J. LEWIS
 1200 H. MACOWANIANA REICHB. F.
 1300 H. MICRANTHA SCHLTR.
- H. multisecta H. Bol. = H. SCOPULARIA
- 1500 H. MUNDII SOND.
 1600 H. ORTHOCERAS (HARV.) REICHB. F.
 1700 H. PARVIFLORA (LINDL.) REICHB. F.
 (=H. lindleyana Reicb. f.) 1
- H. parvifolia Lindl. = H. CERNUA
- 1800 H. PILOSA (BURCH. EX LINDL.) REICHB. F.
 1900 H. RANDII RENDLE
 H. rupicola Schltr. = H. INCURVA
- 2100 H. SCHLECHTERIANA SCHLTR. EX KRAENZL.
 2200 H. SCOPULARIA (LINDL.) REICHB. F.
 (=H. multisecta H. Bol.) 1
- 2300 H. SECUNDA (THUNB.) REICHB. F.
 H. squamulosa Lind. = H. CERNUA
- 2500 H. THODEI ROLFE
 2600 H. VILLOSA LINDL. VAR. VILLOSA
 2700 H. VILLOSA LINDL. VAR. CONDENSATA (SOND.) IMMELMAN
 (=H. condensata Sond.) 1
 (=H. lithophila Schltr.) 1
- 1414000 -HUTTONAEA HARV.
 1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 H. FIMBRIATA REICHB. F.
 200 H. GRANDIFLORA (SCHLTR.) ROLFE
 300 H. DREOPHILA SCHLTR.
 400 H. PULCHRA HARV.
 500 H. WOODII SCHLTR.
- 1416000 -BARTHOLINA R. BR.
 1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 #. PRE HERBARIUM PRACTICE, FOLLOWING SCHELPE.
- 100 B. BURMANNIANA (L.) KER-GAWL.
 (=B. pectinata R. Br.) #
- 200 B. ETHELIAE H. BOL.
 P. pectinata R. Br. = B. BURMANNIANA
- 1421000 -CYNORKIS THOUARS.
 100 C. COMPACTA (REICHB. F.) ROLFE
 200 C. KASSNERIANA KRAENZL.
 C. macioughlinii L. Bol. = ?STENOGLOTTIS WOODII
- 1422000 -HABENARIA WILLD.
 1. RENZ & SCHELPE. 1979; 1980. S.A. ORCH. JL 10: 111; 11: 5.
 2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 H. ANGUICEPS H. BOL.
 (=H. readei Harv. ex Rolfe) 2
- 200 H. ARENARIA LINDL.
 (=H. micrantha (Lindl.) Reicb. f.) 2
- 250 H. ARMATISSIMA REICHB. F.
 (=H. dinteriana Kraenzl.) 2
 (=H. lugardae Rolfe) 2
- 300 H. BARBERTONI KRAENZL. & SCHLTR.
 400 H. BICOLOR CONRATH & KRAENZL.
 H. bolusiana Schltr. = H. LITHOPHILA
 H. caffra Schltr. = H. FALCICORNIS VAR. CAFFRA
- 500 H. CHLOROTICA REICHB. F.
 (=H. natalensis Reicb. f.) 2
 (=H. wilmsiana Kraenzl.) 2
- 600 H. CILIOSA LINDL.
 700 H. CLAVATA (LINDL.) REICHB. F.
 800 H. CORNUTA LINDL.
 900 H. CULVERI SCHLTR.
- H. dinteriana Kraenzl. = H. ARMATISSIMA
- 1000 H. DIVES REICHB. F.
 (=H. orangana Reicb. f.) 2
- 1100 H. DREGEANA LINDL.
 H. elatior Schltr. = H. NYIKANA
- 1200 H. EPIPACTIDEA REICHB. F.
 (=H. foliosa (Swartz) Reicb. f.) 2
 (=H. polyphylla Kraenzl.) 2

- 1250 H. FALCICORNIS (BURCH. EX LINDL.) H. BOL. VAR. CAFFRA (SCHLTR.) RENZ & SCHELPE
(=H. caffra Schltr.) 2
(=H. tetrapetala Kraenzl.) 2
- 1300 H. FALCICORNIS (BURCH. EX LINDL.) H. BOL. VAR. FALCICORNIS
H. foliosa (Swartz) Reichenb. f. = H. EPIPACTIDEA
- 1400 H. GALPINII H. BOL.
H. gerrardii Reichenb. f. = H. TRIDENS
H. holstii Kraenzl. = H. MALACOPHYLLA
- 1450 H. ICHNEUMONEA (SWARTZ) LINDL.
H. insignis Schltr. = BONATEA POLYPODANTHA
H. involuta H. Bol. = H. SCHIMPERIANA
- 1700 H. KRAENZLINIANA SCHLTR.
1800 H. LAEVI GATA LINDL.
(=H. ornithopoda Reichenb. f.) 2
- 1870 H. LITHOPHILA SCHLTR.
(=H. bolusiana Schltr.) 2
(=H. macowaniana Kraenzl.) 2
(=H. petri Schltr.) 2
H. lugardae Rolfe = H. ARMATISSIMA
H. macowaniana Kraenzl. = H. LITHOPHILA
- 2000 H. MALACOPHYLLA REICHB. F.
(=H. holstii Kraenzl.) 2
(=H. polyantha Kraenzl.) 2
(=H. pulla Schltr.) 2
H. micrantha (Lindl.) Reichenb. f. = H. ARENARIA
H. microrhynchos Schltr. = H. PETITIANA
H. natalensis Reichenb. f. = H. CHLOROTICA
- 2250 H. NYIKANA REICHB. F.
(=H. elatior Schltr.) 2
H. orangana Reichenb. f. = H. DIVES
H. ornithopoda Reichenb. f. = H. LAEVI GATA
- 2450 H. PETITIANA (A. RICH.) DUR. & SCHINZ
(=H. microrhynchos Schltr.) 2
H. petri Schltr. = H. LITHOPHILA
H. polyantha Kraenzl. = H. MALACOPHYLLA
H. polyphylla Kraenzl. = H. EPIPACTIDEA
H. pulla Schltr. = H. MALACOPHYLLA
H. quadrifida Schltr. = H. TRILOBULATA
- 2500 H. RAUTANENIANA KRAENZL.
(=H. trachychila Kraenzl.) 2
H. readei Harv. ex Rolfe = H. ANGUICEPS
- 2700 H. REHMANNII H. BOL.
(=H. tetrapetaloides Schltr.) 2
- 2750 H. SCHIMPERIANA HOCHST. EX A. RICH.
(=H. involuta H. Bol.) 2
- 2800 H. STENDORHYNCHOS SCHLTR.
H. tetrapetala Kraenzl. = H. FALCICORNIS VAR. CAFFRA
H. tetrapetaloides Schltr. = H. REHMANNII
H. trachychila Kraenzl. = H. RAUTANENIANA
- 3100 H. TRANSVAALENSIS SCHLTR.
3200 H. TRIDENS LINDL.
(=H. gerrardii Reichenb. f.) 2
- 3220 H. TRIDENS X MALACOPHYLLA
3250 H. TRILOBULATA SCHLTR.
(=H. quadrifida Schltr.) 2
- 3300 H. TYSONII H. BOL.
H. umvotensis Rolfe = BONATEA SAUNDERSIODES
H. wilmsiana Kraenzl. = H. CHLOROTICA
- 3500 H. WOODII SCHLTR.
- 1422010 -CENTROSTIGMA SCHLTR.
1. SUMMERHAYES. 1968. FTEA.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 C. OCCULTANS (WELW. EX REICHB. F.) SCHLTR.
(=C. schlechteri (Kraenzl.) Schltr.) 1
C. schlechteri (Kraenzl.) Schltr. = C. OCCULTANS
- 1422020 -BONATEA WILLD.
1. SCHELPE & ANTHONY. 1982. CONTR. BOL. HERB. 10: 157.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- B. antennifer Rolfe = B. SPECIOSA VAR. ANTENNIFERA
B. boltonii H. Bol. = H. SPECIOSA VAR. SPECIOSA
- 300 B. CASSIDEA SOND.
450 B. LAMPROPHYLLA J. STEWART
470 B. LIPAROPHYLLA SCHELPE
500 B. POLYPODANTHA (REICHB. F.) L. BOL.
(=Habenaria insignis Schltr.) 2
- 600 B. PORRECTA (H. BOL.) SUMMERH.
650 B. PULCHELLA SUMMERH.
700 B. SAUNDERSIAE (HARV.) DUR. & SCHINZ
720 B. SAUNDERSIODES (KRAENZL. & SCHLTR.) CORTESI
(=Habenaria umvotensis Rolfe) 2
- 750 B. SPECIOSA (L. F.) WILLD. VAR. ANTENNIFERA (ROLFE) SOMERVILLE
(=B. antennifer Rolfe) 1
- 800 B. SPECIOSA (L. F.) WILLD. VAR. SPECIOSA
(=B. boltonii H. Bol.) 2
- 900 B. STEUDNERI (REICHB. F.) DUR. & SCHINZ
- 1426000 -PACHITES LINDL.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 P. APPRESSA LINDL.
200 P. BODKINII H. BOL.
- 1428000 -BRACHYCORYTHIS LINDL.
1. SUMMERHAYES. 1955. KEW BULL. 11: 221.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 200 B. CONICA SUMMERH. SUBSP. TRANSVAALENSIS SUMMERH.
250 B. INHAMBANENSIS (SCHLTR.) SCHLTR.
300 B. MACOWANIANA REICHB. F.

- 400 B. OVATA LINDL.
450 B. PLEISTOPHYLLA REICHB. F.
500 B. PUBESCENS HARV.
600 B. TENUIDOR REICHB. F.
- 1429000 -NEOBOLUSIA SCHLTR.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 N. TYSONII (H. BOL.) SCHLTR.
200 N. VIRGINEA (H. BOL.) SCHLTR.
- 1430000 -SATYRIUM SWARTZ
1. HALL. 1982. CONTR. BOL. HERB. 10: 1.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 S. ACUMINATUM LINDL.
S. atherstonei Reichb. f. = S. TRINERVE
550 S. BICALLOSUM THUNB.
600 S. BICORNE (L.) THUNB.
800 S. BRACTEATUM (L. F.) THUNB.
(=S. cordifolium Lindl.) 1
(=S. saxicolum H. Bol.) 1
900 S. CANDIDUM LINDL.
950 S. CANDIDUM X BICALLOSUM
(=S. guthriei H. Bol.) 1
1000 S. CARNEUM (DRYAND.) SIMS
1100 S. CARNEUM X CORIIFOLIUM
S. cordifolium Lindl. = S. BRACTEATUM
1200 S. CORIIFOLIUM SWARTZ
1300 S. CRISTATUM SOND. VAR. CRISTATUM
1350 S. CRISTATUM SOND. VAR. LONGILABIATUM A.V. HALL
S. emarcidum H. Bol. = S. LIGULATUM
1700 S. ERECTUM SWARTZ
1750 S. ERECTUM X BICORNE
1900 S. FOLIOSUM SWARTZ
S. guthriei H. Bol. = S. CANDIDUM X BICALLOSUM
2100 S. HALLACKII H. BOL. SUBSP. HALLACKII
2150 S. HALLACKII H. BOL. SUBSP. OCELLATUM (H. BOL.) A.V. HALL
(=S. ocellatum H. Bol.) 1
2200 S. HUMILE LINDL.
(=S. ochroleucum H. Bol.) 1
2300 S. LIGULATUM LINDL.
(=S. emarcidum H. Bol.) 1
S. lindleyanum H. Bol. = S. RETUSUM
2550 S. LONGICAUDA LINDL. VAR. JACOTTETIANUM (KRAENZL.) A.V. HALL
2600 S. LONGICAUDA LINDL. VAR. LONGICAUDA
2620 S. LONGICAUDA X NEGLECTUM SUBSP. WOODII
(=S. rhodanthum Schltr.) 1
2650 S. LONGICOLLE LINDL.
(=S. maculatum Burch. ex Lindl.) 1
2700 S. LUPULINUM LINDL.
2800 S. MACROPHYLLUM LINDL.
S. marginatum H. Bol. = S. STENOPETALUM SUBSP. BREVICALCARATUM
S. maculatum Burch. ex Lindl. = S. LONGICOLLE
3100 S. MEMBRANACEUM SWARTZ
3200 S. MICRORRHYNCHUM SCHLTR.
3250 S. MUTICUM LINDL.
3300 S. NEGLECTUM SCHLTR. SUBSP. NEGLECTUM
3350 S. NEGLECTUM SCHLTR. SUBSP. WOODII (SCHLTR.) A.V. HALL
(=S. woodii Schltr.) 1
S. ocellatum H. Bol. = S. HALLACKII SUBSP. OCELLATUM
S. ochroleucum H. Bol. = S. HUMILE
3600 S. ODORUM SOND.
3700 S. OUTENIGUENSE SCHLTR.
3900 S. PARVIFLORUM SWARTZ
(=S. wilmsianum Kraenzl.) 1
4200 S. PRINCEPS H. BOL.
4250 S. PUMILUM THUNB.
(=Aviceps pumila (Thunb.) Lindl.) 1
4300 S. PYGMAEUM SOND.
4400 S. RETUSUM LINDL.
(=S. lindleyanum H. Bol.) 1
S. rhodanthum Schltr. = S. LONGICAUDA X NEGLECTUM SUBSP. WOODII
4500 S. RUPESTRE SCHLTR.
S. saxicolum H. Bol. = S. BRACTEATUM
4800 S. SPHAEROCARPUM LINDL.
4850 S. STENOPETALUM LINDL. SUBSP. BREVICALCARATUM (H. BOL.) A.V. HALL
(=S. marginatum H. Bol.) 1
4900 S. STENOPETALUM LINDL. SUBSP. STENOPETALUM
5000 S. STRIATUM THUNB.
5050 S. TRINERVE LINDL.
(=S. atherstonei Reichb. f.) 1
S. wilmsianum Kraenzl. = S. PARVIFLORUM
S. woodii Schltr. = S. NEGLECTUM SUBSP. WOODII
- 1430010 -SATYRIDIDIUM SWARTZ
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 S. ROSTRATUM LINDL.
- 1430020 -Aviceps Lindl. = SATYRIUM
A. pumila (Thunb.) Lindl. = SATYRIUM PUMILUM
- 1431000 -SCHIZOCHILUS SOND.
1. LINDER. 1979. J.L. S. AFR. BOT. 46: 379.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 150 S. albiflos Schltr. = S. ANGUSTIFOLIUS
S. ANGUSTIFOLIUS ROLFE
(=S. albiflos Schltr.) 1
S. bolusii Schltr. = S. ZEYHERI
200 S. BULBINELLA (REICHB. F.) H. BOL.

- 220 S. CECILII ROLFE SUBSP. CULVERI (SCHLTR.) LINDER
 240 S. CECILII ROLFE SUBSP. TRANSVAALENSIS (ROLFE) LINDER
 260 S. CRENULATUS LINDER
 300 S. FLEXUOSUS HARV. EX ROLFE
 (=S. pulchellus Schltr.) 1
 400 S. GERRARDII (REICHB. F.) H. BOL.
 S. grandiflorus Schltr. = S. ZEYHERI
 S. huttoniae Schltr. = S. ZEYHERI
 450 S. LILACINUS SCHELPE EX LINDER
 S. pulchellus Schltr. = S. FLEXUOSUS
 S. rehmannii Schltr. = S. ZEYHERI
 S. rudatisii Schltr. = S. ZEYHERI
 S. strictus Rolfe = S. ZEYHERI
 S. woodii Schltr. = S. ZEYHERI
 900 S. ZEYHERI SOND.
 (=S. bolusii Schltr.) 1
 (=S. grandiflorus Schltr.) 1
 (=S. huttoniae Schltr.) 1
 (=S. rehmannii Schltr.) 1
 (=S. rudatisii Schltr.) 1
 (=S. strictus Rolfe) 1
 (=S. woodii Schltr.) 1
- 1432000 -SCHIZIDIUM LINDL.
 1. LINDER. 1981. J.L.S. AFR. BOT. 47: 339.
 2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 S. antenniferum Schltr. = S. LONGIPETALUM
 S. arcuatum Lindl. = S. CORNUTUM
 50 S. BIFIDUM (THUNB.) REICHB. F.
 (=S. rigidum Lindl.) 1
 200 S. CORNUTUM (L.) SCHLTR.
 (=S. arcuatum Lindl.) 1
 300 S. FLEXUOSUM (L.) LINDL.
 400 S. INFLEXUM LINDL.
 500 S. LONGIPETALUM LINDL.
 (=S. antenniferum Schltr.) 1
 S. modestum L. Bol. = S. OBLIQUUM SUBSP. CLAVIGERUM
 650 S. OBLIQUUM LINDL. SUBSP. CLAVIGERUM (LINDL.) LINDER
 (=S. modestum L. Bol.) 1
 700 S. OBLIQUUM LINDL. SUBSP. OBLIQUUM
 S. rigidum Lindl. = S. BIFIDUM
- 1433000 -BROWNLEE HARV. EX LINDL.
 1. LINDER. 1981. J.L.S. AFR. BOT. 47: 13.
 2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 100 B. COERULEA HARV. EX LINDL.
 200 B. GALPINII H. BOL. SUBSP. GALPINII
 250 B. GALPINII H. BOL. SUBSP. MAJOR (H. BOL.) LINDER
 300 B. MACROCERAS SOND.
 (=B. monophylla Schltr.) 1
 B. monophylla Schltr. = B. MACROCERAS
 B. natalensis Rolfe = B. RECURVATA
 700 B. PARVIFLORA HARV. EX LINDL.
 (=B. transvaalensis Schltr.) 1
 900 B. RECURVATA SOND.
 (=B. natalensis Rolfe) 1
 B. transvaalensis Schltr. = B. PARVIFLORA
- 1434000 -DISA BERG.
 1. LINDER. 1981. CONTR. BOL. HERB. 9.
 2. LINDER. 1981. BULL. JARD. BOT. NAT. BELG. 51: 255.
 3. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 100 D. ACONITOIDES SOND.
 120 D. ALTICOLA LINDER
 130 D. AMOENA LINDER
 140 D. ARISTATA LINDER
 145 D. ATRICAPILLA (HARV. EX LINDL.) H. BOL.
 (=Orthopenthea atricapilla (Lindl.) Rolfe) 1
 150 D. BASUTORUM SCHLTR.
 (=Monadenia basutorum (Schltr.) Rolfe) 1
 160 D. BEGLEVI L. BOL.
 170 D. BIVALVATA (L. F.) DUR. & SCHINZ
 (=Orthopenthea bivalvata (L. f.) Rolfe) 1
 (=Penthea melaleuca (Thunb.) Lindl.) 1
 180 D. BODKINII H. BOL.
 (=Orthopenthea bodkinii (H. Bol.) Rolfe) 1
 200 D. BRACHYCERAS LINDL.
 250 D. BREVIPETALA LINDER
 D. breyeri Schltr. = D. WELWITSCHII
 400 D. CAFFRA H. BOL.
 (=D. compta Summerh.) 1
 (=D. perrieri Schltr.) 1
 550 D. CARDINALIS LINDER
 600 D. CAULESCENS LINDL.
 650 D. CEPHALOTES REICHB. F. SUBSP. FRIGIDA (SCHLTR.) LINDER
 700 D. CEPHALOTES REICHB. F. SUBSP. CEPHALOTES
 800 D. CHRYSOSTACHYA SWARTZ
 850 D. CLAVICORNIS LINDER
 D. compta Summerh. = D. CAFFRA
 900 D. COOPERI REICHB. F.
 1000 D. CORNUTA (L.) SWARTZ
 (=D. macrantha Swartz) 1
 1100 D. CRASSICORNIS LINDL.
 (=D. jacottetiae Kraenzl.) 1
 1200 D. CYLINDRICA (THUNB.) SWARTZ
 1250 D. DRACOMONTANA SCHELPE EX LINDER
 1300 D. DRACONIS (L. F.) SWARTZ
 (=D. harveyana Lindl.) 1

1360 D. ELEGANS SOND. EX REICHB. F.
(=Orthopenthea elegans (Reichb. f.) Rolfe) 1
1370 D. ESTERHUYSENIAE SCHELPE EX LINDER
1400 D. EXTINGTORIA REICHB. F.
D. falcata Schltr. = D. TRIPETALOIDES SUBSP. TRIPETALOIDES
D. fanniniae Harv. = D. NERVOSA
1550 D. FASCIATA LINDL.
(=Orthopenthea fasciata (Lindl.) Rolfe) 1
1700 D. FERRUGINEA (THUNB.) SWARTZ
1750 D. FILICORNIS (L. F.) THUNB.
(=Penthea filicornis (L. f.) Lindl.) 1
1780 D. FILICORNIS X PATENS
1800 D. FRAGRANS SCHLTR.
2000 D. GALPINII ROLFE
(=D. minax Kraenzl.) 1
D. gerrardii Rolfe = D. PATULA VAR. TRANSVAALENSIS
2200 D. GLANDULOSA BURCH. EX LINDL.
2220 D. GLADIOLIFLORA BURCH. EX LINDL. SUBSP. CAPRICORNIS (REICHB. F.) LINDER
2250 D. GLADIOLIFLORA BURCH. EX LINDL. SUBSP. GLADIOLIFLORA
D. grandiflora L. f. = D. UNIFLORA
2300 D. HALLACKII ROLFE
(=D. stokoei L. Bol.) 1
D. harveyana Lindl. = D. DRACONIS
2450 D. HIRICORNIS REICHB. F.
(=D. laeta Reichb. f.) 1
2460 D. INTERMEDIA LINDER
D. jacotettiae Kraenzl. = D. CRASSICORNIS
D. kraussii Rolfe = D. PULCHRA
D. laeta Reichb. f. = D. HIRICORNIS
2650 D. LINEATA H. BOL.
2700 D. LONGICORNIS L. F.
2800 D. LONGIFOLIA LINDL.
D. macowanii Reichb. f. = D. VERSICOLOR
D. macrantha Swartz = D. CORNUTA
3100 D. MACULATA L. F.
3200 D. MARLOTHII H. BOL.
3300 D. MICROPETALA SCHLTR.
D. minax Kraenzl. = D. GALPINII
3350 D. MINOR (SOND.) REICHB. F.
(=Orthopenthea minor (Sond.) Rolfe) 1
3400 D. MONTANA SOND.
3500 D. NEGLECTA SOND.
3600 D. NERVOSA LINDL.
(=D. fanniniae Harv.) 1
3620 D. NIVEA LINDER
3650 D. OBTUSA LINDL. SUBSP. HOTTENTOTICA LINDER
3700 D. OBTUSA LINDL. SUBSP. OBTUSA
(=D. tabularis Sond.) 1
3750 D. OBTUSA LINDL. SUBSP. PICTA (SOND.) LINDER
(=D. pappei Rolfe) 1
3800 D. OCELLATA H. BOL.
3820 D. OLIGANTHA REICHB. F.
(=Orthopenthea triloba (Sond.) Rolfe) 1
3850 D. OREOPHILA H. BOL. SUBSP. ERECTA LINDER
3900 D. OREOPHILA H. BOL. SUBSP. OREOPHILA
4000 D. OVALIFOLIA SOND.
D. pappei Rolfe = D. OBTUSA SUBSP. PICTA
4150 D. PATENS (L. F.) THUNB.
(=Penthea patens (L. f.) Lindl.) 1
4200 D. PATULA SOND. VAR. PATULA
4300 D. PATULA SOND. VAR. TRANSVAALENSIS SUMMERH.
(=D. gerrardii Rolfe) 1
D. perrieri Schltr. = D. CAFFRA
4450 D. PILLANSII L. BOL.
4500 D. POLYGONOIDES LINDL.
4600 D. PORRECTA SWARTZ
4700 D. PULCHRA SOND.
(=D. kraussii Rolfe) 1
4750 D. PULCHRA X MONTANA
4800 D. RACEMOSA L. F.
4900 D. RHODANTHA SCHLTR.
4920 D. RICHARDIANA LEHM. EX H. BOL.
(=Orthopenthea obtusa (Lindl.) Schelpe) 1
4950 D. ROSEA LINDL.
(=Orthopenthea rosea (Lindl.) Rolfe) 1
D. rungweensis Schltr. subsp. rhodesiaca (Summerh.) Summerh. = D. ZIMBABWEENSIS
5000 D. SAGITTALIS (L. F.) SWARTZ
5100 D. SALTERI G. J. LEWIS
5200 D. SANGUINEA SOND.
5300 D. SANKEYI ROLFE
5400 D. SAXICOLA SCHLTR.
5450 D. SCHIZODIODES SOND.
(=Orthopenthea schizoides (Sond.) Rolfe) 1
D. schlechteriana H. Bol. = HERSCHELIA SCHLECHTERIANA
5600 D. SCULLYI H. BOL.
5650 D. SIMILIS SUMMERH.
5700 D. STACHYOIDES REICHB. F.
(=Monadenia leydenburgensis Kraenzl.) 1
D. stokoei L. Bol. = D. HALLACKII
5900 D. STRICTA SOND.
5950 D. SUBTENUICORNIS LINDER
D. tabularis Sond. = D. OBTUSA SUBSP. OBTUSA
6020 D. TELIPOGONIS REICHB. F.
(=Orthopenthea telipogonis (Reichb. f.) Rolfe) 1
6050 D. TENELLA (L. F.) SWARTZ SUBSP. PUSILLA LINDER
6100 D. TENELLA (L. F.) SWARTZ SUBSP. TENELLA
6200 D. TENUICORNIS H. BOL.

- 6280 D. TENUIS LINDL.
(=Amphigena leptostachya (Sond.) Rolfe) 1
(=Amphigena tenuis (Lindl.) Rolfe) 1
- 6300 D. THODEI SCHLTR. EX KRAENZL.
- 6400 D. TRILOBA LINDL.
- 6500 D. TRIPETALOIDES (L. F.) N.E. BR. SUBSP. TRIPETALOIDES
(=D. falcata Schltr.) 1
- 6550 D. TRIPETALOIDES (L. F.) N.E. BR. SUBSP. AURATA (H. BOL.) LINDER
- 6600 D. TYSONII H. BOL.
- 6700 D. UNCINATA H. BOL.
- 6800 D. UNIFLORA BERG.
(=D. grandiflora L. f.) 1
- 6900 D. VAGINATA HARV. EX LINDL.
- 7000 D. VASSELITII BOL. EX SCHLTR.
- 7100 D. VENOSA SWARTZ
- 7150 D. VERSICOLOR REICHB. F.
(=D. macowanii Reichb. f.) 1
- 7180 D. WELWITSCHII REICHB. F.
(=D. breyeri Schltr.) 2
- 7200 D. WOODII SCHLTR.
- 7220 D. X PALUDICOLA J. STEWART & J.C. MANNING
- 7250 D. ZIMBABWEENSIS LINDER
(=D. rungweensis Schltr. subsp. rhodesiaca (Summerh.) Summerh.) 1
- 7300 D. ZULUENSIS ROLFE
- 1434010 -Amphigena Rolfe = DISA
A. leptostachya (Sond.) Rolfe = DISA TENUIS
A. tenuis (Lindl.) Rolfe = DISA TENUIS
- 1434020 -Orthopenthea Rolfe = DISA
O. atricapilla (Lindl.) Rolfe = DISA ATRICAPILLA
O. bivalvata (L. f.) Rolfe = DISA BIVALVATA
O. bodkinii (H. Bol.) Rolfe = DISA BODKINII
O. elegans (Reichb. f.) Rolfe = DISA ELEGANS
O. fasciata (Lindl.) Rolfe = DISA FASCIATA
O. minor (Sond.) Rolfe = DISA MINOR
O. obtusa (Lindl.) Schelpe = DISA RICHARDIANA
O. rosea (Lindl.) Rolfe = DISA ROSEA
O. schizodioides (Sond.) Rolfe = DISA SCHIZODIOIDES
O. telipogonis (Reichb. f.) Rolfe = DISA TELIPOGONIS
O. triloba (Sond.) Rolfe = DISA OLIGANTHA
- 1434030 -Penthea Lindl. = DISA
P. filicornis (L. f.) Lindl. = DISA FILICORNIS
P. melaieuca (Thunb.) Lindl. = DISA BIVALVATA
P. patens (L. f.) Lindl. = DISA PATENS
- 1435000 -HERSCHELIA LINDL.
1. LINDER. 1981. BOTHALIA 13: 365.
2. STEWART. 1982. WILD ORCH. S. AFR.
- 200 H. BARBATA (L. F.) H. BOL.
- 300 H. BAURII (H. BOL.) KRAENZL.
(=H. haematopetalia (Rendle) Kraenzl.) 1
- H. charpentieriana (Reichb. f.) Kraenzl. = H. MULTIFIDA
- 600 H. FORCIPATA (SCHLTR.) KRAENZL.
- 650 H. FORFICARIA (H. BOL.) LINDER
(=Forficaria graminifolia Lindl.) 1
- H. haematopetala (Rendle) Kraenzl. = H. BAURII
- 700 H. GRAMINIFOLIA (KER-GAWL. EX SPRENG) DUR. & SCHINZ
- 800 H. HIANIS (L. F.) A.V. HALL
(=H. lacera (L. f.) Fourc.) 1
- H. lacera (L. f.) Fourc. = H. HIANIS
- 1000 H. LUGENS (H. BOL.) KRAENZL. VAR. LUGENS
- 1050 H. LUGENS (H. BOL.) KRAENZL. VAR. NIGRESCENS LINDER
- 1100 H. MULTIFIDA (LINDL.) ROLFE
(=H. charpentieriana (Reichb. f.) Kraenzl.) 1
- 1150 H. NEWDIGATEAE (L. BOL.) LINDER
- 1200 H. PURPURASCENS (H. BOL.) KRAENZL.
- 1250 H. SCHLECHTERIANA (H. BOL.) LINDER
(=Disa schlechteriana H. Bol.) 1
- 1300 H. SPATHULATA (L. F.) ROLFE SUBSP. SPATHULATA
- 1380 H. SPATHULATA (L. F.) ROLFE SUBSP. TRIPARTITA (LINDL.) LINDER
- 1500 H. VENUSTA (H. BOL.) KRAENZL.
- 1435010 -Forficaria Lindl. = HERSCHELIA
F. graminifolia Lindl. = HERSCHELIA FORFICARIA
- 1436000 -MONADENIA LINDL.
1. LINDER. 1981. BOTHALIA 13: 339.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 M. ATRORUBENS (SCHLTR.) ROLFE
M. auriculata (H. Bol.) Rolfe = M. DENSIFLORA
M. basutorum (Schltr.) Rolfe = DISA BASUTORUM
- 400 M. BOLUSIANA (SCHLTR.) ROLFE
- 450 M. BRACTEATA (SWARTZ) DUR. & SCHINZ
(=M. micrantha Lindl.) 1
(=M. praetermissa Schltr.) 1
- 500 M. BREVICORNIS LINDL.
- 550 M. CERNUA (THUNB.) DUR. & SCHINZ
(=M. prasinata Lindl.) 1
- 600 M. COMOSA REICHB. F.
- 700 M. CONFERTA (H. BOL.) KRAENZL.
- 800 M. DENSIFLORA LINDL.
(=M. auriculata (H. Bol.) Rolfe) 1
(=M. multiflora Sond.) 1
- 900 M. ECALCARATA G.J. LEWIS
- M. Ieydenburgensis Kraenzl. = DISA STACHYOIDES
- 1300 M. MACROSTACHYA LINDL.

M. micrantha Lindl. = M. BRACTEATA
 M. multiflora Sond. = M. DENSIFLORA
 1600 M. OPHRYDEA LINDL.
 1700 M. PHYSODES (SWARTZ) REICHB. F.
 M. praetermissa Schltr. = M. BRACTEATA
 M. prasinata Lindl. = M. CERNUA
 1900 M. PYGMAEA (H. BOL.) DUR. & SCHINZ
 2000 M. RETICULATA (H. BOL.) DUR. & SCHINZ
 2050 M. RUFESCENS (THUNB.) DUR. & SCHINZ
 2100 M. SABULOSA (H. BOL.) KRAENZL.

1437000 -DISPERIS SWARTZ
 1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 300 D. ANTHOCEROS REICHB. F.
 (=D. hamadryas Schltr.) 1
 D. allisonii Rolfe = D. COOPERI
 D. anomala Schltr. = D. STENOPECTRON
 D. bicolor Rolfe = D. TYSONII
 500 D. BODKINI H. BOL.
 600 D. BOLUSIANA SCHLTR.
 D. buechananii Rolfe = D. COOPERI
 800 D. CAPENSIS (L.) SWARTZ VAR. CAPENSIS
 850 D. CAPENSIS (L.) SWARTZ VAR. BREVICAUDATA ROLFE
 900 D. CARDIOPHORA HARV.
 1000 D. CIRCUMFLEXA (L.) DUR. & SCHINZ VAR. CIRCUMFLEXA
 1050 D. CIRCUMFLEXA (L.) DUR. & SCHINZ VAR. AEMULA SCHLTR.
 1100 D. CONCINNA SCHLTR.
 1200 D. COOPERI HARV.
 (=D. allisonii Rolfe) 1
 (=D. buechananii Rolfe) 1
 (=D. ermelenensis Rolfe) 1
 1300 D. CUCULLATA SWARTZ
 D. cucullata x villosa = D. X DUCKITTIAE
 1400 D. DISAEFORMIS SCHLTR.
 D. ermelenensis Rolfe = D. COOPERI
 1600 D. FANNINIAE HARV.
 D. flava Rolfe = D. WEALEI
 D. gracilis Schltr. = D. WEALEI
 D. hamadryas Schltr. = D. ANTHOCEROS
 1850 D. JOHNSTONII ROLFE
 D. kermesina Rolfe = D. TYSONII
 2000 D. LINDLEYANA REICHB. F.
 2100 D. MACOWANII H. BOL.
 2200 D. MACRODORYS ROLFE
 2300 D. MICRANTHA LINDL.
 D. natalensis Rolfe = D. STENOPECTRON
 D. nelsonii Rolfe = D. VIRGINALIS
 2600 D. OXYGLOSSA H. BOL.
 2700 D. PALUDOSA HARV. EX LINDL.
 2800 D. PURPURATA REICHB. F.
 2850 D. RENIBRACTEA SCHLTR.
 2900 D. STENOGLLOSSA SCHLTR.
 3000 D. STENOPECTRON REICHB. F.
 (=D. anomala Schltr.) 1
 (=D. natalensis Rolfe) 1
 3100 D. THORNCROFTII SCHLTR.
 3200 D. TYSONII H. BOL.
 (=D. bicolor Rolfe) 1
 (=D. kermesina Rolfe) 1
 3300 D. VILLOSA (L. F.) SWARTZ
 3400 D. VIRGINALIS SCHLTR.
 (=D. nelsonii Rolfe) 1
 3500 D. WEALEI REICHB. F.
 (=D. flava Rolfe) 1
 (=D. gracilis Schltr.) 1
 3600 D. WOODII H. BOL.
 3700 D. X DUCKITTIAE
 (=D. cucullata x villosa) 1

1438000 -PTERYGODIUM SWARTZ
 1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 100 P. ACUTIFOLIUM LINDL.
 200 P. ALATUM (THUNB.) SWARTZ
 300 P. CAFFRUM (L.) SWARTZ
 400 P. CATHOLICUM (L.) SWARTZ
 470 P. CONNIVENS SCHELPE
 500 P. COOPERI ROLFE
 (=P. maccloughlinii H. Bol.) 1
 600 P. CRUCIFERUM SOND
 800 P. HASTATUM H. BOL.
 900 P. LEUCANTHUM H. BOL.
 P. maccloughlinii H. Bol. = P. COOPERI
 1070 P. NEWDIGATEAE H. BOL. VAR. CLEISTOGAMUM H. BOL.
 1100 P. NEWDIGATEAE H. BOL. VAR. NEWDIGATEAE
 1200 P. PENTHERIANUM SCHLTR.
 1300 P. PLATYPETALUM LINDL.
 P. venosum Lindl. = EVOTA VENOSA
 1500 P. VOLUCRIS (L. F.) SWARTZ
 (=Ommatodium volucris (L. f.) Lindl.) 1

1438010 -Ommatodium Lindl. = PTERYGODIUM
 O. volucris (L. f.) Lindl. = PTERYGODIUM VOLUCRIS

1438020 -ANDCHILUS ROLFE
 1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
 100 A. FLANAGANII (H. BOL.) ROLFE
 200 A. INVERSUS (THUNB.) ROLFE
 300 A. HALLII SCHELPE

- 1439000 -CERATANDRA ECKL. EX BAUER
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 C. ATRATA (L.) DUR. & SCHINZ
(=C. chloroleuca Eckl. ex Bauer) 1
C. chloroleuca Eckl. ex Bauer = C. ATRATA
200 C. GLOBOSA LINDL.
(=Ceratandropsis globosa (Lindl.) Rolfe) 1
300 C. GRANDIFLORA LINDL.
(=Ceratandropsis grandiflora (Lindl.) Rolfe) 1
C. harveyana Lindl. = EVDTA HARVEYANA
- 1439010 -Ceratandropsis Rolfe = CERATANDRA
C. globosa (Lindl.) Rolfe = CERATANDRA GLOBOSA
C. grandiflora (Lindl.) Rolfe = CERATANDRA GRANDIFLORA
- 1439020 -EVDTA ROLFE
1. SCHELPE & ANTHONY. 1982. CONTR. BOL. HERB. 10: 161.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
200 E. BICOLOR (SOND. EX DREGE) ROLFE
300 E. HARVEYANA (LINDL.) ROLFE
(=Ceratandra harveyana Lindl.) 2
400 E. VENOSA (LINDL.) SCHELPE
(=Pterygodium venosum Lindl.) 1
- 1440000 -CORDYCIUM SWARTZ
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
50 C. ALTICOLA PARKMAN & SCHELPE
100 C. BICOLORUM (THUNB.) SWARTZ
200 C. BIFIDUM SOND.
300 C. CARNOSUM (LINDL.) ROLFE
400 C. CRISPUM (THUNB.) SWARTZ
500 C. DEFLEXUM (H. BOL.) ROLFE
550 C. DRACOMONTANUM PARKMAN & SCHELPE
600 C. EXCISUM LINDL.
700 C. MAGNUM (REICHB. F.) ROLFE
800 C. MICROGLOSSUM LINDL.
850 C. MUNDII SCHLTR.
900 C. NIGRESCENS SOND.
1000 C. OROBANCHOIDES (SWARTZ) SCHLTR.
1050 C. PATERSONIAE SCHLTR.
1100 C. RUBIGINOSUM (SOND.) ROLFE
1200 C. TRICUSPIDATUM H. BOL.
1400 C. VESTITUM SWARTZ
- 1468000 -NERVELIA COMM. EX GAUD.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
50 N. ADOLPHII SCHLTR.
N. grandiflora Schltr. = N. UMBROSA
N. natalensis Schelpe = N. UMBROSA
400 N. PURPURATA (REICHB. F.) SCHLTR.
500 N. RENIFORMIS SCHLTR.
600 N. UMBROSA (REICHB. F.) SCHLTR.
(=N. grandiflora Schltr.) 1
(=N. natalensis Schelpe) 1
- 1480000 -VANILLA JUSS.
1. WARD. 1984. S. AFR. ORCH. JL 15: 48.
100 V. ROSCHERI REICHB. F.
- 1486000 -GASTRODIA R. BR.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 G. SESAMOIDES R. BR. *
- 1487000 -DIDYMOPLEXIS GRIFF.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
200 D. VERRUCOSA J. STEWART & E. F. HENNESSY
- 1502000 -ZEUXINE LINDL.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 Z. AFRICANA REICHB. F.
(=Z. cochlearis Schltr.) 1
Z. cochlearis Schltr. = Z. AFRICANA
- 1503010 -CHEIROSTYLIS BLUME
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 C. GYMNOCHILOIDES (RIDLEY) REICHB. F.
- 1516000 -PLATYLEPIS A. RICH.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
P. australis Rolfe = P. GLANDULOSA
100 P. GLANDULOSA (LINDL.) REICHB. F.
(=P. australis Rolfe) 1
- 1531000 -CORYMBORKIS THOUARS
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 C. CORYMBIS THOUARS
(=Corymbis welwitschii Reicb. f.) 1
(=Corymborkis corymbosa (Ridley) Kuntze) 1
C. corymbosa (Ridley) Kuntze = C. CORYMBIS
- 1531010 -Corymbis Thouars = CORYMBORKIS
C. welwitschii Reicb. f. = CORYMBORKIS CORYMBIS
- 1556000 -LIPARIS L. C. RICH.
1. STEWART. 1981. AM. ORCH. SOC. BULL. 50: 547.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 L. BOWKERI HARV.
(=L. gerrardii Reicb. f.) 1
(=L. neglecta Schltr.) 1

- 200 L. CAPENSIS LINDL.
L. gerrardii Reichenb. f. = L. BOWKERI
L. neglecta Schltr. = L. BOWKERI
400 L. ODDONTOCHILOS SUMMERH.
500 L. REMOTA J. STEWART & SCHELPE
- 1558000 -*DBERONIA* LINDL.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 O. DISTICHA (LAM.) SCHLTR.
- 1561000 -*ACROLOPHIA* PFITZER
1. SCHELPE & ANTHONY. 1982. CONTR. BOL. HERB. 10: 156.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 A. BOLUSII ROLFE
150 A. CAPENSIS (BERG.) FOURC. VAR. CAPENSIS
(=A. comosa (Sond.) Schltr. & H. Bol.) 2
(=A. sphaerocarpa (Sond.) Schltr. & H. Bol.) 2
(=A. tristis (L. f.) Schltr. & H. Bol.) 2
170 A. CAPENSIS (BERG.) FOURC. VAR. LAMELLATA (LINDL.) SCHELPE
(=A. lamellata (Lindl.) Schltr. & H. Bol.) 1
200 A. COCHLEARIS SCHLTR. & H. BOL.
A. comosa (Sond.) Schltr. & H. Bol. = A. CAPENSIS VAR. CAPENSIS
A. lamellata (Lindl.) Schltr. & H. Bol.) 1
500 A. LUNATA (SCHLTR.) SCHLTR. & H. BOL.
600 A. MICRANTHA (LINDL.) SCHLTR. & H. BOL.
A. sphaerocarpa (Sond.) Schltr. & H. Bol. = A. CAPENSIS VAR. CAPENSIS
A. tristis (L. f.) Schltr. & H. Bol. = A. CAPENSIS VAR. CAPENSIS
900 A. USTULATA (H. BOL.) SCHLTR. & H. BOL.
- 1565000 -*POLYSTACHYA* HOOK.
1. BALL. 1978. S. AFR. EPIPH. ORCH.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
50 P. ALBESCENS RIDLEY SUBSP. IMBRICATA (ROLFE) SUMMERH.
70 P. CONCRETA (JACQ.) GARAY & SWEET
(=P. modesta Reichenb. f.) 2
(=P. rigidula Reichenb. f.) 2
(=P. similis Reichenb. f.) 2
(=P. tessellata Lindl.) 2
(=P. tricuris Reichenb. f.) 2
80 P. CULTRIFORMIS (THOUARS) SPRENG.
(=P. gerrardii Harv.) 2
90 P. FUSIFORMIS (THOUARS) LINDL.
P. gerrardii Harv. = P. CULTRIFORMIS
P. glaberrima Schltr. = P. OTTONIANA
P. modesta Reichenb. f. = P. CONCRETA
P. natalensis Rolfe = P. TRANSVAALENSIS
400 P. OTTONIANA REICHB. F.
(=P. glaberrima Schltr.) 2
500 P. PUBESCENS REICHB. F.
P. rigidula Reichenb. f. = P. CONCRETA
600 P. SANDERSONII HARV.
P. similis Reichenb. f. = P. CONCRETA
P. tessellata Lindl. = P. CONCRETA
900 P. TRANSVAALENSIS SCHLTR.
(=P. natalensis Rolfe) 2
P. tricuris Reichenb. f. = P. CONCRETA
950 P. ZAMBESIIA ROLFE
1000 P. ZULUENSIS L. BOL.
- 1568000 -*ANSELLIA* LINDL.
1. STEWART. 1981. SA. ORCH. J.L. 12: 4.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
50 A. AFRICANA LINDL. VAR. AUSTRALIS SUMMERH.
100 A. GIGANTEA REICHB. F. VAR. GIGANTEA
200 A. GIGANTEA REICHB. F. VAR. NILOTICA (BAK.) SUMMERH.
- 1631000 -*CALANTHE* R. BR.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
C. natalensis (Reichenb. f.) Reichenb. f. = C. SYLVATICA
200 C. SYLVATICA (THOUARS) LINDL.
(=C. natalensis (Reichenb. f.) Reichenb. f.) 1
- 1647000 -*Lissochilus* R. Br. = *EULOPHIA*
Southern African *EULOPHIA* species were once attributed to this genus.
- 1648000 -*EULOPHIA* R. BR. EX LINDL.
1. HALL. 1965. J.L. S. AFR. BOT. SUPPL. 5.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
#. PRE HERBARIUM PRACTICE, FOLLOWING HALL.
100 E. ACULEATA (L. F.) SPRENG. SUBSP. ACULEATA
200 E. ACULEATA (L. F.) SPRENG. SUBSP. HUTTONII (ROLFE) A.V. HALL
300 E. ANGOLENSIS (REICHB. F.) SUMMERH.
E. austrooccidentalis Solch = E. SPECIOSA
E. bakeri Rolfe = E. OVALIS SUBSP. OVALIS
400 E. CALANTHOIDES SCHLTR.
500 E. CHLORANTHA SCHLTR.
550 E. CHRYSOPS SUMMERH.
600 E. CLAVICORNIS LINDL. VAR. CLAVICORNIS
(=E. hians sensu Rolfe, non (L. f.) Spreng.) 1
700 E. CLAVICORNIS LINDL. VAR. INAEQUALIS (SCHLTR.) A.V. HALL
(=E. watkinsonii Rolfe) 1
800 E. CLAVICORNIS LINDL. VAR. NUTANS (SOND.) A.V. HALL
900 E. CLITELLIFERA (REICHB. F.) H. BOL.
1000 E. CODDII A.V. HALL
1050 E. COELOGLOSSA SCHLTR.
E. complanata Verdoorn = E. OVALIS SUBSP. BAINESII
1100 E. COOPERI REICHB. F.
1200 E. CUCULLATA (AFZEL. EX SWARTZ) STEUD.

- 1300 E. ENSATA LINDL.
1400 E. FOLIOSA (LINDL.) H. BOL.
1500 E. FRIDERICII (REICHB. F.) A.V. HALL
1600 E. HEREROENSIS SCHLTR.
E. hians sensu Rolfe, non (L. f.) Spreng. = E. CLAVICORNIS VAR. CLAVICORNIS
1650 E. HOLUBII ROLFE
1700 E. HORSFALLII (BATEM.) SUMMERH.
1750 E. LATILABRIS SUMMERH.
1800 E. LEACHII GREATREX EX A.V. HALL
1900 E. LEONTOGLOSSA REICHB. F.
E. leucantha (Kraenzl.) Solch. = E. SPECIOSA
2000 E. LITORALIS SCHLTR.
2050 E. LIVINGSTONIANA (REICHB. F.) SCHLTR.
2100 E. LONGISEPALA RENDLE
2200 E. MACOWANII ROLFE
2300 E. MELEAGRIS REICHB. F.
2400 E. MILNEI REICHB. F.
2500 E. NIGRICANS SCHLTR.
2600 E. ODONTOGLOSSA REICHB. F.
2700 E. OVALIS LINDL. SUBSP. BAINESII (ROLFE) A.V. HALL
(E. complanata Verdoorn) 1
2800 E. OVALIS LINDL. SUBSP. OVALIS
(E. bakeri Rolfe) 1
2900 E. PARVIFLORA (LINDL.) A.V. HALL
3000 E. PARVILABRIS LINDL.
3100 E. PETERSII REICHB. F.
3200 E. PLATYPETALA LINDL.
3300 E. SCHWEINFURTHII KRAENZL.
3400 E. SPECIOSA (R. BR. EX LINDL.) H. BOL.
(E. austrooccidentalis Solch.) #
(E. leucantha (Kraenzl.) Solch.) #
(E. wakefieldii (Reichb. f. & S. Moore) Summerh.) #
3500 E. STREPTOPETALA LINDL.
3600 E. TABULARIS (L. F.) H. BOL.
3700 E. TENELLA REICHB. F.
3800 E. TUBERCULATA H. BOL.
E. wakefieldii (Reichb. f. & S. Moore) Summerh. = E. SPECIOSA
3860 E. WALLERI KRAENZL.
E. watkinsonii Rolfe = E. CLAVICORNIS VAR. INAEQUALIS
3900 E. WELWITSCHII (REICHB. F.) ROLFE
4000 E. ZEYHERIANA SOND.
- 1648010 -Eulophidium Pfitz. = OECEOCLADES
E. dissimile R.A. Dyer = OECEOCLADES LONCHOPHYLLA
E. mackenii (Rolfe ex Hemsl.) Schltr. = OECEOCLADES MACKENII
E. tainioides (Schltr.) Summerh. = OECEOCLADES LONCHOPHYLLA
- 1648020 -OECEOCLADES LINDL.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 O. MACKENII (ROLFE EX HEMSL.) GARAY & TAYLOR
(Eulophidium mackenii (Rolfe ex Hemsl.) Schltr.) 1
200 O. LONCHOPHYLLA (REICHB. F.) GARAY & TAYLOR
(Eulophidium dissimile R.A. Dyer) 1
(Eulophidium tainioides (Schltr.) Summerh.) 1
- 1704000 -CIRRHOPE TALUM LINDL.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 C. UMBELLATUM (FORST. F.) HOOK. & ARN.
- 1705000 -BULBOPHYLLUM THOUARS
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 B. SANDERSONII REICHB. F.
200 B. SCABERULUM ROLFE
250 B. MALAWIENSE MORRIS
- 1824000 -ACAMPE LINDL.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
A. pachyglossa Reichb. f. = A. PRAEMORSA
200 A. PRAEMORSA (ROXB.) BLATTER & MACCANN
(=A. pachyglossa Reichb. f.) 1
- 1828000 -ANGRAECUM BORY
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 A. CHAMAEANTHUS SCHLTR.
200 A. CONCHIFERUM LINDL.
400 A. PUSILLUM LINDL.
500 A. SACCIFERUM LINDL.
600 A. STELLA-AFRICA CRIBB
- 1828010 -TRIDACTYLE SCHLTR.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 T. BICAUDATA (LINDL.) SCHLTR.
150 T. GENTILII (DE WILD.) SCHLTR.
200 T. TRICUSPIS (H. BOL.) SCHLTR.
300 T. TRIDENTATA (HARV.) SCHLTR.
- 1828040 -DIAPHANANTHE SCHLTR.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
50 D. FRAGRANTISSIMA (REICHB. F.) SCHLTR.
200 D. XANTHOPOLLINIA (REICHB. F.) SUMMERH.
- 1828110 -BOLUSIELLA SCHLTR.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
100 B. MAUDIAE (H. BOL.) SCHLTR.

- 1828120 -MICROCOELIA LINDL.
1. JONSSON. 1981. SYMB. BOT. UPPSAL. 23: 4.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 M. EXILIS LINDL.
(=Gussonea chiloschistae (Reichb. f.) Schltr.) 1
- 1828125 -Gussonea A. Rich. = MICROCOELIA
G. chiloschistae (Reichb. f.) Schltr. = MICROCOELIA EXILIS
- 1828140 -JUMELLEA SCHLTR.
1. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 100 J. FILICORNIOIDES (DE WILD.) SCHLTR.
- 1830000 -AERANGIS REICHB. F.
1. STEWART. 1979. KEW BULL. 34: 239.
2. STEWART ET AL. 1982. WILD ORCH. S. AFR.
- 200 A. MYSTACIDIUM (REICHB. F.) SCHLTR.
250 A. SOMALENSIS (SCHLTR.) SCHLTR.
300 A. VERDICKII (REICHB. F.) SCHLTR.
- 1830010 -RANGAERIS SUMMERH.
1. STEWART ET AL 1982. WILD ORCH. S. AFR.
- 100 R. MUSCICOLA (REICHB. F.) SUMMERH.
- 1830030 -YPSILOPUS SUMMERH.
1. STEWART ET AL 1982. WILD ORCH. S. AFR.
- 100 Y. LONGIFOLIUS (KRAENZL.) SUMMERH. SUBSP. ERECTUS CRIBB
- 1835010 -CYRTORCHIS SCHLTR.
1. STEWART ET AL 1982. WILD ORCH. S. AFR.
- 100 C. ARCUATA (LINDL.) SCHLTR.
(=Listrostachys arcuata (Lindl.) Reichb. f.) 1
- 200 C. PRAETERMISSA SUMMERH. VAR. PRAETERMISSA
300 C. PRAETERMISSA SUMMERH. VAR. ZULUENSIS E. HARRISON
- 1835020 -Listrostachys Reichb. f. = CYRTORCHIS
L. arcuata (Lindl.) Reichb. f. = CYRTORCHIS ARCUATA
- 1837000 -MYSTACIDIUM LINDL.
1. STEWART ET AL 1982. WILD ORCH. S. AFR.
- 100 M. ALICEAE H. BOL.
200 M. BRAYDONAE SUMMERH.
300 M. CAFFRUM (H. BOL.) H. BOL.
400 M. CAPENSE (L. F.) SCHLTR.
500 M. FLANAGANII (H. BOL.) H. BOL.
600 M. GRACILE (REICHB. F.) HARV.
700 M. MILLARII H. BOL.
800 M. PUSILLUM HARV.
900 M. VENOSUM HARV. EX ROLFE

REFERENCES

- ACOCKS, J.P.H., 1953. Veld types of South Africa. *Mem. bot. Surv. S. Afr.* 28.
- ACOCKS, J.P.H., 1975. Veld types of South Africa. *Mem. bot. Surv. S. Afr.* 40.
- ADAMSON, R.S. & SALTER, T.M., 1950. *Flora of the Cape Peninsula*. Cape Town: Juta.
- BROTHERUS, V.F., 1924–1925. Musci. In E.G.H. Engler, *Die Natürlichen Pflanzenfamilien* 2, 10 & 11. Leipzig: Engelmann.
- CHIPPINDALL, L., 1955. A guide to the identification of grasses in South Africa. In D. Meredith, Ed., *Grasses and pastures of South Africa*. Cape Town: C.N.A.
- CROSBY, M.R. & MAGILL, R.E., 1981. *A dictionary of mosses*. St. Louis: Missouri Botanical Garden.
- DYER, R.A., 1975. *The genera of southern African flowering plants*. Vol. 1. Pretoria: Department of Agricultural Technical Services.
- DYER, R.A., 1976. *The genera of southern African flowering plants*. Vol. 2. Pretoria: Department of Agricultural Technical Services.
- FLEISCHER, M., 1900–1902. *Die musci der Flora von Buitenzorg*. Leiden: Brill.
- GORDON-GRAY, K.D., 1977. Poaceae. In J.H. Ross, *The Flora of Natal*. *Mem. bot. Surv. S. Afr.* 39.
- JACOT GUILLARMOD, A., 1971. *Flora of Lesotho*. Weinheim: Cramer.
- LETTY, C., 1962. *Wild flowers of the Transvaal*. Pretoria: Wild Flowers of the Transvaal Book Fund.
- MAGILL, R.E., 1982. Bryophyta, Part 1 Mosses Fascicle 1, Sphagnaceae – Grimmiaceae. In O.A. Leistner, Ed., *Flora of Southern Africa*. Pretoria: Department of Agriculture and Fisheries.
- MAGILL, R.E. & SCHELPE, E.A., 1979. The bryophytes of southern Africa, an annotated checklist. *Mem. bot. Surv. S. Afr.* 43.
- SCHELPE, E.A., 1969. A revised checklist of the Pteridophyta of South Africa. *Jl S. Afr. Bot.* 35: 127–140.
- SCHELPE, E.A., 1970. Pteridophyta. In A.W. Exell & E. Launert, *Flora Zambesiaca*. London: Crown Agents.
- SMITH, C.A., 1966. Common names of South African plants. *Mem. bot. Surv. S. Afr.* 35.
- STAFLEU, F.A., Ed., 1981. *Index Herbariorum*. Utrecht: Bonn, Scheltema & Holkema.
- TRAUSELD, W.R., 1969. *Wild flowers of the Natal Drakensberg*. Cape Town: Purnell.
- VOSS, E.G., Ed., 1983. *International code of botanical nomenclature*. Utrecht: Bonn, Scheltema & Holkema.
- WATT, J.M. & BREYER-BRANDWIJK, M.G., 1962. *The medicinal and poisonous plants of southern Africa*. Edinburgh: Livingstone.

INDEX TO FAMILIES AND GENERA

1831	-ABIETINELLA C. MUELL.	1166	-ANTHELIA DUM.
0471020	-ABILDGAARDIA VAHL	1161	ANTHELIACEAE (H29)
1824000	-ACAMPE LINDL.	9901380	-ANTHEPHORA SCHREB.
1880	-Acanthocladia Fleisch. = HETEROPHYLLIUM	0989000	-ANTHERICUM L.
1881	-Acanthocladium Mitt. = WIJKIA	1216	-ANTHOCEROS L.
1401	-ACAULON C. MUELL.	1216	ANTHOCEROTACEAE (A1)
0694000	-ACORUS L.	0818010	-ANTHOCHORTUS NEES
9903311	-ACRACHNE WIGHT & ARNOTT	1312000	-ANTHOLYZA L.
1146	ACROBOLBACEAE (H20)	9901640	-ANTHOXANTHUM L.
1146	-ACROBOLBUS NEES	1686	-ANTITRICHIA BRID.
9901121	-ACROCERAS STAFF	1357	-AGNOSTROEMIA B. S. G.
1561000	-ACROLOPHIA PFITZER	1087	-APHANOLEJEUNEA EVANS
1201	-ACROMASTIGIUM EVANS	1028000	-Apicra willd. = HAWORTHIA
280	-ACROSTICHUM L.	9901741	-Apochaete (C. E. Hubb.) Phipps = TRISTACHYA
290	-ACTINIOPTERIS LINK	1187000	-APODOLIRION BAK.
1140	ADELANTHACEAE (H27)	0065000	-APONOGETON L. F.
1140	-ADELANTHUS MITT.	65000	APONOGETONACEAE
280	ADIANTACEAE	684000	ARACEAE
300	-ADIANTUM L.	590	-ARACHNIODES BLUME
1830000	-AERANGIS REICHB. F.	1202	-ARACHNIOPSIS SPRUCE
1741	-AEROBRYOPSIS FLEISCH.	1326	ARCHIDIACEAE (4)
1046000	-AGAPANTHUS L'HERIT.	1327	-Archidiella Irmsh. = ARCHIDIUM
9904340	-AGROPHYRON GAERTN.	1326	-ARCHIDIUM BRID.
9902430	-AGROSTIS L.	1088	-ARCHILEJEUNEA STEPH.
9901850	-AIRA L.	528000	ARECACEAE
1079000	-ALBUCA L.	1295000	-ARISTEA AIT.
0070000	-ALISMA L.	9902620	-ARISTIDA L.
70000	ALISMACEAE	1131	ARNELLIACEAE (H24)
1049000	-ALLIUM L.	9902000	-ARRHENATHERUM BEAUV.
9900940	-ALLOTROPIS J. S. PRESL	9900670	-ARTHAXON BEAUV.
1181	-ALOBIELLA SPRUCE	480	-ARTHOPTERIS J. SM.
1026000	-ALOE L.	9904550	-Arundinaria Michx. = THAMNOCALAMUS
1402	-ALOINA (C. MUELL.) KINDB.	9901730	-ARUNDINELLA RADDI
175	-Alsophila R. Br. = CYATHEA	9902130	-ARUNDO L.
0063000	-ALTHENIA PETIT	0454000	-ASCOLEPIS NEES EX STEUD.
1166000	AMARYLLIDACEAE	1113000	-ASPARGUS L.
1176000	-AMARYLLIS L.	590	ASPIADIACEAE
531	-Amauropelta Kunze = THELYPTERIS	520	ASPLENIACEAE
1836	AMBLYSTEGIAEAE (73)	520	-ASPLENIUM L.
1835	-Amblystegium B. S. G. = LEPTODICTYUM	1036	-ASTERELLA BEAUV.
1190000	-AMMOCHARIS HERB.	0480000	-Asterochaete Nees = CARPHA
9902560	-AMMOPHILA HOST.	9902033	-Athenantherum Nevski = CENTROFODIA
0723000	-AMORPHOPHALLUS BLUME	1403	-Astomum Hampe = TETRAPTERUM
535	-AMPELOPTERIS KUNZE		-Astroloba = HAWORTHIA
1631	-AMPHIDIUM SCHIMP.	1031	-ATHALAMIA FALC.
1434010	-Amphigena Rolfe = DISA	540	ATHYRIACEAE
1101020	-AMPHISIPHON SCHLTR.	540	-ATHYRIUM ROTH
1312030	-Anacianthe N. E. Br. = ANTHOLYZA	1921	-ATRICHUM BEAUV.
1312020	-ANAPALINA N. E. BR.	1566	AULACOMNIACEAE (34)
1167	-ANASTROPHYLLUM (SPRUCE) STEPH.	1601	-AULACOPILUM WILS.
1306	-ANDRAEA HEDW.	9901950	-AVENA L.
1306	ANDRAEACEAE (2)	1430020	-Avicaps Lindl. = SATYRIUM
0969000	-ANDROCYMBIUM WILLD.	9901050	-AXONOPUS BEAUV.
9900710	-ANDROPOGON L.	1036	AYTONIACEAE (H2)
1101010	-ANDROSIPHON SCHLTR.	200	-AZOLLA LAM.
0899000	-ANEILEMA R. BR.	200	AZOLLACEAE
100	-ANEMIA SWARTZ	1310000	-BABIANA KER-GAWL.
1056	ANEURACEAE (H12)	0970000	-BAEOMETRA SALISB.
1828000	-ANGRAECUM BORY	0899020	-BALLYA BRENNAN
1179000	-Anioganthus Bak. = CYRTANTHUS	9904710	-BAMBUSA SCHREB.
1356	-Anisothecium Mitt. = DICRANELLA	1158000	-BARBERETTA HARV.
1438020	-ANISCHILUS ROLFE	1404	-BARBULA HEDW.
1403	-ANOETANGIUM SCHWAEGR.	1277010	-BARNARDIELLA GOLDBL.
310	-ANOGRAMMA LINK	1416000	-BARTHOLINA R. BR.
1311020	-ANOMALESIA N. E. BR.	1581	-BARTRAMIA HEDW.
1086	-ANOMALOLEJEUNEA SCHIFFN.	1581	BARTRAMIACEAE (37)
1316010	-ANOMATHECA KER-GAWL.	1592	-BARTRAMIDULA B. S. G.
1506	-ANOMOBRYUM SCHIMP.	1203	-BAZZANIA S. GRAY
0459005	-Anosporum Nees = CYPERUS	9901391	-Beckeropsis K. Schum. = PENNISETUM
1568000	-ANSELLIA LINDL.	1147000	-BEHNIA DIDR.

9903442	-BEWSIA GOOSSENS	1137	-CLASMATOCOLEA SPRUCE
690	BLECHNACEAE	9900480	-CLEISTACHNE BENTH.
690	-BLECHNUM L.	1031	CLEVEACEAE (H5)
1351	-BLINDIA B. S. G.	1170000	-CLIVIA LINDL.
220	-BLOTIELLA A. F. TRYON	1051	CODONIACEAE (H11)
1284000	-BOBARTIA L.	9903360	-COELACHYRUM
570	-BOLBITIS SCHOTT	9900290	-COELORHACHIS BRONGN.
1828110	-BOLUSIELLA SCHLTR.	9900020	-COIX L.
1422020	-BONATEA WILLD.	0512000	-COLEOCHLOA GILLY
1168000	-BOOPHANE HERB.	0903000	-COLEOTRYPE C. B. CL.
0555000	-BORASSUS L.	1093	-COLOLEJEUNEA (SPRUCE) SCHIFFN.
9900630	-BOTHRIODCHLOA KUNTZE	9904100	-COLPODIUM TRIN.
1011000	-BOWIEA HARV. EX HOOK. F.	1094	-COLURA DUM.
9901040	-BRACHIARIA GRISEB.	0896000	-COMMELINA L.
1089	-BRACHIOLEJEUNEA (SPRUCE) SCHIFFN.	893000	COMMELINACEAE
9902970	-BRACHYACHNE (BENTH.) STAFF	1315	-Conomitrium Mont. = FISSIDENS
9902864	-BRACHYCHLOA S. M. PHILLIPS	1586	-CONOSTOMUM SW. IN WEB. & MOHR
1428000	-BRACHYCORDYTHIS LINDL.	9902110	-CORTADERIA STAFF
1507	-BRACHYMENIUM SCHWAEGR.	1440000	-CORYCIUM SWARTZ
9904320	-BRACHYPODIUM BEAUV.	1531010	-Corymbis Thouars. = CORYMBORKIS
1851	BRACHYTHECIACEAE (74)	1531000	-CORYMBORKIS THOUARS
1851	-BRACHYTHECIUM B. S. G.	9901880	-CORYNEPHORUS BEAUV.
1671	-BRAUNIA B. S. G.	0482000	-Costularia C. B. Cl. = TETRARIA
1583	-BREUTELIA (B. S. G.) SCHIMP.	0461000	-COURTOISIA NEES
9904040	-BRIZA L.	9903090	-CRASPEDORHACHIS BENTH.
9904280	-BROMUS L.	1836	-CRATONEURON (SULL.) SPRUCE
1433000	-BROWNLEE HARV. EX LINDL.	9903505	-Crinipes Hochst.
1358	-BRUCHIA SCHWAEGR.	1189000	-CRINUM L.
1177000	-BRUNSVIGIA HEIST.	1306010	-CROCOSMIA PLANCH.
1506	BRYACEAE (24)	1405	-CROSSIDIUM JUR.
1435	-BRYOBARTRAMIA SAINSB.	1681	-CRYPHAEA MOHR IN WEB.
1435	BRYOBARTRAMIACEAE (14A)	1681	CRYPHAEACEAE (48)
1431	-BRYOERYTHROPHYLLUM CHEN	1179000	-Cryptostephanus Welw. = CYRTANTHUS
1508	-BRYUM HEDW.	600	-CTENITIS C. CHR. EX TARDIEU
0985000	-BULBINE WILLD.	9902990	-CTENIUM PANZ.
0984000	-BULBINELLA KUNTH	37000	CUPRESSACEAE
1705000	-BULBOPHYLLUM THOUARS	1306050	-Curtanus N.E. Br. = CROCOSMIA
0471010	-BULBOSTYLIS KUNTH	1233000	-CYANELLA L.
1382000	-BURMANNIA L.	0904000	-CYANOTIS D. DON
1376000	BURMANNIACEAE	180	-CYATHEA J. E. SM.
0079000	-BURNATIA P. A. MICH.	175	CYATHEACEAE
1002000	-CAESIA R. BR.	1021	-CYATHODIUM KUNZE
9902460	-CALAMAGROSTIS ADANS.	1190010	-CYBISTETES MILNE-REDH. & SCHWEICK.
1631000	-CALANTHE R. BR.	1784	-CYCLODICTYON MITT.
0072010	-CALDESIA PARL.	534	-Cyclosorus Link = THELYPTERIS
1781	-CALLICOSTELLA (C. MUELL.) MITT.	1472	-CYGNICOLLUM FIFE & MAGILL
1386	CALYMPERACEAE (12)	9900720	-CYMBOPOGON SPRENG.
1386	-CALYMPERES SW. IN WEB.	9901282	-CYMBOSETARIA SCHWEICK.
1211	-CALYPOGEJA RADDI	0060000	-Cymodocea Koenig = THALASSODENDRON
1211	CALYPOGEJACEAE (H30)	9902960	-CYNODON RICH. EX PERS.
1731	-CALYPTOTHECIUM MITT.	1421000	-CYNORKIS THOUARS.
1782	-CALYPTROCHAETA DESV.	9903730	-CYNOSURUS L.
0975010	-CAMPTORRHIZA PHILL.	452000	CYPERACEAE
1359	-CAMPYLOPUS BRID.	0499000	-CYPERUS L.
1363000	-CANNA L.	9903331	-Cypholepis Chiov. = COELACHYRUM
1363000	CANNACEAE	1191000	-CYRTANTHUS L. F.
0817000	-CANNOMOIS BEAUV. EX DESV.	1835010	-CYRTORCHIS SCHLTR.
0525000	-CAREX L.	550	-CYSTOPTERIS BERNH.
0456000	-CARPHA BANKS & SOLAND.	9903880	-DACTYLIS L.
1166010	-CARPOLYZA SALISB.	9903320	-DACTYLOCTENIUM WILLD.
1019	-Carrpos Prosk. = MONOCARPUS	9902040	-Danthonia DC. = Several genera
9903800	-Catabrosia Beauv. = COLPODIUM	9901770	-DANTHONIOPSIS STAFF
1751	-CATAGONIUM C. MUELL. EX BROTH.	1102000	-DAUBENYA LINDL.
9902942	-CATALEPIS STAFF & STENT	490	-DAVALLIA J. E. SM.
9904200	-Catapodium Link = DESMAZERIA	480	DAVALLIACEAE
1090	-CAUDALEJEUNEA STEPH.	9904780	-DENDROCALAMUS NEES
9901400	-CENCHRUS L.	220	DENNSTAEDTIACEAE
9902033	-CENTROPODIA REICHB.	9901890	-DESCHAMPSIA BEAUV.
1422010	-CENTROSTIGMA SCHLTR.	1406	-DESMATODON BRID.
1182	-CEPHALOZIA (DUM.) DUM.	9904010	-DESMAZERIA DUMORT.
1181	CEPHALOZIACEAE (H26)	9902852	-DIANDROCHLOA DE WINTER
1176	-CEPHALOZIELLA (SPRUCE) SCHIFFN.	1828040	-DIAPHANANTHE SCHLTR.
1176	CEPHALOZIELLACEAE (H28)	9900640	-DICHANTHIUM WILLEMET
1439000	-CERATANDRA ECKL. EX BAUER	1356	DICRANACEAE (8)
1439010	-Ceratandropsis Rolfe = CERATANDRA	1361	-DICRANELLA (C. MUELL.) SCHIMP.
1331	-CERATODON BRID.	1095	-DICRANOLEJEUNEA STEPH.
330	-CERATOPTERIS BRONGN.	1362	-DICRANOLOMA (REN.) REN.
530	-CETERACH DC.	140	-DICRANOPTERIS BERNH.
9902060	-CHAETOBROMUS NEES	1362	-Dictanum Hedw. = CAMPYLOPUS
1446	-CHAMAEBRYUM THER. & DIX.	610	-DIDYMOCHLAENA DESV.
1168	-CHANDONANTHUS MITT.	1407	-DIDYMODON HEDW.
1306030	-CHASMANTHE N. E. BR.	1487000	-DIDYMOFLEXIS GRIFF.
340	-CHEILANTHES SWARTZ	9900690	-Dietomis Kunth = ANDROPOGON
1091	-CHEILOLEJEUNEA (SPRUCE) SCHIFFN.	1303000	-DIERAMA K. KOCH
1503010	-CHEIROSTYLIS BLUME	1265010	-DIETES SALISB. EX KLATT
1136	-CHILIOSCPHYUS CORDA	9900890	-DIGITARIA HALLER
9903010	-CHLORIS SWARTZ	9900894	-Digitariella De Winter = DIGITARIA
0990000	-CHLOROPHYTUM KER-GAWL.	9900810	-DIMETEROPOGON STAFF
0805000	-CHONDROPETALUM ROTTB.	1160000	-DILATRIS BERG.
1359	-CHORISODONTIUM (MITT.) BROTH.	1801	-DIMERODONTIUM MITT.
1029010	-Chortolirion Berger = HAWORTHIA	9903300	-DINEBRA JACQ.
533	-Christella Leveille = THELYPTERIS	1252000	-DIOSCOREA L.
0500000	-CHRYSITRHX L.	1250000	DIOSCOREACEAE
9900500	-CHRYSOPOGON TRIN.	1084000	-DIPCAD I MEDIC.
1092	-Cilirolejeunea S. Arnell = LEJEUNEA	0971005	-Dipidax Laus. = ONIXOTIS
1704000	-CIRRHOPELALUM LINDL.	9903450	-DIPLACHNE BEAUV.
0489000	-CLADIUM P. BR.	1096	-DIPLASIOLEJEUNEA (SPRUCE) SCHIFFN.
1360	-CLADOPHASCUM DIX.	560	-DIPLAZIUM SWARTZ
9902865	-CLADORAPHIS FRANCH.		

1434000	-DISA BERG.	1262000	-GALAXIA THUNB.
1437000	-DISPERIS SWARTZ	1081000	-GALTONIA DECNE.
1332	-DISTICHUM B.S.G.	1027000	-GASTERIA DUVAL
1785	-DISTICHOPHYLLUM DOZY & MOLK.	9902480	-GASTRIDUM BEAUV.
1331	DITRICHACEAE (5)	1486000	-GASTRODIA R. BR.
1333	-DITRICHUM HAMPE	9901772	-Gazochloa J.B. Phipps = DANTHONIOPSIS
9901742	-Dolichochaete (C.E. Hubb.) Phipps = TRISTACHYA	1300000	-GEISSORHIZA KER-GAWL.
350	-Doryopteris J. SM. = CHEILANTHES	1186000	-GETHYLLIS L.
1109000	-DRACAENA VAND. EX L.	1446	GIGASPERMACEAE (16)
9902045	-DREGEOCHLOA CONERT	1447	-GIGASPERMUM LINDB.
1837	-DREPANOCLADUS (C. MUELL.) G. ROTH.	1311000	-GLADIOLUS L.
1097	-DREPANOLEJEUNEA (SPRUCE) SCHIFFN.	150	-GLEICHENIA J.E. SM.
1082000	-DRIMIA JACQ. EX WILLD.	140	-GLEICHENIACEAE
1090000	-DRIMIOPSIS LINDL.	0963000	-GLORIOSA L.
565	-DRYDATHYRIUM CHING	1610	-Glyphomitrium Brid. = PTYCHOMITRIUM
620	-DRYOPTERIS ADANS.	0693000	-GONATOPUS HOOK. F. EX ENGL.
1026	-DUMORTIERA NEES	1131	-GONGYLANTHUS NEES
1306020	-DUTHIASTRUM DE VOS	1468	-GONIOMITRIUM HOOK. & WILS.
1306060	-DuthieIIa De Vos = DUTHIASTRUM	395	-GRAMMIDACEAE
1334	-ECCREMIIDIUM HOOK. F. & WILS.	395	-GRAMMITIS SWARTZ
9901120	-ECHINOCHLOA BEAUV.	1441	-GRIMMIA HEDW.
0475010	-Ecklonia Steud. = TRIANOPTILES	1441	GRIMMIACEAE (15)
1896	-ECTROPOTHECIUM MITT.	1828125	-Gussonea A. Rich. = MICROCOELIA
0087000	-EGERIA PLANCH.	1151	GYMNOMITRIACEAE (H2I)
9901600	-EHRHARTA THUNB.	1151	-GYMNOMITRIUM CORDA
0921000	-EICHHORNIA KUNTH	1409	-GYMNOSTOMUM NEES & HORNSCH.
580	-ELAPHOGLOSSUM SCHOTT	1265020	-GYMNANDRIRIS PARL.
0807000	-ELEGIA L.	1422000	-HABENARIA WILDL.
0469010	-ELEOCHARIS R. BR.	9900220	-HACKELOCHLOA KUNTZE
9903310	-ELEUSINE GAERTN.	1167000	-HAEMANTHUS L.
9900280	-ELIONURUS KUNTH EX WILLD.	1157000	HAEMODORACEAE
1089010	-Elsiea Leighton = ORNITHOGALUM	0061000	-HALODOLE ENDL.
9900801	-ELYMANDRA STAFF	0085000	-HALOPHILA THOUARS.
9903700	-ELYTROPHORUS BEAUV.	1826	-HAPLOCLADIUM (C. MUELL.) C. MUELL.
1229010	-EMPODIUM SALISB.	1827	-HAPLOPHYMIUM DOZY & MOLK.
1396	-ENCALYPTA HEDW.	9902980	-HARPOCHLOA KUNTH
1396	ENCALYPTACEAE (13)	1029000	-HAWORTHIA DUVAL
0005000	-ENCEPHALARTOS LEHM.	1672	-HEDWIGIA BEAUV.
1300010	-ENGYSIPHON G. J. LEWIS	1671	HEDWIGIACEAE (47)
9903570	-ENNEAPOGON DESV. EX BEAUV.	1673	-HEDWIGIDIUM B.S.G.
1318010	-ENSETE HORAN.	1803	-HELICODONTIUM SCHWAEGR.
9903000	-ENTEROPOGON NEES	9901970	-HELICTOTRICHON BESS. EX SCHULT.
1861	-ENTODON C. MUELL.	0503010	-HELLMUTHIA STEUD.
1861	ENTODONTACEAE (75)	9900210	-HEMARTHRIA R. BR.
9901021	-ENTOLASIA STAFF	0453000	-HEMICARPHA NEES & ARN.
9903280	-ENTOPLOCAMIA STAFF	185	-Hemitelia R. Br. = CYATHEA
1466	-Entosthodon Schwaeagr. = FUNARIA	1000	HEPATICA
1461	EPHEMERACEAE (18)	1156	HERBERTACEAE (H33)
1461	-EPHEMERUM HAMPE	1156	-HERBERTUS S. GRAY
0477010	-EPISCHOENUS C.B. CL.	1828	-HERPETINEURON (C. MUELL.) CARD.
50	EQUISETACEAE	1435000	-HERSCHELIA LINDL.
50	-EQUISETUM L.	1301000	-HESPERANTHA KER-GAWL.
9902860	-ERAGROSTIS BEAUV.	1166000	-HESSEA HERB.
828000	ERIOCAULACEAE	0924000	-HETERANTHERA RUIZ & PAV.
0828000	-ERIOCAULON L.	9902861	-Heterocarpha Stapf & C.E. Hubb. =
9901020	-ERIOCHLOA KUNTH	1882	BRACHYCHLOA
9900420	-ERIOCHRYDIS BEAUV.	9900800	-HETEROPHYLLIUM (SCHIMP.) KINDB. IN
1786	-Eriopus Brid. = CALYPTROCHAETA	0965010	FLEISCH.
1012000	-ERIOSPERMUM JACQ. EX WILLD.	1273000	-HETEROPOGON PERS.
0512010	-Eriospota Hochst. = COLEOCHLOA	230	-HEXACYRTIS DINTER
1601	ERPODACEAE (40)	9901920	-HEXAGLOTTIS VENT.
1602	-ERPODIUM (BRID.) BRID.	1363	-HISTIOPTERIS J. SM.
1862	-ERYTHRODONTIUM HAMPE	1408000	-HOLCUS L.
1408	-EUCLADIUM B.S.G.	1277000	-HOLOMITRIUM BRID.
1088000	-EUCOMIS L'HERIT.	1311010	-HOLOTHRIX L.C. RICH. EX HOOK.
9900530	-EULALIA KUNTH.	1781	-HOMOGLOSSUM SALISB.
1648000	-EULOPHIA R. BR. EX LINDL.	1787	HOOKERACEAE (65)
1648010	-Eulophidium Pfitz. = DECEOCLADES	9904510	-HOOKERIOPSIS (BESCH.) JAEG.
9903020	-EUSTACHYS DESV.	1410	-HORDEUM L.
1536	-EUSTICHIA (BRID.) BRID.	1410	-HUSNOTIELLA CARD.
1536	EUSTICHIAEAE (28)	1414000	-HUTTONAEA HARV.
1439020	-EVOTA ROLFE	1093000	-Hyacinthus L. = POLYXENA
1046	-EXORMOOTHECA MITT.	85000	HYDROCHARITACEAE
1046	EXORMOTHEACEAE (H4)	1838	-HYDROAMBLYSTEGIUM LOESKE
1802	-FABRONIA RADDI	1911	HYLOCOMIACEAE (80)
1801	FABRONIACEAE (70)	160	HYMENOPHYLLACEAE
1272000	-FERRARIA BURM. EX MILL.	160	-HYMENOPHYLLUM J.E. SM.
9904170	-FESTUCA L.	1411	-Hymenostomum R. BR. = Several genera
0465000	-FICINIA SCHRAD.	1412	-HYMENOSTYLIUM BRID.
0471000	-FIMBRISTYLIS VAHL	1413	-HYOPHILA BRID.
9903710	-FINGERHUTHIA NEES	9900730	-HYPARRHENIA ANDERS. EX FOURN.
1316	-FISSIDENS HEDW.	9900731	-HYPERTHELIA CLAYTON
1316	FISSIDENTACEAE (3)	0553000	-HYPHAENA GAERTN.
0798000	-FLAGELLARIA L.	1896	HYPNACEAE (78)
797000	FLAGELLARIACEAE	1804	-HYPNOFABRONIA DIX.
1742	-FLORIBUNDARIA FLEISCH.	1897	-HYPNUM HEDW.
0908000	-FLOSCOPA LOUR.	630	-HYPODEMATIUM KUNZE
1646	FONTINALACEAE (45)	0816000	-HYPODISCUS NEES
1646	-FONTINALIS HEDW.	1387	-HYPODONTIUM C. MUELL.
1229010	-Forbesia Eckl. = EMPODIUM	9900700	-Hypogynium Nees = ANDROPOGON
1435010	-Forficaria Lindl. = HERSCHELIA	0815000	-HYPOLAENA R. BR.
1682	-FORSTROEMIA LINDB.	240	-HYPOLEPIS BERNH.
1030	-FOSSOMBRONIA RADDI	1788	-HYPOPTERYGIUM BRID.
1316000	-FREESIA KLATT	1229010	HYPOXIDACEAE
1081	-FRULLANIA RADDI	1230000	-HYPOXIS L.
0467000	-FUIRENA ROTTB.	9900370	-IMPERATA L.
1467	-FUNARIA HEDW.	1098	-INFILATOLEJEUNEA S. ARNELL
1466	FUNARIACEAE (19)	0975000	-IPHIGENIA KUNTH

1259000	IRIDACEAE	1173	-LOPHOZIA (DUM.) DUM.
9900100	-ISCHAEMUM L.	1791	-LOPIDIUM HOOK. F. & WILS.
1805	-ISCHYRODON C. MUELL.	9901751	-LOUDETIA HOCHST. EX STEUD.
40	ISOETACEAE	9901752	-LOUDETIOPSIS CONERT
40	-ISOETES L.	410	-LOXOGRAMME PRESL
0468020	-ISOLEPIS R. BR.	530	-Loxoscaphe T. Moore = ASPLENIUM
1898	-ISOPTERYGIUM MITT.	567	-LUNATHYRIUM KEIDSUMI
1169	-ISOTACHIS MITT.	1040	-LUNULARIA ADANS.
1302000	-IXIA L.	1041	LUNULARIACEAE (H3)
1732	-JAEGERINA C. MUELL.	0937000	-LUZULA DC.
1171	-JAMESONIELLA (SPRUCE) CARRING.	20	LYCOPODIACEAE
0665010	-JUBAEOPSIS BECC.	20	-LYCOPODIUM L.
1081	JUBULACEAE (H17)	110	-LYGODIUM SWARTZ
1828140	-JUMELLEA SCHLTR.	0494010	-MACROCHAETIUM STEUD.
930000	JUNCACEAE	1617	-MACROCOMA (C. MUELL.) GROUT
66000	JUNCAGINACEAE	1618	-MACROMITRIUM BRID.
0459020	-Juncellus C.B. Cl. = CYPERUS	537	-MACROTHERYPTERIS (H. ITO) CHING
0936000	-JUNCUS L.	1037	-MANNIA OPIZ
1172	-JUNGERMANNIA L.	70	-MARATTIA SWARTZ
1167	JUNGERMANNIACEAE (H19)	70	MARATTIACEAE
1346000	-KAEMPFERIA L.	1027	-MARCHANTIA L.
9903611	-KADKOCHLOA CONERT & TURPE	1026	MARCHANTIIACEAE (H6)
9902044	-KARROOCHLOA CONERT & TURPE	1103	-MARCHESINIA S. GRAY
1311050	-Kentrosiphon N.E. Br. = ANOMALESIA	0459030	-MARISCUS GAERTN.
1298000	-KLATTIA BAK.	190	-MARSILEA L.
1186010	-Klingia Schönl. = GETHYLLIS	190	MARSILEACEAE
1024000	-KNIPHOFIA MOENCH	1152	-MARSUPELLA DUM.
0522000	-Kobresia Willd. = SCHOENOXIPHIUM	1148	-MARSUPIIDIUM MITT.
9903740	-KOELERIA PERS.	1101000	-MASSONIA THUNB. EX HOUTT.
1204	-KURZIA VON MARTENS	1104	-MASTIGOLEJEUNEA (SPRUCE) SCHIFFN.
0462000	-KYLILINGA ROTTB.	9900881	-MEGALOPROTACHNE C.E. HUBB.
0468008	-Kyllingiella R. Haines & K. Lye = SCIRPUS	9903881	-MEGASTACHYA BEAUV.
1098000	-LACHENALIA JACQ. F. EX MURRAY	1883	-MEIOTHECIUM MITT.
0088000	-LAGAROSIPHON HARV.	1305000	-MELASPHAERULA KER-GAWL.
9902610	-LAGURUS L.	9903860	-MELICA L.
9903720	-LAMARCKIA MOENCH.	9901340	-MELINIS BEAUV.
1160010	-LANARIA AIT.	9902043	-MERXMUELLERA CONERT
1314000	-LAPEIROUSIA POURRET	1741	METEORACEAE (58)
9903990	-LASTIOCHLOA KUNTH	1061	-METZGERIA RADDI
1090010	-LEDEBOURIA ROTH.	1061	METZGERIACEAE (H13)
9901590	-LEERSIA SWARTZ.	1313000	-MICRANTHUS (PERS.) ECKL.
1099	-LEJEUNEA LIB.	1366	-MICROCAMPYLOPUS (C. MUELL.) FLEISCH.
1086	LEJEUNEEAE (H18)	9902940	-MICROCHLOA R. BR.
1771	LEMBOPHYLLACEAE (61)	1828120	-MICROCOELIA LINDL.
0795000	-LEMNA L.	1367	-MICRODUS SCHIMP. EX BESCH.
794000	LEMNACEAE	420	-MICROGRAMMA PRESL
1196	-LEPICOLEA DUM.	1105	-MICROLEJEUNEA STEPH.
1196	LEPICOLEACEAE (H32)	250	-MICROLEPIA PRESL
1790	-LEPIDOPILIDIUM (C. MUELL.) BROTH.	1206	-MICROLEPIDOZIA SPRUCE
1205	-LEPIDOZIA DUM.	1469	-MICROPOMA LINDB.
1201	LEPIDOZIACEAE (H31)	430	-MICROSORIUM LINK
1510	-LEPTOBRYUM (B. S.G.) WILS.	9900550	-MICROSTEGIUM NEES
0808000	-LEPTOCARPUS R. BR.	1898	-Microthamnium Mitt. = MITTENOTHAMNIUM
9903430	-LEPTOCARYDIUM HOCHST. EX STAFF	1512	-MELICHOFERIA NEES & HORNSCH.
9903330	-LEPTOCHLOA BEAUV.	9900400	-Miscanthidium Stapf = MISCANTHUS
1100	-LEPTOCOLEA EVANS	9900380	-MISCANTHUS ANDERSS
1839	-LEPTODICTYUM (SCHIMP.) WARNST.	1899	-MITTENOTHAMNIUM HENN.
1756	-LEPTODON MOHR	1526	MNIACEAE (26)
1414	-LEPTODONTIUM (C. MUELL.) HAMPE EX LINDB	1525	-Mnium Hedw. = Several genera
1911	-LEPTOTHYMIUM SCHWAEGR.	120	-MOHRIA SWARTZ
1806	-LEPTOISCHYRODON DIX.	1436000	-MONADENIA LINDL.
1126	-LEPTOSCHYPHUS MITT.	9902750	-MONELYTRUM HACK.
1566	-LEPTOTHECA SCHWAEGR.	9904422	-MONERMA BEAUV.
9904420	-LEPTURUS R. BR.	1019	MONOCARPACEAE (H8A)
1811	LESKEACEAE (71)	1020	-MONOCARPUS D.J. CARR
1811	-LESKEELLA (LIMPR.) LOESKE	0920000	-MONOCHORIA PRESL
1789	-LESKEODON BROTH.	9900750	-MONOCYMBIUM STAFF
1147	-LETHOCOLEA MITT.	1306040	-Montbretiosis L. Bol. = TRITONIA
1364	-LEUCOBRYUM HAMPE	1265000	-MORAEA MILL.
1687	-LEUCODON SCHWAEGR.	9902741	-MOSDENIA STENT
1686	LEUCODONTACEAE (49)	0899010	-MURDANNIA ROYLE
1101	-LEUCOLEJEUNEA EVANS	1318000	-Musa L. = ENSETE
1365	-LEUCOLOMA BRID.	1318000	MUSACEAE
1443	-LEUCOPERICHAETUM MAGILL	1301	MUSCI
9901030	-LEUCOPHYRYS RENDLE	1113020	-MYRSIPHILLUM WILLD.
1863	-LEVIERELLA C. MUELL.	1837000	-MYSTACIDIUM LINDL.
942000	LILIACEAE	64000	NAJADACEAE
1072000	-LILIIUM L.	0064000	-NAJAS L.
0072000	-LIMNOPHYTON MIG.	1321	NANOBRYACEAE (3A)
1812	-LINDBERGIA KINDB.	1321	-NANOBRYUM DIX.
390	-LINDSAEA DRYAND.	1002010	-Nanolirion Benth. = CAESIA
390	LINDSAEACEAE	9902631	-Nasella E. Desv. = STIPA
9902020	-LINTONIA STAFF	1757	-NECKERA HEDW.
1556000	-LIPARIS L.C. RICH.	1756	NECKERACEAE (60)
0452000	-LIPOCARPHA R. BR.	0494030	-NEESENBECKIA LEVYNS
1647000	-Lissochilus R. Br. = EULOPHIA	1099010	-NEOBAKERIA SCHLTR.
1839020	-Listrostachys Reichb. f. = CYRTORCHIS	1429000	-NEOBOLUSIA SCHLTR.
1085000	-LITANTHUS HARV.	0971010	-NEODREGEA C.H. WRIGHT
0964000	-LITTONIA HOOK.	1089020	-NEOPATERSONIA SCHONL.
9904330	-LOLIUM L.	500	-NEPHROLEPIS SCHOTT
570	LOMARIOPSIDACEAE	1175000	-NERINE HERB.
245	-Lonchitis L. = BLOTIELLA	1468000	-NERVILIA COMM. EX GAUD.
9903520	-LOPHACHME STAFF	1297000	-NIVENIA VENT
9903741	-LOPHOCHLOA REICHENB.	355	-Notholaena R. Br. = CHEILANTHES
1138	-LOPHOCOLEA (DUM.) DUM.	1050000	-NOTHOSCORDUM KUNTH
1136	LOPHOCOLEACEAE (H25)	1025000	-Notoscyphus Benth. = KNIPHOFIA
1102	-LOPHOLEJEUNEA (SPRUCE) SCHIFFN.	1174	-NOTOSCYPHUS MITT.
		1558000	-OBERONIA LINDL.

1388	-OCTOBLEPHARUM HEDW.	11000	PODOCARPACEAE
9901430	-ODONTELYTRUM HACK.	0013000	-PODOCARPUS L'HERIT.
1141	-ODONTOSCHISMA (DUM.) DUM.		-Poeinitzia = HAMORTHIA
9903451	-ODYSSEA STAFF	9903340	-POGONARTHRIA STAFF
1648020	-OECEDOCLEDES LINDL.	1922	-POGONATUM BEAUV.
1448	-OEDIPODIELLA DIX.	1515	-POHLIA HEDW.
1311030	-OENOSTACHYS BULLOCK	9903101	-POLEVANSIA DE WINTER
510	-OLEANDRA CAY.	410	-POLYPODIACEAE
9901660	-OLYRA L.	460	-POLYPODIUM L.
1438010	-Ommatodium Lindl. = PTERYGODIUM	9902440	-POLYPOGON DESF.
0971000	-ONIXOTIS RAF.	1565000	-POLYSTACHYA HOOK.
60	-OPHIODGLOSSACEAE	650	-POLYSTICHUM ROTH
60	-OPHIODGLOSSUM L.	1921	-POLYTRICHACEAE (83)
9901150	-OPLISMENUS BEAUV.	1923	-POLYTRICHUM HEDW.
1389000	-ORCHIDACEAE	1099000	-POLYXENA KUNTH
1369	-OREOWEISIA (B.S.G.) DE NOT	0922000	-PONTEDERIA L.
1089000	-ORNITHOGALUM L.	920000	-PONTEDERIACEAE
0973000	-ORNITHOGLOSSUM SALISB.	1076	-PORELLA L.
9903200	-OROPETIUM TRIN.	1076	-PORELLACEAE (F16)
1514	-ORTHODONTIUM SCHWAEGR.	1759	-POROTHANNIUM HLEISCH.
1434020	-Orthopenthea Rolfe = DISA	0058000	-POTAMOGETON L.
1734	-ORTHOSTICHOPSIS BROTH.	58000	-POTAMOGETONACEAE
1616	-ORTHOTRICHACEAE (42)	9901560	-Potamophila R. Br. = PROSPHYTOCHLOA
1619	-ORTHOTRICHUM HEDW.	1420	-POTTIA (REICHENB.) FUERNR.
9901580	-ORYZA L.	1401	-POTTIACEAE (14)
9901142	-ORYZIDIUM C.E. HUBB.	9901800	-PRIONANTHIUM DESV.
80	-OSMUNDA L.	0930000	-PRIONIUM E. MEY.
80	-OSMUNDACEAE	1711	-PRIONODON C. MUELL.
0095000	-OTTETIA PERS.	1711	-PRIONODONTACEAE (53)
0468005	-Oxycaryum Nees = SCIRPUS	1107	-PRIONOLEJEUNEA STEPH.
1000	-OXYMITRA BISCH.	9901561	-PROSPHYTOCHLOA SCHWEICK.
1011	-OXYMITRACEAE (H7)	1113010	-PROTASPARAGUS OBERM.
1852	-OXYRRHYNCHIUM (B.S.G.) WARNST.	0062010	-PSEUDALTHENIA NAKAI
1416	-OXYSTEGUS (LIMPR.) HILP.	9901010	-PSEUDECHINOLAENA STAFF
9904770	-OXYTENANTHERA HENKEL	9901043	-PSEUDOBRACHIARIA LAUNERT
1426000	-PACHITES LINDL.	9904250	-PSEUDOBROMUS K. SCHUM.
0830000	-Paepalanthus Mart. = SYNGONANTHUS	1094000	-PSEUDOGALTONIA D. KUNTZE
1853	-PALAMOCLEADIUM C. MUELL.	1813	-PSEUDOLESKEA B.S.G.
1066	-PALLAVICINIA S. GRAY	9902081	-PSEUDOPENTAMERIS CONERT
1066	-PALLAVICINIACEAE (H14)	0796020	-Pseudowolffia Den Hartog & v. d. Plas =
1202000	-PANCRA TIUM L.		-WOLFFIELLA
9901160	-PANICUM L.	9901124	-PSILOCHLOA LAUNERT
1743	-PAPILLARIA (C. MUELL.) C. MUELL.	1207	-PSILOCLADA MITT.
9904431	-PARAPHOLIS C.E. HUBB.	1924	-PSILOPILUM BRID.
9901420	-PARATHERIA GRISEB.	10	-PSILOTACEAE
9901090	-PASPALIDIUM STAFF	10	-PSILOTUM SWARTZ
9901070	-PASPALUM L.	1814	-PSEUDOLESKEOPSIS BROTH.
1230030	-PAURIDIA HARV.	260	-PTERIDIUM SCOP.
360	-PELLAEA LINK	380	-PTERIS L.
9901390	-PENNISETUM RICH.	1731	-PTEROBRYACEAE (57)
9902080	-PENTAMERIS BEAUV.	1735	-PTEROBRYOPSIS FLEISCH.
9902050	-PENTASCHISTIS STAFF	1688	-PTEROGONIUM SW.
1434030	-Penthea Lindl. = DISA	1438000	-PTERYGODIUM SWARTZ
9901870	-PERIBALLIA TRIN.	1421	-PTERYGONEURUM JUR.
1166020	-Periphanes Salisb. = HESSEA	1108	-PTYCHANTHUS NEES
9902800	-PEROTIS AITON	1109	-PTYCHOCOLEUS TREV.
1306070	-Petamenes Salisb. = Several genera	1611	-PTYCHOMITRIACEAE (41)
9900180	-PHACELURUS GRISEB.	1611	-PTYCHOMITRIOPSIS DIX.
1217	-PHAEOCEROS PROSK.	1612	-PTYCHOMITRIUM FUERNR.
9901630	-PHALARIS L.	9904150	-PUCCINELLIA PARL.
640	-PHANEROPHLEBIA PRESL	0459010	-PYCREUS BEAUV.
1417	-PHASCONICA C. MUELL.	470	-PYRRROSIA MIRB.
1418	-PHASCUM HEDW.	1606	-RACHITHECIUM BROTH. EX LE'JOL.
1584	-PHILONOTIS BRID.	1442	-RACOMITRIUM BRID.
435	-PHLEBODIUM J. SM.	1641	-RACOPILACEAE (44)
0528000	-PHOENIX L.	1641	-RACOPILUM BEAUV.
1106	-PHRAGMILEJEUNEA SCHUST.	1311040	-RADINOSIPHON N.E. BR.
9902140	-PHRAGMITES TRIN.	1071	-RADULA DUM.
0818020	-PHYLLLOCOMIDS MAST.	1071	-RADULACEAE (H15)
1751	-PHYLLLOGONIACEAE (59)	1830010	-RANGAERIS SUMMERH.
440	-Phymatodes Presl = MICROSORIUM	0559000	-RAPHA BEAUV.
1470	-PHYSCOMITRELLOPSIS BROTH. & WAG. EX DIX.	1828	-Rauia Aust. = RAVIELLA
1471	-PHYSCOMITRIUM (BRID.) BRID.	1829	-RAUIELLA REIM.
1315010	-PILLANSIA L. BOL.	1039	-REBOULIA RADDI
1744	-PILOTTRICHELLA (C. MUELL.) BESCH.	1110	-RECTOLEJEUNEA EVANS
22000	-PINACEAE	1736	-Renauldia C. Muell. in Ren. =
1758	-PINATELLA FLEISCH.		-CALYPTOTHECIUM
0022000	-PINUS L.	9902941	-RENDLIA CHIOV.
0791000	-PISTIA L.	0804000	-RESTIO L.
370	-PITYROGRAMMA LINK	804000	-RESTIONACEAE
1513	-PLAGIOBRYUM LINDB.	1632	-RHABDOWEISIA B.S.G.
1038	-PLAGIOCHASMA LEHM. & LINDENB.	1631	-RHABDOWEISIAEAE (42A)
1127	-PLAGIOCHILA (DUM.) DUM.	1606	-RHACHITHECIACEAE (40A)
1126	-PLAGIOCHILACEAE (H23)	1674	-RHACOCARPUS LINDB.
9904020	-PLAGIOCHLOA ADAMSON & SPRAGUE	1083000	-RHADAMANTHUS SALISB.
1526	-PLAGIOMNIUM T. KOP.	1885	-Rhapidorrhynchium Fleisch. =
1587	-PLAGIOPUS BRID.		-SEMATOPHYLLUM
1871	-PLAGIOTHECIACEAE (76)	1277020	-RHEOME GOLDBL.
1871	-PLAGIOTHECIUM B.S.G.	1556	-RHIZOGONIACEAE (32)
1840	-PLATYHYPNIDIUM FLEISCH	1556	-RHIZOGONIUM BRID.
1516000	-PLATYLEPIS A. RICH.	1516	-RHODOBRYUM (SCHIMP.) LIMPR.
450	-PLEOPELTIS WILLD.	1230020	-RHODOPHYOPSIS NEL
1335	-PLEURIDIUM RABENH.	9901321	-RHYNCHELYTRUM NEES
1853	-Pleuropus Griff. = PALAMOCLEADIUM	0492000	-RHYNCHOSPORA VAHL
538	-Pneumatopteris Nakai = THELYPTERIS	1854	-RHYNCHOSTEGIELLA (B.S.G.) LIMPR.
9904070	-POA L.	1855	-RHYNCHOSTEGIUM B.S.G.
9900010	-POACEAE	9900340	-RHYTACHNE DESV.
9901910	-POAGROSTIS STAFF		

1056	-RICCARDIA S. GRAY	1111	-STREPSILEJEUNEA STEPH.
1016	-RICCIA L.	1171000	-STRUMARIA JACO. EX WILLD.
1016	-RICCIAEAE (HB)	0764000	-STYLOCHITON LEPR.
1017	-RICCIOCARPOS CORDA	1112	-STYLOLEJEUNEA SIM
1000	-RIELLA MONT.	9903504	-STYPPEIOCHLOA DE WINTER
1000	-RIELLACEAE (H10)	1067	-SYMPHYOGYNA NEES & MONT.
1771	-RIGIDIUM KUNZE EX SCHWAEGR.	0832010	-SYNGONANTHUS RUHL.
0454010	-RIKIELLA J. RAYNAL	1309000	-SYNNOTIA SWEET
1277030	-ROGGEVELDIA GOLDBL.	1080005	-Sypharissa Salisb. = TENICROA
1261000	-ROMULEA MARATTI'	1260000	-SYRINGODEA HOOK. F.
9900310	-ROTTBOELLIA L. F.	1389	-SYRRHOPODON SCHWAEGR.
660	-RUMOHRA RADDI	1247020	-TALBOTIA BALF.
0059000	-RUPPIA L.	1022	-TARGIONIA L.
59000	-RUPPIACEAE	1021	-TARGIONIAEAE (H1)
9901240	-SACCIOLEPIS NASH	9900891	-TARIGIDIA STENT
1336	-SAELANIA LINDB.	1113	-TAXILEJEUNEA (SPRUCE) SCHIFFN.
210	-SALVINIA ADANS.	1491	-TAYLORIA HOOK.
210	-SALVINIAEAE	1231000	-TECOPHILAEACEAE
0965000	-SANDERSONIA HOOK.	670	-TECTARIA CAV.
1230040	-SANIELLA HILLIARD & BURTT	1208	-TELARANEA SPRUCE
1110000	-SANSEVIERIA THUNB.	0082000	-TENAGOCCHARIS HOCHST.
9902622	-SARTIDIA DE WINTER	1080010	-TENICROA RAF.
1430010	-SATYRIDIVM SWARTZ	1252010	-Testudinaria Salisb. = DIOSCOREA
1430000	-SATYRIUM SWARTZ	9903270	-TETRACHNE NEES
1167010	-SCADDXUS RAF.	9903220	-TETRAPOGON DESF.
9904050	-SCHISMUS BEAUV.	1423	-TETRAPTERUM HAMPE EX JAEG.
1121	-SCHISTOCHILACEAE (H22)	0494000	-TETRARIA BEAUV.
1121	-SCHISTOCHILIA DUM.	0060010	-THALASSODENDRON DEN HARTOG
1367	-Schistomitrium Dozy & Molk. = LEUCOBRYUM	9904570	-THAMNOCALANUS MUNRO
9900680	-SCHIZACHYRIUM NEES	0813000	-THAMNOCHORTUS BERG.
130	-SCHIZIAEA J. E. SM.	9900110	-THELEPOGON ROEM. & SCHULT.
100	-SCHIZIAEAEAE	532	-THELYPTERIDACEAE
1010000	-SCHIZOBASIS BAK.	532	-THELYPTERIS SCHMIDEL
1086010	-Schizocarpus Van der Merwe = SCILLA	9900830	-THEMEDA FORSSK.
1431000	-SCHIZOGHILUS SOND.	1313010	-THEREIANTHUS G. J. LEWIS
1432000	-SCHIZODIVM LINDL.	1826	-THUIDIACEAE (72)
393	-Schizoloma Gaud. = LINDSAEA	1830	-THUIDIVM B. S. G.
1299000	-SCHIZOSTYLIS BACKH. & HARV.	1079010	-THURANTHOS C. H. WRIGHT
1620	-SCHLOTHEIMIA BRID.	1114	-THYSANANTHUS LINDENB.
9903610	-SCHMIDTIA STEUD.	1367	-Thysanomitrium Schwaegr. = CAMPYLOPUS
9902950	-SCHOENEFFELDIA KUNTH	1432	-TIMMIELLA (DE NOT.) LIMPR.
0468010	-SCHOENOPECTUS PALLA	90	-TODEA WILLD.
0521000	-SCHOENOXIPHIVM	1424	-TORTELLA (LINDB.) LIMPR.
0477000	-SCHOENUS L.	1425	-TORTULA HEDW.
1807	-Schwetschkea C. Muell. = HELICODONTIVM	0985010	-TRACHYANDRA KUNTH
1841	-SCIAROMIVM (MITT.) MITT.	1864	-TRACHYPHYLLUM GEPP IN HIERN.
1086000	-SCILLA L.	1721	-TRACHYPODACEAE (55)
0468000	-SCIRPUS L.	1721	-TRACHYPODOPSPIS FLEISCH.
0515000	-SCLERIA BERG.	9900780	-TRACHYPOGON NEES
9904190	-Scleropoa Griseb. = DESMAZERIA	1722	-TRACHYPUS REINW. & HORNSCH.
9904390	-SECALE L.	0911000	-TRADESCANTIA L.
9900130	-SEHIMA FORSSK.	9902740	-TRAGUS HALLER
30	-SELAGINELLA BEAUV.	1368	-TREMATODON MICHX.
30	-SELAGINELLACEAE	0475000	-TRIANOPTILES FENZL
1351	-SELIGERIAEAE (7)	9901330	-TRICHOILAENA SCHRAD.
1881	-SEMATOPHYLLACEAE (77)	170	-TRICHOMANES L.
1886	-SEMATOPHYLLUM MITT.	9903530	-TRICHONEURA N. J. ANDERSS.
1422	-SEMIBARBULA Herz. ex Hilp.	9901750	-TRICHOPTERYX NEES
1277040	-SESSILISTIGMA GOLDBL.	1687	-TRICHOSTEIVM MITT.
9901280	-SETARIA BEAUV.	1430	-TRICHOSTOMOPSIS CARD.
0465010	-Sickmannia Nees = FICINIA	1426	-TRICHOSTOMUM BRUCH
1177	-Simia S. Arnell = CEPHALOZIELLA	1828010	-TRIDACTYLE SCHLTR.
1346010	-SIPHONCHILUS WOOD & FRANKS	0066000	-TRIGLOCHIN L.
1286000	-SISYRINCHIUM L.	9903180	-TRIPOGON ROTH EX ROEM. & SCHULT.
1151000	-SMILAX L.	9900060	-TRIPSACUM L.
9900461	-SORGHASTRUM NASH	1427	-TRIGUETRELLA C. MUELL.
9900460	-SORGHUM MOENCH.	9903500	-TRIRAPHIS R. BR.
1307000	-SPARAXIS KER	9902590	-Trisetaria Forssk. = LOPHOCHLOA
9902930	-SPARTINA SCHREB.	9901930	-Trisetum Pers. = LOPHOCHLOA
1006	-SPHAEROCARPACEAE (H9)	9901740	-TRISTACHYA NEES
1006	-SPHAEROCARPOS BOEH.	1337	-TRISTICHIVM C. MUELL.
1301	-SPHAGNACEAE (1)	1306000	-TRITONIA KER-GAWL.
1301	-SPHAGNUM L.	1312010	-TRITONOPSIS L. BOL.
1175	-Sphenolobus Berggr. = ANASTROPHYLLUM	1047000	-TULBAGHIA L.
9903790	-SPHENOPUS TRIN.	1128	-TYLIMANTHUS MITT.
1230010	-SPILOXENE SALISB.	0049000	-TYPHA L.
0794000	-SPIRODELA SCHLEID.	49000	-TYPHACEAE
1491	-SPLACHNACEAE (21)	1621	-ULOTA MOHR
9902830	-SPOROBOLUS R. BR.	9900170	-URELYTRUM HACK.
1745	-SQUAMIDIUM (C. MUELL.) BROTH.	1080000	-URGINEA STEINH.
0814000	-STABERDHA KUNTH	9903680	-UROCHLAENA NEES
0002000	-STANGERIA T. MOORE	9901100	-UROCHLOA BEAUV.
2000	-STANGERIAEAE	0008900	-VALLISNERIA L.
539	-Stegnogramma Blume = THELYPTERIS	1178000	-Vallota Herb. = CYRTANTHUS
700	-STENOCHLAENA J. SM.	1480000	-VANILLA JUSS.
1407000	-STENOGLOTTIS LINDL.	1246000	-Vellozia Vand. = XEROPHYTA & TALBOTIA
9901080	-STENOTAPHRUM TRIN.	1246000	-VELLOZIAEAE
1153	-STEPHANIELLA JACK	1097000	-VELTHEIMIA GLEDITSCH
9900910	-STEREOCHLAENA HACK.	1900	-VESICULARIA (C. MUELL.) C. MUELL.
1872	-STEREOPHYLLUM MITT.	9900490	-VETIVERIA BORY
9904000	-STIBURUS STAFF	270	-VITTARIA J. E. SM.
155	-Sticherus Presl = GLEICHENIA	270	-VITTARIAEAE
9902630	-STIPA L.	0062005	-Vleisia Tomlinson & Posluszny = PSEUDALTHENIA
9902600	-STIPAGROSTIS NEES	0452010	-VOLKIELLA MERXM. & CZECH.
9901971	-STREBLOCHAEITE HOCHST. EX PILG.	9900160	-VOSSIA WALL. & GRIFF.
1319000	-STRELITZIA AIT.	9904180	-VULPIA GMEL.
1319000	-STRELITZIAEAE	1162000	-WACHENDORFIA BURM.

1231000 -WALLERIA KIRK
 1651 -WARDIA HARV. & HOOK.
 1651 WARDIACEAE (45A)
 1315000 -WATSONIA MILL.
 1517 -Webera Hedw. = POHLIA
 0045800 -WEBSTERIA S.H. WRIGHT
 1428 -WEISIOPSIS BROTH.
 1429 -WEISSIA HEDW.
 0048000 -WELWITSCHIA HOOK. F.
 48000 WELWITSCHIAEAE
 1100000 -WHITEHEADIA HARV.
 0038000 -WIDDRINGTONIA ENDL.
 1888 -WIJKIA CRUM
 9903091 -Wilkomia Hack. = CRASPEDORHACHIS
 0818000 -WILLDENOWIA THUNB.
 0080000 -WISNERIA P.A. MICH.
 1296000 -WITSENIA THUNB.
 0796000 -WOLFFIA HORKEL EX SCHLEID.
 0796010 -WOLFFIELLA HEGELM.

0796030 -Wolffiopsis Den Hartog & v. d. Plas =
 WOLFFIELLA
 680 -WOODSIA R. BR.
 0972000 -WURMBEA THUNB.
 1247010 -XEROPHYTA JUSS.
 400 -XIPHOPTERIS KAULF.
 826000 XYRIDACEAE
 0826000 -XYRIS L.
 1830030 -YPSILOPUS SUMMERH.
 3000 ZAMIACEAE
 0692000 -ZAMIOGULCAS SCHOTT
 0062000 -ZANNICHELLIA L.
 60000 ZANNICHELLIAEAE
 0748000 -ZANTEDESCHIA SPRENG.
 1181000 -ZEPHYRANTHES HERB.
 1502000 -ZEUXINE LINDL.
 1324000 ZINGIBERACEAE
 0055000 -ZOSTERA L.
 55000 ZOSTERACEAE
 1622 -ZYGODON HOOK. & TAYL.

MEMOIRS OF THE BOTANICAL SURVEY OF SOUTH AFRICA
MEMOIRS VAN DIE BOTANIESE OPNAME VAN SUID-AFRIKA

The following memoirs are out of print/Die volgende memoirs is uit druk: Nos. 3, 9, 10, 11, 14, 15, 20, 21, 22, 25, 26, 28, 30 and/en 37.

Still available are:/Nog beskikbaar is:

1. Phanerogamic flora of the Divisions of Uitenhage and Port Elizabeth. 1919. S. Schonland. 40 c.
2. Botanical survey of Natal and Zululand. 1921. R.D. Aitken & G.W. Gale. 20 c.
4. A guide to botanical survey work. 1922. 40 c.
5. Researches on the vegetation of Natal. 1923. J.W. Bews & R.D. Aitken. 40 c.
7. The native timber trees of the Springbok Flats. 1925. E.E. Galpin. 40 c.
8. Researches on the vegetation of Natal. 1925. J.W. Bews & R.D. Aitken. 40 c.
12. Botanical survey of the Springbok Flats (Transvaal). E.E. Galpin. 40 c.
13. The vegetation of the Riversdale Area, Cape Province. 1929. J. Muir. 40 c.
16. The seed-drift of South Africa and some influences of ocean currents on the strand vegetation. 1937. J. Muir. 40 c.
17. The vegetation of the Divisions of Albany and Bathurst. 1937. R.A. Dyer. 40 c.
18. Notes on the vegetation of the Kamiesberg. 1938. R.S. Adamson. 40 c.
19. The value of botanical survey and the mapping of vegetation as applied to farming systems in South Africa. 1938. J.A. Pentz. 40 c.
23. The vegetation of Weenen County, Natal. 1951. O. West. 80 c.
24. An ecological account of the vegetation of the Potchefstroom Area. 1951. W.J. Louw. 60 c.
27. A botanical survey of the Keiskammahoek District. 1951. R. Story. R1,10; overseas R1,80.
29. The wheel-point method of survey. 1955. C.E.M. Tidmarsh & C.M. Havenga. 80 c; overseas R1,50.
31. Studies of the vegetation of parts of the Bloemfontein and Brandfort Districts. 1958. J.W.C. Mostert. R2,00; overseas R3,30.
32. An account of the plant ecology of the Table Mountain area of Pietermaritzburg, Natal. 1959. D.J.B. Killick. R2,00; overseas R3,30.
33. The vegetation of the Districts of East London and King William's Town, Cape Province. 1962. D.M. Comins. R2,45; overseas R3,60.
34. An account of the plant ecology of the Cathedral Peak area of the Natal Drakensberg. 1963. D.J.B. Killick. R3,00; overseas R3,80.
35. Common names of South African plants. 1966. C.A. Smith. R7,40 ; overseas R9,10.
36. A plant ecological survey of the Tugela River Basin. 1967. D. Edwards. Obtainable from the Town and Regional Planning Commission, Pietermaritzburg, Natal.
38. The plant ecology of the Southern Kalahari. 1967. O.A. Leistner. R3,20; overseas R4,00.
39. Flora of Natal. 1973. J.H. Ross. R4,30; overseas R5,45.
40. Veld types of South Africa (second edition). 1975. J.P.H. Acocks. R8,70, map R2,10; overseas R10,00, map R2,60.
41. The biostratigraphy of the Permian and Triassic. Part 3. A review of Gondwana Permian palynology with particular reference to the northern Karoo Basin, South Africa. 1977. J.M. Anderson. R5,00; overseas R6,50.
42. Vegetation of Westfalia Estate on the north-eastern Transvaal escarpment. 1977. J.C. Scheepers. R8,00; overseas R9,95.
43. The bryophytes of southern Africa. An annotated checklist. 1979. R.E. Magill & E.A. Schelpe. R7,00; overseas R8,70.
44. A conspectus of the African *Acacia* species. 1979. J.H. Ross. R15,20; overseas R17,00.
45. The plant ecology of the Isipingo Beach area, Natal, South Africa. 1980. C.J. Ward. R5,60; overseas R7,00.
46. A phytosociological study of the Upper Orange River Valley. 1980. M.J.A. Werger. R3,80; overseas R4,70.
47. A catalogue of South African green, brown and red algae. 1984. S.C. Seagrief. R5,10; overseas R6,40.
48. List of species of southern African plants. 1984. G.E. Gibbs Russell and the staff of the National Herbarium. R5,00; overseas R6,20.
49. Pattern analysis in savanna-woodlands at Nylsvley, South Africa. 1984. R.H. Whittaker, J.W. Morris & D. Goodman. R3,20; overseas R4,00.

Please note that local prices quoted do not include General Sales Tax. This tax is not payable on overseas orders.